



电子元器件系列 (中国.厦门)

www.rf-china.com F-Micom co.,Ltd

厦门销售电话:0592-5713956

EMail:sales@rf-china.com

Tel:0086-592-5713956 Fax:0592-5201617

Part:	Part-Number:	Description:
2J s.r.o. antenna conceptor	2J664B	Low profile GSM antenna (70x15mm) for screwing, with FMEf connector. l=3m
2J s.r.o. antenna conceptor	ADAPTER MMCX/MMCX	Adapter cable MMCX male ra / MMCX male ra l=100mm (RG174)
2J s.r.o. antenna conceptor	ADAPTER MMS/FME 15-1	Adapter cable MMS/FME with 150mm RG174 Cable
2J s.r.o. antenna conceptor	ADAPTER MMS/MCX 15-1	Adapter cable MMS/MCX for Wavecom Q250 1B Modul
2J s.r.o. antenna conceptor	ADAPTER MMS/SMA 15-1	Adapter cable MMS/SMA with 150mm RG174 Cable
2J s.r.o. antenna conceptor	2J040	FME-female right angel antenna
2J s.r.o. antenna conceptor	ADAPTER SMA/SMA 15-1	Adapter cable SMA/SMA with 150mm RG174 Cable
2J s.r.o. antenna conceptor	ADAPTER UFL/SMA 12	Adapter cable UFL/SMAf for Wavecom Q26 Series with 120mm cable length
2J s.r.o. antenna conceptor	2J050	SMA-male straight antenna
2J s.r.o. antenna conceptor	ADAPTER Cable SMA/SMA 200	Adapter cable SMAf B/H to SMA/m with 2m RG174 cable
2J s.r.o. antenna conceptor	2J300M MCX	Magnetique mount Antenna with MCXm connector, lenght=2.5m
2J s.r.o. antenna conceptor	2J300M SMA	Magnetique mount Antenna with SMA connector, lenght=2.5m
2J s.r.o. antenna conceptor	2J300M TNC	Magnetique mount Antenna with TNC male connector, lenght=2.5m
2J s.r.o. antenna conceptor	2J630P	GSM/GPS low profile patch antenna with SMAM (GSM) + MMCX (GPS) connector. l=3m
3M	7G24-B5A6-05	Dual push Eject system C-FAST Host Connector (RIGHT)
3M	7E50-C016-00-HT	Latching Retainer for C- FAST
A1W Elektronik GmbH	12V_PWM_DIMMER	3,5 A PWM Dimmer for use with DC Powersupply and LED bars from Harvatek
Aaeon	TF-PER-T099-A10	ECX Extension Board.24Bit LVDS.PCI-E.2COM.Rev.A1.0
Aaeon	CAB-AAE-1703300501	LVDS Cable GENE-8310 to TX43D21V0CAA Length: 50 cm
Aaeon	TF-PER-A064	
Aaeon	TF-PER-A052	Passive Heatsink, For COM-965/ COM-45SP with Onboard CPU
Aaeon	TF-PER-A049	Heat Spreader Kit.For XTX-915/945.On-board CPU
Aaeon	TF-PER-A066	Heat Speader Kit for COM-965/COM45SP, Onboard CPU
Aaeon	TF-PER-A093	Passive Heatsink, for NANO COM U15 a2:0. On-board CPU
Aaeon	TF-PER-C10L-A10	Mini PCI.10/100 Base-Tx LAN Module.W/Realtek.8100C.Rev.A1.0
Aaeon	TF-PER-C10L-A10-01	Mini PCI AddOn Card Ethernet 10/100/1000 Base-Tx
Aaeon	CAB-AAE-1703300353	LVDS Cable GENE-8310 + 5315 to G084SN05 + LTA084C271F + LTM08C351L

Aaeon	AP-DR14D6A01G06	1GB DDR SO-DIMM PC333
Aaeon	AP-DR14D6A01G08	1GB DDRII SO-DIMM
Aaeon	AP-DR14D6A5122B	512MB.DDR DIMM.184Pin PC3200
Aaeon	AP-DR14D6A5123F	512MB DDR SO-DIMM PC333
Aaeon	AP-DR14D6B01G29	1GB.DDRII DIMM, 667MHz 240PIN
Aaeon	AP-DR14D6B02G26	2GB.DDRII.SO-DIMM 667MHz 200PIN SAMSUNG.K4T1G084QX
Aaeon	CAB-AAE-1703310400	LVDS Cable GENE-5315 and GENE-8310 to G065VN01V0
Aaeon	AP-SS968C409674	4GB SATA DOM, horizontal
Aaeon	TF-PFM-945C-A10	PCI-104 CPU Module with Intel ATOM, 512MB DDRII onboard.
Aaeon	CAB-AAE-1703300356	LVDS Cable GENE-8310 to 7,6" OLED P0760WVLB-T
Aaeon	CAB-AAE-1703300360	LVDS Cable GENE-8310 to LTA104D128F (length 36 cm)
Aaeon	TF-GENE-LN05-A10	3,5" Board.D510.2GbE.6COM.LPT.Touch. CF.M-Card.12V DC.Rev.A1.0
Aaeon	CAB-AAE-1703300503	LVDS Cable GENE-8310 and GENE-5315 to G150XG01
Aaeon	TF-PER-A047	Passive Heat-sink.For XTX-915/945.On-board CPU
Aaeon	CAB-AAE-1704200351	LVDS Cable GENE-9455 /EPIC-9457 to G121SN01V4, 360mm
Aaeon	CAB-AAE-T09701	LVDS Cable GENE-9310 incl. PER-T099 to M260J3 from CHI MEI 1920 x 1200
Aaeon	AP-HD9783545000	2,5" SATA HDD 250GB 5400 RPM 24/7
Aaeon	R-TFCOM-965-0001	COM-Express Board with CPU L7500 Legacy Free BIOS
Aaeon	TF-HSB-813S-A11-VE	Half-size PCSIA, Socket 479, Pent.-M CPU Card, VGA/LVDS, 1LAN, 5USB, CF, Mini PCI
Aaeon	TF-COM-945-A10	COM Express basic module for Intel Core Duo/ Core Solo/ Celeron M CPU
Aaeon	TF-COM-915-A10	COM Express basic module for Intel Pentium M / Celeron M CPU (Dothan)
Aaeon	TF-AEC-6710-KIT	Boxed PC with VIA Mark CPU IP67 Certified
Aaeon	TF-AEC-6620-A1-1010	Boxed PC ATOM 1.6GHz fanless, 1xDDRIII max.2GB, Gb Ethernetx2, USBx4, COMx2
Aaeon	TF-AEC-6510-A1-1010	Embedded Controller.AMD LX800 500MHz IP- 65
Aaeon	TF-ECB-902M-A10	ETX Carrier BoardBoard.LANAUDIO. COM USB 2.0, PCI.ISA.AT/ATX.Rev A1.0
Aaeon	R-TF-EMB-9459T-0009	Mini-ITX.N270-1.6G.LCD-DVI-TV.DDRII.2GbE Audio6COM8USBCF.mPCIPCPCIE.DC12V
Aaeon	TF-EMB-9459T-A10	Mini-ITX.N270-1.6G.LCD-DVI-TV.DDRII.2GbE Audio6COM8USBCF.mPCIPCPCIE.DC12V
Aaeon	R-TF-COM-945GSE-A10	Intel ATOM (N270) based COM Express board
Aaeon	R-TF-COM-945-0005	COM-945 Board with L2400 CPU and Legacy Free BIOS
Aaeon	R-TF-AEC-6911-A1-1010	Boxed PC with Intel Atom N270 1.6 GHz Fanless. 2PCI.DC 9-30V.1GB RAM

Aaeon	R-TF-AEC-6800-0004	Customized Boxer AEC-6800-B1 + GENE-5315 + 2x CAN Bus Interface
Aaeon	GENE-6330	ePC,700MHz
Aaeon	JAC-3408A	Cooler for BGA-CPU GENE-9310
Aaeon	OS-CE-500-540I	WinCE 5.0 for PFM-540I or GENE-5315
Aaeon	R-TF-GENE-9310-0041	TF-GENE-9310-A11.945GME. LCD CPU Intel L7400 BGA, 1,5GHz, Rev.A1.1
Aaeon	TF-GENE-6315-A10-01	3,5" Board with VIA Mark CPU 533MHz
Aaeon	TF-PER-A040	Passive Heatsink for ETX-821 with Onboard CPU
Aaeon	TF-PER-A021	Passive Heatsink for Socket CPU
Aaeon	TF-GENE-LN05-A10-01	3,5" Board.N450.2GbE.6COM.LPT.Touch. CF- Card.12V DC.Fanless.Rev.A1.0
Aaeon	TF-ETX-945GSE-A10-01	ETX Board.N270.124bit DC LVDS. SDVO DDRII, LANAudio,2COMUSB2.0.Rev.A1.0
Aaeon	TF-GENE-9455-A10-05	3,5" Board with LVDS, CPU Intel ATOM N270 1,6GHz, 5Volt AT/ATX (fanless)
Aaeon	TF-GENE-9315-A10	3,5" Board with LVDS, DDRII, 2GbE, 4 COM, LPT, USB2.0, CF, Intel ATOM N270
Aaeon	TF-COM-945GSE-A11	Intel ATOM (N270) based COM Express board
Aaeon	TF-GENE-6350-A20-03	3,5" Board, Celeron M650, LCD-DVI
Aaeon	TF-PER-A045	CPU Cooler.For XTX-915/945.On-board CPU.W/ 12V Fan
Aaeon	TF-GENE-5315-B10-01	3,5" Board, LX800, 500 MHz, 18-bit LVDS, 6x COM
Aaeon	TF-GENE-1270-B10-01	3,5" Risc Board with TTL CPU Intel / Marvell PXA270 2700G
Aaeon	TF-FOX-120STT-A1-1110	12" Panel PC Celeron M 1,5GHz Fanless
Aaeon	TF-FES-6110-A10-01	Complete IP-65 certification Flexible Embedded System Box PC, ATOM
Aaeon	TF-ETX-945GSE-A10	ETX Board.N270.18-bit DC LVDS. SDVO
Aaeon	TF-EMB-945T-B10	DDRII, LANAudio,2COMUSB2.0.Rev.A1.0 Mini-ITX.S-478M.LCD-DVI-TV.DDRII.GbE.A
Aaeon	TF-EMB-9459T-B10	Mini-ITX.N270-1.6G.LCD-DVI-TV.DDRII.2GbE Audio, 24bit LVDS, CF.mPCIPCIPIE.DC12V
Aaeon	TF-GENE-8315-A10	3,5" Board with LVDS, 3x LAN CPU Celeron M 600 GHz Fanless
Aaeon	1700140510	Audio Cable, RCA Jack, Lenght 51cm)
Aaeon	1709100201	Usb Cable.20cm2.0mm.W/Bracket
Aaeon	1709070500	SATA Cable, 7-pol., 1,25mm lenght 100mm
Aaeon	1702151200	(TF)Power Cable.4P 2.54mm Housing(F).15P SATA Conn(F).12cm
Aaeon	1702150152	SATA Power Cable, Lenght 150mm
Aaeon	1702040109	Power output Cable, lenght 100mm, IDE
Aaeon	1701340600	Floppy-Cable 2mm 2,54mm
Aaeon	1701260201	LPT Cable, 25P D-SUB Female, Length 20cm
Aaeon	1701150201	Flat Cable, 15pol. D-Sub, 10-pol 2.0mm Length 20cm
Aaeon	1701090150	COM Port Cable, 9P DB Male, Length 150mm

Aaeon	1700090222	Cable Touch Controller Connector TF-GENE-9455
Aaeon	1700050207	USB Cable, Length 20cm
Aaeon	TF-ETX-700-B10	ETX-Board with AMD LX-800 TTL Interface
Aaeon	1701100206	COM Port Cable, 9P DB Male, Length 20cm
Adactus AB	M1203A RS232-AUDIO	RS232-CABLE with audio, length =1,5m (9pol DSUB female and RJ-9)
Adactus AB	M1203A RS232-CABLE5	RS232-Cable f. Fastrack Modem Length= 0.5m
Alliance	U6264B-DC07LL G1	SRAM 8KX8 DIP28 RoHS !!
Analog Devices	AD7247JRZ	DAC 12Bit AMP/BUFF 24SOIC
Analog Devices	ADM3222AN	RS232 Transmitter/Receiver
Ansmann	FXT POWER SUPPLY	Power Supply 100-240V AC 50 Hz 12VDC, 1.5A, MOLEX Connector
Ansmann	PS-DPU-V	Power supply 100-240V AC 50Hz 9VDC, 3.0A
Ansmann	FSU POWER SUPPLY	Power Supply 100-240V AC 50 Hz 12VDC, 1.5A, MOLEX Connector
Ansmann	PS-DPU30	Power supply 100-240V AC 50Hz 8VDC, 3, 2A
Asahi Chemical	AOFC200ABSCHNITT	LWL-KABEL
Asahi Chemical	AOFC200-500	LWL Faser APF Duplex 500m
Asahi Chemical	AOFC100ABSCHNITT	LWL-Kabel
Avago	HCNW3120-300E/ZK	Gate Drive Optocoupler Gull Wing
Avalue	ASM-CX700-E05-A1R	25mm Slim Fanless Box PC, VIA Eden
Avalue	EAP-EX61	500MHz CPU CX700 Chipset
Avalue	CAB-EVA-E1703700406R	SOM Base Board Half Size-PISA
Avalue	CAB-EVA-E1703700408R	LX800 to LTA065B0D0F
Avalue	CAB-EVA-E1704600402R	LX800 to LTA070A320F
Avalue	CAB-EVA-E1704600409R	LX800/CN700 to G104SN03 CS5536/VT8251 to G104SN03
Avalue	CAB-EVA-E170460040FR	LX800/CN700 to G084SN05 + LTA104D182F CS5536/VT8251 to G084SN05
Avalue	CAB-EVA-E1704710400R	LX800/CN700 to G150XG01/02 CS5536/VT8251 G150XG01/02
Avalue	EXC-2740-P11	LX800/CN700 to G65VN01 CS5536/VT8251 to G065VN01
Avalue	EAP-EX51	ETX Micro PC w/Pent M.1.1
Avalue	CAB-EVA-E1704600403R	SOM Base Board 5,25"
Avalue	CAB-EVA-1701400500	LX800/CN700 to G150XG02 CS5536/VT8251 to G150XG02
Avalue	CAB-EVA-1702100407R	IDE CAB 40pol-2,54/40pol-2,54 40pol-2. 0
Avalue	CAB-EVA-1703400409R	ECMxxxx to JOT32A1015221 40 cm
Avalue	CAB-EVA-170380040FR	CS5530A to LTM08C351S
Avalue	CAB-EVA-E170340040AR	CS5530A to TX16D11
Avalue	CAB-EVA-1703800409R	LX800 to LTM08C351S (TTL)
Avalue	ECB-663-E4	VIA-S3-TWISTER to LTA065A041F
Avalue	ESM2643E06A4S00R	ePC w/ESP4000, 400MHz LVDS-36bit,
Avalue	ACC-1756202800R	ETX CPU VIA ESPO-6000-667MHz w/ Heat Sink
		CPU-Cooler, 3pin/12V ECM5715 EMB9680 series

Avalue	CAB-EVA-E1702100151R	ECMxxxx to JOT32A1015221F and JOT32ABI1401TF
Avalue	CAB-EVA-1706100400R	ECM-XX to PS-L0612-125
Avalue	CAB-EVA-1704600609R	VIA CN700 to G084SN03 /SN05
Avalue	CAB-EVA-1704600400R	CS5536/VT8251 to G084SN03 /SN05
Avalue	CAB-EVA-170380040MR	VIA-S3 Twister to LTD121GA0S
Avalue	CAB-EVA-1703400407R	CS5530A to TX18D16
Avalue	REV-7820	VIA-S3 TWISTER to LTD104C11
Avalue	ACC-1757205000R	RISC EVA-KIT w/Intel PXA255 64MB-SRAM & 64MB NOR Flash@
Avalue	ACC-2640HS-02	AC/DC PW ADA FOR WAP-EX92, 50W
Avalue	SODIM-128MB-144PIN	Fanless Head Sink ESM2640 C-M 400 & 65 0 MHz
Avalue	ACC-2643HS-04	128MB-SODIMM MEM.f ECM3610
Avalue	MONITOR KIT 31157	Heat Spreader for ESM-2643-E8
Avalue	ACC-2646HS-01	ePC Monitor KIT 15" w/Touch
Avalue	ACC-2743HS-01R	Heat Spreader for ESM2646 800MHz & 1GH z
Avalue	ACC-56122-1R	Heatsink ESM-2740/2743 FANLESS 114x85x 24mm Module w/CNC
Avalue	ACC-9754RBA000	Accessories for ECM-5612/13
Avalue	ACC-CFC-256 WIN.CE	CD-ROM Kit for EXP
Avalue	ACC-CFC-512 WIN.XP	128MB CF w/WIN CE.NET trial
Avalue	ACC-ECMLX800-01R	512MB CF w/WIN XP Embedded trial versi on
Avalue	ACC-EPC-DINRACK-1R	Accessory for ECMLX800
Avalue	ESM2545L07A2000R	Accessories for EPC-3711 Mounting Rack
Avalue	EPC-3711-E10-A1R	ETX CPU Geode LX-700 500MHz 0.8W, 24bi t
Avalue	ECM3711E10A1000R	MicroBox w/VIA V4-1GHz
Avalue	ECM3721E10A1T00R	2xLAN,CF,1xSATA,3x USB2.0
Avalue	ECMLX800-A1R	ePC w/VIA-V4 1GHz w/o FAN LVDS 18/24bit
Avalue	ECMLX800-B1R	ePC w/VIA-V4 1GHz, T-IF 18/24bit LVDS,
Avalue	ACC-EPM-PWM02-A1R	SATA, USB2.0
Avalue	EMB9655L07A1000R	ePC w/LX800, 500MHz, TTL/LVDS PC104/4x
Avalue	ACC-MEM-128-02R	USB/CF, 0.9W
Avalue	ASM-CX700-E05-A1-5R	ePC w/LX800, 500MHz, TTL/LVDS PC104/4x
Avalue	ESM2545L08A1000R	Power supply for ePC with ATX Con
Avalue	ESM2743C06B4000R	Mini-ITX w/AMD Geode LX700 0.8W
Avalue	RSC-7820	DDR266 200pin 128MB TS16MSD64V6D5
Avalue	ECM3512G04A1000R	25mm Slim Fanless Box PC, VIA Eden
Avalue	EEV-EX01	500MHz CPU CX700 Chipset, 512MB RAM
AverLogic	NVS-6000-EVB	ETX CPU Geode LX-800 500MHz 0.9W
AverLogic	NVS-6000	ETX CPU MODUL w/CELERON M-600 512k
		RISC MODUL Intel PXA255 400MHz 64MB SR
		AM & 64MB NOR FLASH
		ePC w/AMD GX466, 333MHz 18/24bit LVDS,
		CF,4xUSB,
		Evaluation Board for ETX
		Network Video Server NTSC/PAL with Audio,
		EVB, Cables, Power and CD-ROM
		H.264 Network Video Server Input: NTSC/PAL
		with Audio, only PCB

AverLogic	AL600C-HS-PBF	VGA or LCD-Panel Processor, digital IN, OSD, analog LCD OUT, LQFP208 (DC 2008)
AverLogic	AL-251A-T-0-PBF	Video Scan Doubler, NTSC/PAL to analog RGB, QFP80
AverLogic	AL300B-PBF	PC or Video Input to LCD Output Processor, PQFP160
AverLogic	AL320C-LF-PBF	VGA or LCD-Panel Processor, digital IN, OSD, digital/analog LCD OUT, LQFP80
AverLogic	AL330B-LF-PBF	OLED/LCD-Panel Processor, digital IN, OSD, digital/analog LCD OUT, LQFP128
AverLogic	AL37204C-LF-PBF	LQFP216, 4 Channel Video Surveillance processor, PIP, OSD (DC 2008)
AverLogic	AL440B-12-PBF	512K x 8, 3,3V, 80 Mhz, TSOP118 44 PBF = PB free, with window mode
AverLogic	AL460A-7-PBF	150 MHz, 8M x 16, 2,5V, LQFP128, HDTV FIFO 1080p,PBF = PB free,
AverLogic	AL700C-PBF	Quad Video Processor, digital IN, PIP, digital/analog LCD OUT, LQFP208
AverLogic	AL9M802B-LF-PBF	Compression Codec / Audio controller, 16 / 24 Bit, 96k, TQFP216 (DC 2008)
AverLogic	AL251A-EVB-A0	Evaluation Kit for AL128+AL251 and AL242,
AverLogic	AL-250A-T-0-PBF	Video Scan Doubler, NTSC/PAL to analog RGB, QFP64
AverLogic	AL244C-LF2-PBF	LQFP80, 4 in one NTSC/PAL/SECAM 2D TV DECODER BT656 (601)OUT
AverLogic	AL242C-LF-PBF	NTSC/PAL/SECAM 2D TV DECODER, 24 bit Componet IN, 8/16/22 bit OUT in LQFP64
AverLogic	AL240C-QF-PBF	STQFP44, 2D TV DECODER, 8-BIT OUT,NTSC/PAL/SECAM
AverLogic	AL128B-PBF	Plug and Play VGA to NTSC/PAL Converter LQFP160
AverLogic	AL460A-7-EVB-A0	Evaluation Kit for AL460A-7-PBF x2 (150 MHz) plus HSMC interface adapter board
AverLogic	AL240C-BF-PBF	TFBGA49 (5 x 5 mm) 2D TV DECODER, 8-BIT OUT, NTSC/PAL/SECAM, (DC 2008)
AVX		Dual Sided 16 Way I/O Plug Connector for Wavecom IESM board
AVX		Dual Sided 16 Way I/O Socket Connector for Wavecom IESM board
AVX	24-5087-060-900-861	Fine Pitch SMT Board-to-Board Connector 0.5mm 60p Receptable
Brilliance	BS62LV1027SIP55	
Cando	PCMT-121	Touch 12,1" Projective-Capacitive-Multi miniPCI to miniPCIexpress interface board with SIM for UMTS-modules
CEED Tec	mPCI-mPCIe-M1-EB	USB to miniPCIexpress cradle with SIM for UMTS modules
CEED Tec	USB-mPCIe-M1-EB	USB to miniPCIexpress cradle with SIM for UMTS modules - model 2
CEED Tec	USB-mPCIe-M2-EB	Prog. Adap. f. FUJ MB91F465K QFP120
Conitech	GALEP MB91F465K	Prog. Adap. f.FUJ MB96F386/387 QFP120
Conitech	GALEP 96F386/387 M21	M21 Gehäuse

Conitech Conitech Conitech	GALEP SER ADAP GALEP MB91F464A GALEP PROG64	Serial MCU Flash Adapt. for Galep IV Prog. Adap. f. FUJ MB91F464A QFP100 Programmieradapter Conitech Programmierge.compl. 120 Pin Drivers
Conitech	GALEP-5D 120PINS	Prog. Adap. f. FUJ MB96F348 QFP100 M20 Gehäuse
Conitech Conitech	GALEP 96F348 M20 GALEP PROG100 GALEP MB91F469G	Programmieradapter für Fujitsu 16lx MC Us, 16MHz Prog. Adap. f. FUJ MB91F469G BGA-320 Prog. Adap. f. FUJ MB96F348 QFP100 M22 Gehäuse
Conitech CTI Custom Engineering Custom Engineering	GALEP 96F348 M22 7010-052-6-08 DPT100-BELT CLIP CARRYINGCASEDPT100	TQFP52 0.65 Test+Burnin Socket Printer belt clip Carrying Case for Custom printer DPT10 0 Boxed thermal printer 58mm serial, IrD A power, battery
Custom Engineering Cyan Technology	DPT100-I-07 CABLEKIT	Set of cables for Evalkit USB/Ethernet eCOG1K Development Kit with USB Programming Adapter
Cyan Technology	DEVKIT1K	eCOG1X- Development-Board with Austarlian- Power-Supply
Cyan Technology Cyan Technology	DEVKIT1X-14Z5-AUS MCKIT1X9A5	Daughter Card for eCOG1X9A5 Radiocrafts Wireless Meter Bus Gateway Module
Cyan Technology Cyan Technology Cyan Technology	mCOG-UPE-1X-RCWMB-M1-8 EVALKIT RF EVALKIT1K	ISM Band Networking solution eCOG1k Evaluation Kit with USB-Interface RF-Solved 868 Mhz module with 1X, CYNET, MICREL MICRF610Z
Cyan Technology	mCOG-RF-1X-M1-8	RF-Solved 868MHz eval kit with eCOG1xMCU CyNet, Micrel MICRF610Z.
Cyan Technology Cyan Technology Cyan Technology Cyan Technology	EVALKIT-RF-1X-M1-8 EVALKIT-UPE-1X-RCWMBB18 SP5-eCOG1X1A5 USB Dong	for mCOG-UPE-1X-RCWMB-B1-8 16 Bit MCU 512K Flash 24K RAM 68QFN eCOG1 USB eICE Programming Adapter
Cyan Technology	EVALKIT1XE01A6	eCOG1XE01 Evaluation Kit with USB-Interfa ce 16Bit Microcontroller,64KB- Flash,4KB- Ram, 128 PIN-LQFP
Cyan Technology	ECOG1K	16-Bit MCU 100QFN 512KB FLASH 24KB RAM ETHERNET USB ADC
Cyan Technology	ECOG1X14B5L	16-Bit MCU 68QFN 512KB FLASH 24KB RAM USB ADC DAC
Cyan Technology Cyan Technology Cyan Technology Dallas	ECOG1X5A5 ECOG1X4A5L eCOG1X1A5L DS80C310ECG	16 Bit MCU 68QFN 512KB FI. 24K RAM USB 16 Bit MCU 512K Flash 24K RAM 68QFN 8 Bit uC romless 44TQFP
Dallas	DS1302+	Time Keeping Chip 0/+70C Lead Free 300 mil PDIP8
Diehl AKO	TMPA900-CPU-BOARD-UBOOT	TMPA900CMXBG ARM9 CPU Modul SODIMM-144 preprogramed with u-boot
Diehl AKO Digital View	TMPA900-CPU-BOARD MAV-1280LM181	TMPA900CMXBG ARM9 CPU Modul SODIMM-144 Videocontroller f. LM181 DISCONTINUED

Displaytech Ltd.	64128L-FC-BW-RGB	LCD 128x64 COG,FSTN, RGB-LED, wide temp.
Displaytech Ltd.	PM8117-RGB	LCD 128x64 COG + PCB + RGB BL
Displaytech Ltd.	PM7926	LCD 16x2 FSTN ext.Temp. LED blue, Sitronix driver, black Bezel
Displaytech Ltd.	128240D-FC-BW-3	LCD 240x128 COG white LED, Flex, ST7529
Displaytech Ltd.	64128MX-FC-BW-3	LCD 128x64 COG,FSTN, white LED, wide temp., FPC
Displaytech Ltd.	64128M-FC-BW-RGB-TS	128x64 FSTN positive, RGB LED, with Touchscreen
Displaytech Ltd.	162F-BC-BC	LCD 16x2 9,66mm STN green LED
Displaytech Ltd.	162C-BC-BC	LCD 16x2 STN green LED
Displaytech Ltd.	161A-BC-BC	LCD 16x1 STN green LED
Displaytech Ltd.	64128LX-FC-BW-3	LCD 128x64 COG,FSTN, white LED, wide temp., FPC
Displaytech Ltd.	64128MCOG-FA-BW	LCD 128x64 COG,FSTN, Glass only, wide temp., reflective
Displaytech Ltd.	64128M-FC-BW-3-TS	128x64 FSTN positive, white LED, with Touchscreen
Displaytech Ltd.	PM8242	CUSTOM PCB (OnTap)
Displaytech Ltd.	64128M-FC-BW-RGB	
Displaytech Ltd.	64128LX-FC-BW-RGB	LCD 128x64 COG,FSTN, RGB, wide temp., FPC
Displaytech Ltd.	64128L-FC-BW-3	LCD 128x64 COG,FSTN, white LED, wide temp.
Displaytech Ltd.	64128KX-FC-BW-3	LCD 128x64 COG,FSTN, white LED, wide temp., FPC
Displaytech Ltd.	128240C-FC-BW-3	LCD 240x128 COG white LED, Flex, ST7529
Displaytech Ltd.	64128G-BL-3	LED Backlight white for 64128COG-FC-BC
Displaytech Ltd.	64128E-FC-BC-6LP	LCD 128x64 FSTN amber LED
Displaytech Ltd.	64128COG-CC-TW	64128COGCCTW
Displaytech Ltd.	64128A-FC-BC-4LP	LCD 128x64 FSTN blue LED
Displaytech Ltd.	32128A-FA-BW	LCD 128x32 COG refl.
Displaytech Ltd.	32122A-FC-BC	LCD 122x32 FSTN LED
Displaytech Ltd.	204B-BC-BC	LCD 20x4 STN green LED
Displaytech Ltd.	202B-BC-BW	LCD 20x2 STN green LED ext. temp. range
Displaytech Ltd.	202A-BA-BC	LCD 20x2 STN green reflective
Displaytech Ltd.	64128K-FC-BW-6	128x64 COG, FSTN, amber LED, wide temp.
Displaytech Ltd.	126P206W	LCD GLAS PIN refelctive wide temp. ran ge
Displaytech Ltd.	64128MCOG-FC-BW	LCD 128x64 COG,FSTN, Glass only, wide temp.
Diverse	CONN-TH9000-250	Connector cable thermal head CAP9k LTP9k, GKP9x-series, 250mm lenght.
Diverse	Ferrit for Power Cable	Ferrit for power cable
Diverse	9PM-SS-0003-02-248	PreciDip Connector
Diverse	6062-050-00-00-ST	50pin 1.27mm female SMD dual row H=2.3mm
Diverse	NT3225SA	
Diverse	AK673-A	USB A-Connector / Mini B-Connector
Diverse	ATSTB01	AT&S 51 Channel GPS Receiver (16.5 x 13 mm LGA footprint)
Diverse	CBL-030-3	USB-Cable 3,0m length A- and B-Connect or

Diverse	AK672/2-2,0	USB A-Connector /B-Connector
Diverse	OpenAT SDK Fastrack Xtend	Sierra Wireless Fastrack Xtend Documentation with OpenAT SDK
Diverse	D2 SIM Card 64K	Vodafone SIM Card 64K/ZHM
Diverse	AK230	Buchse-Stecker 9Pol
Diverse	DP8340 12V CABLE	Power Cable for Star DP83480 3poled connector to open leads
Diverse	IFC-C01-1	Parallel centronics cable High Quality
Dreyer System	GKP92-SU-V-12-100	Glyn Kiosk Printer 2", 12VDC, Serial + USB, with ACU, -20°C - 60°C, 100mm paper roll.
Dreyer System	GKPD247-SH-100	Glyn Kiosk Printer 58mm, 24V, serial, horizontal, with ACU, -10°C to 50°C
Dreyer System	GKP92-SU-V-100-PRE	Glyn Kiosk Printer 2", 24V, USB, with ACU + Presenter, -20°C to 60°C
Dreyer System	GKP92-S12#01	Glyn Kiosk Printer 2", 12V, with ACU Ihre Identnummer 723294
Dreyer System	GKP22-SP-V-100-C	Glyn Kiosk Printer 2", 24V vertical, with ACU, 100mm, curved roll holder
Dreyer System	GKP2xPowerCabel	Power Cable for several kiosk printers, 100cm length, 2-pin connector.
Dreyer System	GKP93-U-V-200	Glyn Kiosk Printer 2", 24V, USB, vertical, with ACU, -20°C to 60°C
Dreyer System	DC-GKP100A-E	Power Cable for IF-Boards, GKP2x, IF2x from Seiko Instruments,
Dreyer System	GKPD245-S-45-12-100	Glyn Kiosk Printer 58mm, 12V, serial, 45°, with ACU, -10°C to 50°C
Dreyer System	GKP94-S-V-12-100	Glyn Kiosk Printer 4", 10 to 15VDC, serial, vertical, with ACU, -20°C to 60°C.
Dreyer System	GKP-Serial cabel	Serial cable for Glyn Kiosk Printers GKP-series 50cm length, DSUB9 female.
Dreyer System	GKP92-S-V-100#03	Glyn Kiosk Printer 2", 24V, serial, vertical, with ACU, -20°C to 60°C
Dreyer System	GKP92-S-V-100	Glyn Kiosk Printer 2", 24V, serial, vertical, with ACU, -20°C to 60°C
Dreyer System	GKPD245-SH-12-100	Glyn Kiosk Printer 58mm, 12V, serial, horizontal, with ACU, -10°C to 50°C
Dreyer System	GKPD247-S-45-100	Glyn Kiosk Printer 58mm, 24V, serial, 45°, with ACU, -10°C to 50°C
Dreyer System	GKP22-SP-H	Glyn Kiosk Printer, 2", 24V horizontal , with ACU
ECS electronic ek	HALLPROGRAMMERSV5.1	Programmer Board for HAL8xx HAL1000, HAL1500
ECS electronic ek	HAL PROGRAMMER APB-C KIT	Programmer for HAL1820, HAL28xy, HAL36xy
EDT	V1.50	body housing Version 1.5
EDT	G-ET0500G0DM6	TFT 5.0" WVGA, 350cd/m² LED, TTL
EDT	EW32F81FLW	LCD 320 x 240, FSTN positive, white LED
EDT	EW162C0YMY	EPSON S1D13700, DC/DC
EDT	ET032000DM9	LCD 16 x 2, STN green, yel/green LED
EDT	ET032000DM9	TFT 3.2" QVGA, 250cd/m² LED RGB interface
EDT	ET032001DM9	TFT 3.2" QVGA, 350cd/m² LED MCU interface

EDT	ET0350D8DH6	semi-customised 3.5" TFT
EDT	ET043005DH6	TFT 4.3" WQVGA, 325cd/m ² LED, touch panel
EDT	ET050000DM6	TFT 5.0" WVGA, 400cd/m ² LED
EDT	G-ET0700G5DH6	TFT 7.0" WVGA, 350cd/m ² LED, LVDS, touch panel, no USB controller
EDT	G-ETQ570G0DH6	TFT 5.7" QVGA, 400cd/m ² LED, TTL, touch panel
EDT	G-ETQ570G2DH6	TFT 5.7" QVGA, 400cd/m ² LED, TTL with mounting lugs, touch panel
EDT	G-ET0430G0DH6	TFT 4.3" WQVGA, 385cd/m ² LED, TTL, touch panel
EDT	EW202A0BMW	LCD 20 x 2, STN blue, white LED
EDT	EW161A0GR	LCD 16 x 1, STN grey, no backlight
EDT	G-ET0500G0DH6	TFT 5.0" WVGA, 300cd/m ² LED, TTL, touch panel
EDT	EW16291YLY	LCD 16 x 2, STN green, yel/green LED backlight pins swapped
EDT	EW16291YLY-E6	LCD 16 x 2, STN green, yel/green LED backlight pins swapped
EDT	EP0350M05	CTP 3.5", 2D MC, FocalTech
EDT	G-ETV570G2DHU	TFT 5.7" VGA, 400cd/m ² LED, TTL, with mounting lugs, with touch panel
EDT	EW24D31NCW	LCD 240 x 128, FSTN negative, CFL backlight DC/DC
EDT	G-ETV570G0DMU	TFT 5.7" VGA, 450cd/m ² LED, TTL
EDT	G-ETV570G0DHU	TFT 5.7" VGA, 400cd/m ² LED, TTL, touch panel
EDT	G-ET0700G0DH6	TFT 7.0" WVGA, 350 cd/m ² LED, TTL, touch panel
EDT	EW13B10FLY	LCD 128 x 64, FSTN positive, yel/green LED
EDT	ET057011DN6	TFT 5.7" QVGA, 500cd/m ² LED, 70k hours LED lifetime
EDT	ET0500A3DH6	TFT 5.0" WVGA, 450cd/m ² LED, TTL, touch panel
EDT	TOUCH-PANEL GET07	Touch-Panel for 7" family concept
EDT	TOUCH-PANEL GET043	Touch-Panel for GET043
EDT	G-ETV570G2DMU	TFT 5.7" VGA, 450cd/m ² LED, TTL, with mounting lugs
EDT	G-ETV570G6DHU	TFT 5.7" VGA, 400cd/m ² LED, LVDS, with mounting lugs, touch panel
EDT	EW50838FLWU	LCD 320 x 240, FSTN positive, white LED
EDT	EW50827FLYU-V1.1	Full custom design
EDT	EW32FC2FLW	LCD 320 x 240, FSTN positive, white LED, touch-panel, mounting bracket with lugs
EDT	EW32F90FLW	LCD 320 x 240, FSTN positive, white LED
EDT	EP0570M01	CTP 5.7", 2D MC, FocalTech
EDT	EW161A0BMW	LCD 16 x 1, STN blue, white LED
EDT	ES50659FLB	LCD 128 x 64, FSTN positive, white & blue LED, Sitronix ST7565V
EDT	IA-EM04A1	Backlight Inverter for EDT Displays
EDT	TOUCH-PANEL GETV57	Touch-Panel for GETV57xxxxxx

EDT	EP0430M01	CTP 4.3", 2D SC, Cypress
EDT	G-ET0700G1DH6	TFT 7.0" WVGA, 350cd/m ² LED, LVDS, touch, integrated USB touch controller
EDT	ER057000NC6	CSTN 320 x 240, 5.7", CFL backlight, Sharp compatible
EDT	ES13BA0NMO	LCD 128 x 64, FSTN positive, amber LED Samsung S6B1713
EDT	ES13BA2FLW	LCD 128 x 64, FSTN positive, white LED Novatek NT75451
EDT	ES13BB0BMWU	LCD 128 x 64, STN blue, white LED Sitronix ST7565P, 12 o'clock
EDT	ES13BC0BMWU	LCD 128 x 64, STN blue, white LED Sitronix ST7565P, 12 o'clock
EDT	ES16201GP	LCD 16 x 2, STN grey, no backlight, COG with foil cable
EDT	ES50333FLY	LCD 128 x 64, FSTN positive, yel/green LED Sitronix ST7565S
Elektor Embedded Antenna Design Ltd.	ELEKTOR-BOARD R8C/13	Application-Board for R8C/13
Embedded Antenna Design Ltd.	EAD WR433	WR433 433 Mhz Stubby antenna right angle
Embedded Antenna Design Ltd.	EAD GSM AD20	Pentaband Internal Antenna with 100mm UFL cable
Embedded Antenna Design Ltd.	EAD Acara 15 UFL	ACARA 2.4 / 5.2GHz internal blade antenna with 150mm cable and U.FL
Embedded Antenna Design Ltd.	EAD BKR2100	BKR2400- 2100 MHz 1/2 Wave SMA-male knuckle antenna SMA-Male connector
Embedded Antenna Design Ltd.	EAD BT-STUBBY RP-SMA	2,4GHZ STUBBY Antenna right angel with reverse SMA-female-connector
Embedded Antenna Design Ltd.	EAD BT-STUBBY SMA	2,4GHZ STUBBY Antenna with straight SMA-male-connector
Embedded Antenna Design Ltd.	EAD BT-STUBBY SMA-RA	2,4GHZ STUBBY Antenna with right angel SMA-male-connector
Embedded Antenna Design Ltd.	EAD FCHC35113-XX-069C	Picotrack Chocolate Bar antenna with 5.5cm 1.13 cable and stripped end
Embedded Antenna Design Ltd.	EAD WS433	WS433 433 Mhz Stubby antenna straight SMA male
Embedded Antenna Design Ltd.	EAD GPS 4100 MMS	Active patch antenna module for GPS
Embedded Antenna Design Ltd.	EAD GSM ISIS UFL	900/1800/1900 MHz internal Groundplane Antenna
Embedded Antenna Design Ltd.	EAD GSM MINI	900/1800 MHz Internal Ground- plane Antenna Design
Embedded Antenna Design Ltd.	EAD GSM MINI MMCX	900/1800/1900 MHz Internal Groundplane Antenna
Embedded Antenna Design Ltd.	EAD GSM MINI UFL	Internal groundplane dependent quadband antenna
Embedded Antenna Design Ltd.	EAD TARGAN FME-RIGHT	GSM Tri-band (900/1800/1900) FME-female right angel antenna
Embedded Antenna Design Ltd.	EAD FFLX35151-033-XXC	Picotrack flex antenna with 33mm cable Marked with "PT flex"
Embedded Antenna Design Ltd.	EAD GSM NERIS UFL	900/1800/1900MHz Internal Groundplane Antenna
Embedded Antenna Design	EAD TBR2100	GSM/3G Multi-position Dipole Antenna

Ltd.		
Embedded Antenna Design Ltd.	EAD WS868	WS868 868 Mhz Stuby antenna straight SMA male
Embedded Antenna Design Ltd.	EAD SW2400	2.4 GHz Multiposition Antenna with SMAM Connector
Embedded Antenna Design Ltd.	EAD PentaBlade SMA	EAD PentaBlade with fixed SMA-Male RA
Embedded Antenna Design Ltd.	EAD Morava UFL	868 MHz Internal PCB antenna with 150mm cable and UFL Connector
Embedded Antenna Design Ltd.	EAD GSM WB-70 SMA	Dualband fixed mount antenna
Embedded Antenna Design Ltd.	EAD GSM S-QUAD UFL	850/900/1800/1900 MHz internal Groundplane Antenna
Embedded Antenna Design Ltd.	EAD GSM QUINTUS UFL	5 band (850/900/1800/1900/2100 MHz internal groundplane independent Antenna
Embedded Antenna Design Ltd.	EAD WR868	WR868 868 Mhz Stuby antenna right angle
Enplas	OTS-34-0.65-01	SOP34 Test+Burnin Socket
Enplas	QFN-24BT-0,65-01	24 lead QFN T/B socket, with ground pin
Enplas	OTS-30(34)-0.65-01	SOP30 Test+Burnin Socket
Enplas	OTS-20(28)-1.27-04	SOP20 Test+Burnin Socket
Enplas	OTS-20(24)-0.65-01	SOP20 Test+Burnin Socket
Enplas	OTS-16-1.27-03	SOP16 Test+Burnin Socket
Enplas	OTQ-64-0.8-04	QFP64 Test+Burnin Socket
Enplas	OTQ-64-0.65-04	QFP 64 Test+Burnin Socket
Enplas	OTQ-44-0.8-03	QFP44 Test+Burnin Socket
Enplas	FP-16-0.65-01A	SOP16 Test+Burnin Socket
Enplas	FP-8(16H)-1.27-05	SOP8 Test+Burnin Socket
Enplas	FP-28-1.27-07	SOP28 Test+Burnin Socket
eRide Inc.	EMD1000K	compactRide OPUSI 32 Chanel GPS Receiver for Wavecom Q26 and WMP100 Series
eRide Inc.	GN-84E	Furuno 32 Chanel GPS Receiver based on eRide (16x11.35mm)
eRide Inc.	EMD3100T	OPUSIII 32 Chanel GPS Receiver for Wavecom wireless Q26 and WMP100 Series
eRide Inc.	opus 5 EVAL Kit	Evaluation Kit for eRide OPUS 5
eRide Inc.	EMD3622F	eRide 32 Chanel GPS Receiver, operating -40 to +85°C
ES+S	FFC0.50A40.106MM	Flex cable for Molex connector
ES+S	CAB-LED510210600-0500FK	Cab LED, L=500mm, side 51021-0600 o.r.t.
ES+S	FFC0.50D50.100MM	Crimp - one side open
ES+S	CAB-TX17D01-LIME	FFC CABLE
ES+S	FFC0.50A40-0100L	CAB-TX17D01-LIME
ES+S	CAB-EVA-3610-LTA065B	FlatFoilCable 0.5pitch/40-pol/ L=106mm
		VIA-S3 TWISTER to LTA065B0D0F
ES+S	FFC0.50A40.106MM-AU	Flex cable for Molex connector L=106mm FFC cable, Pitch 0.50 mm, 40pin. Gold plating
ES+S	FFC0.50A40-0200L	FlatFoilCable 0.5pitch/40-pol/ L=~ 200mm
ES+S	FFC0.50A32.200MM	Flex cable for Molex connector
ES+S	CAB-LED-SHR-06-0500LI	Cab LED, L=500mm, side Crimp - one side open

ES+S	KAB-51146-0500-0500FK	LED-BL cab for: G104SN02V2, G121SN01V4, G104VN01V1, G121XN01V0
ES+S	FFC0.50A40.150MM	Foil cable for ZIF connectors
ES+S	Adapterkabel-02	Cable for cablesset - Hirose female on both sides
ES+S	CABDATA-TMD-DF19G20S	Cab LVDS, L=500mm DF19G-20S-1C to DF13-30DS
ES+S	GLYN-51021-0100MM	kundenspez. Inverter-Eingangskabel
ES+S	CAB-BL-TX26D12VM	CAB-BL-TX26D12VM
ES+S	CAB-BL-TX17D01	Backlightkabel für TX17D01 & TX18D35
ES+S	FFC0.50A40.200MM	FlatFoilCable 0.5pitch / 40-pol / L=208mm
ES+S	CAB-Data-TX26D12VM	0.05mm x 0.32mm / gleichseitig abisoliert
ES+S	ADAPTER 240320D	CAB-Data-TX26D12VM
ES+S	POWERCABLE 24V 3M	Adapter for foilcable of 240320D-serie s
ES+S	TO-220 SIS (V2)	1.HOSIDEN 2.OPEN LEADS For Star Printers, length 3m.
ES+S	E-GUI-EDT-5,7-QVGA	Tube with stopper for Toshiba TO-220(SIS) package
ES+S	E-GUI-Eval-Cablesset	Embedded GUI for EDT G-ETQ570G0DH6
ES+S	E-GUI-EDT-7,0-WVGA	Embedded GUI Controller Evaluation Cablesset
ES+S	FSP025-1AD102	Ethernetmodul, Powercable, I/O-Cable ...
ES+S	1DI500A-030	Embedded GUI for EDT G-ET0700G0DH6
ES+S	MB2146-303	Power-Supply Unit U in: 230V,U out:5V, J: 5A
ES+S	SK-96370-144PMC-GDC	BIP 300V 500Ax1
ES+S	MOTORKIT-91F267-MC	MCU Board for 8Fx series 5V Type
ES+S	MB2132-461	Supports Fujitsu□s MB9637xPMC
ES+S	MB2132-466	microcontroller in FPT-144P-M08 package...
ES+S	MB2132-493	32Bit Motor Control Starterkit incl.Software Examples
ES+S	MB2146-210	Probe Cable QFP64
ES+S	MB2146-221	Probe Cable 48PIN
ES+S	SK-96370-144PMC	Probe Cable for MB90F337 USB-MCU IN 64 PIN PACKAGE
ES+S	SK-91F467D-208PFV	Header Board 8Fx for LQPF48/0.5mm pitch
ES+S	MBM29F080A-70PFTN	Header Board 8Fx for LQFP64/0.65mm pitch
ES+S	SK-91470-144PMC1-MC	Starterkit for 16X MB9370 Serie
ES+S	MB2146-220	Starterkit for MB91460 series with MB91F467DAPFV
ES+S	CREMSON-DEV-STK-CPU	Flash 1Mx8 5V TSOP48 -40/+85C
ES+S	ADA-91270-90340	Motor Control Starterkit for MB91470 Series
ES+S	PHASE3-KIT	Header Board 8Fx for LQFP64/0.5mm pitch
ES+S	TQ-SOCKET120/144SDP	CPU Module for Cremson Sta.KIT
ES+S	FMA1127DC-40N-CS	Adapter for 160-PIN MCUs
ES+S	FMA1125DC-24S-CS	Starterkit for Fujitsu MB91F26 Series 32Bit
ES+S	CREMSON-DEV-STK-CRM	Socket Adapter 0,5mm SQFP 120
ES+S	SK-91F467D	TSC: Touch Sensor Controller 40QFN 12 sensor Inputs
ES+S		TSC: Touch Sensor Controller 24SSOP 8 sensor Inputs
ES+S		Cremson SUB-Board
ES+S		Starterkit for MB91460 Series without Socket

Fujitsu	EMA-MB91V460A-100	2MBEmulationRAM64KBTraceBuffer Common to allMB91460derivative
Fujitsu	SK-96380-120PMT	
Fujitsu	CREMSON-DEV-STK-ROSE	Scarlet/Rose Subboard f.Cr.STK
Fujitsu	CREMSON-STK-LIME	Lime Subboard for the Starterkit
Fujitsu	DEMO-TSC-1127-CS-SB	SK Board (ohne Euroscope Lizenz)
Fujitsu	NQ-PACK160SB	Socket QFP160
Fujitsu	NQPACK120SD220	Lötsocket f.QFP 120
Fujitsu	FLASH-CAN-48P-M26	Target Board for 48PIN/CAN
Fujitsu	MB90F598PFR-GE1	16B.uC 128K Flash 4K Ram QFP100 / 0,65 - 40/+85°C 16 Mhz 1 x CAN LX Familie
Fujitsu	MB91F272PFV-GSE1	32B.uC 256K Flash 10K Ram LQFP 100/0,5 - 40/+85°C 32 Mhz 1 x CAN FR 70 Core
Fujitsu	MB91F267PMCR-GE1	32B.uC 128K Flash 4K Ram LQFP 64/0,65 - 40/+105°C 33 Mhz 1 x CAN FR Lite Core
Fujitsu	MB90V340A-102CR-ES	16 Bit uC MB90V340 EVA-CHIP Double Clo ck
Fujitsu	MB90V330ACR-ES	16 Bit uC MB90330 EVA Chip with USB De vice + Host
Fujitsu	MB90F897PMT-G-T	16B.uC 64K Flash 2K Ram LQFP48 / 0,5 - 40/+105°C 16 Mhz 1 x CAN LX Familie
Fujitsu	MB90F867ESPFV-GE1	16B.uC 128K Flash 6K Ram LQFP100 / 0,5 - 40/+105°C 24 Mhz LX Familie
Fujitsu	MB90F443GPF-GE1	16B.uC 128K Flash 6K Ram LQFP100 / 0,65 - 40/+105°C 16 Mhz 3 x CAN LX Familie
Fujitsu	MBM29PL64LM90PFN	Mirror Flash 4Mx16 3V TSOP56
Fujitsu	MB91F465KAPMT-ESE2	32B.uC 544K Flash 16K Ram LQFP 120 / 0,5 - 40/+105°C 80 Mhz 1 x CAN FR 70 Core
Fujitsu	MB90F568PMCR-GE1	16B.uC 128K Flash 4K Ram LQFP64 / 0,65 - 40/+85°C 16 Mhz LX Familie
Fujitsu	MB90F562BPMC-GE1	16B.uC 64K Flash 2K Ram LQFP64 / 0,65 - 40/+85°C 16 Mhz LX Familie
Fujitsu	MON-DEBUGGER-FR-ACC	Single Chip Monitor Debugger for FR50 devices
Fujitsu	MB90F548GSPFR-GE1	16B.uC 128K Flash 4K Ram QFP100 / 0,65 - 40/+105°C 16 Mhz 1 x CAN LX Familie
Fujitsu	MB90F498GPMC-GE1	16B.uC 128K Flash 2K Ram LQFP64 / 0,65 - 40/+105°C 16 Mhz LX Familie
Fujitsu	SK-90820-80PFM-562	Starterkit for MB90820 Series Motor Control 80Pin
Fujitsu	MB90F804-101PF-GE1	16B.uC 256K Flash 16K Ram QFP100 / 0,65 - 40/+85°C 25 Mhz LCD LX Familie
Fujitsu	MB95F126JBPF-GE1	8B.uC 32K Flash 1K Ram QFP 100 / 0,65 - 40/+85°C 16 Mhz 8FX Familie
Fujitsu	MBF110PFW1-LP-ES	Solid-State Fingerprint Sensor SOP(VSP A) 80Pin
Fujitsu	MB95F274HPF-ES-SNE2	8B.uC 20K Flash 0,5 KB Ram SOP 8 / 1,27 - 40/+85°C 16 Mhz 8FX Familie
Fujitsu	MB95F214KPF-ES-SNE2	8B.uC 16K Flash 0,5 KB Ram SOP 8 / 1,27 - 40/+85°C 16 Mhz 8FX Familie
Fujitsu	MB95F204KPF-ES-SNE2	8B.uC 16K Flash 0,5 KB Ram SOP 20 / 1,27 - 40/+85°C 16 Mhz 8FX Familie

Fujitsu	MBM29F400TC-55PFTN	Flash 512Kx8/256Kx16 5V TSOP -40/+85C
Fujitsu	MB95F168JPMC-GE1	8B.uC 60K Flash 2KB Ram QFP 64 / 0,65 - 40/+85°C 16 Mhz LCD 8FX Familie
Fujitsu	MB91F355APMT-GE1	32B.uC 512K Flash 24K Ram LQFP 176 / 0,5 - 0/+70°C 50 Mhz FR 60 Core
Fujitsu	MB95F136HWPF-GE1	8B.uC 32K Flash 1KB Ram SSOP 30 / 0,65 - 40/+85°C 16 Mhz 8FX Familie
Fujitsu	MB91F464AAPMC-ESE2	32B.uC 416K Flash 16K Ram LQFP 100 / 0,5 - 40/+105°C 80 Mhz 1 x CAN FR 70 Core
Fujitsu	MB91V460RB-ES	EVALUATION CHIP MB91460 SERIES
Fujitsu	STARTERKITMB91302/U	32 Bit Starterkit MB91302
Fujitsu	STARTERKITMB91230/U	Starterkit for 32Bit FR MB91230 Series
Fujitsu	MB91F487PMC-GE1	32B.uC 512KB Flash 32K Ram LQFP 100/ 0,5 - 40/+85°C 80 Mhz FR 70 Core
Fujitsu	MB91F467SAPMC-ESE2	32B.uC 1MB Flash 64K Ram LQFP 176 / 0,5 - 40/+105°C 100 Mhz 2 x CAN FR 70 Core
Fujitsu	MB91F467CBPMCR-GSE2	32B.uC 1MB Flash 64K Ram LQFP 144 / 0,5 - 40/+105°C 100 Mhz 3 x CAN FR 70 Core
Fujitsu	MB90F387PMCR-GSE1	16B.uC 64K Flash 2K Ram LQFP48 / 0,5 - 40/+105°C 16 Mhz 1 x CAN LX Familie
Fujitsu	MBM29F800BA-55PFTN	FLASH 1Mx8/512Kx16 5V TSOP48 -40/+85C
Fujitsu	MB89P195A-201PF-GE1	8Bit uC OTP 28SOP
Fujitsu	MB86277PMC-G-BNDE1	GDC - MINT 2D SINGLE TFT LQFP 256 / 0,4 - 40/+85°C NO MCU 16/32/I2C Bit Bus
Fujitsu	MB86277PMC-GS-BNDE1	GDC - MINT 2D SINGLE TFT LQFP 256 / 0,4 - 40/+85°C NO MCU 16/32/I2C Bit Bus
Fujitsu	MB86297APBH-GSE1	GDC-CARMINE 2D/3D Dual TFT BGA 543 - 40/+85°C NO MCU 32/ I2C Bit Bus
Fujitsu	MB87032AP-G	Electronic Gain Controller
Fujitsu	MB87L2250-E/B	STB-MPEG2 Eva-Board
Fujitsu	MB87L2250PVSR-G-BNDE1	STB-MPEG2 System/A/V Decoder
Fujitsu	MB90F474LPFR-GE1	16B.uC 256K Flash 16K Ram LQFP100 / 0,65 - 40/+85°C 20 Mhz LX Familie 3V
Fujitsu	MB86276PB-ESE1	GDC - LIME 2D DUAL TFT BGA 320 / 1,27 - 40/+85°C NO MCU 16/32/I2C Bit Bus
Fujitsu	MB2146-410-01-E	Starterkit for 8FX LPC
Fujitsu	MB2198-300	ADAPTER BOARD FOR MB2198-01
Fujitsu	MB2198-130	Adapter board FR 230/260
Fujitsu	MB86276PB-ES-ZE1	GDC - LIME 2D DUAL TFT BGA 320 / 1,27 - 40/+85°C NO MCU 16/32/I2C Bit Bus
Fujitsu	MB2198-121	Header board for LQFP120 MB91260
Fujitsu	MB2147-582	Probe cable f.MB90F347/6/2PF
Fujitsu	MB89R119-CHIP-ES	High Speed RFID LSI 13.56MHz FRAM Memo ry 256Byte
Fujitsu	MB90F337PFM-GE1	16B.uC 64KFlash 4K Ram LQFP64/0,65 - 40/+85°C 24 Mhz USB HOST LX Familie
Fujitsu	MB90F345CASPFV-GSE1	16B.uC 512K Flash 20K Ram LQFP100/0,5 - 40/+105°C 24 Mhz 2 x CAN LX Familie
Fujitsu	MB90F347CAPFR-GSE1	16B.uC 128K Flash 6K Ram QFP100/0,65 - 40/+105°C 24 Mhz 1 x CAN LX Familie
Fujitsu	MB90F351ESPMC1-GSE1	16B.uC 64K Flash 4K Ram LQFP64 / 0,65 - 40/+125°C 24 Mhz 1 x CAN LX Familie

Fujitsu	MB2147-581	Probe cable f. MB90F347/6/2PFV
Fujitsu	MB2147-540	Probe cable f. MB90F350 Serie
Fujitsu	MB2147-20	Adpater board for MB2147-01 0.35 um
Fujitsu	MB90F352ESPMC1-GSE1	16B.uC 128K Flash 4K Ram LQFP64 / 0,5 - 40/+125°C 24 Mhz 1 x CAN LX Familie
Fujitsu	MB90F352PMC-GSE1	16B.uC 128K Flash 4K Ram LQFP64 / 0,65 - 40/+125°C 24 Mhz 1 x CAN LX Familie
Fujitsu	MB89133APFMG493BNDE1	8bit uC Maske
Fujitsu Components	N0100554T511	TP 8,4" 4w Ana-Res
Fujitsu Components	N010-0554-T043	TP 6,4" 4w Ana-Res
Fujitsu Components	N010-0554-T805	TP 12" 4w Ana-Res
Fujitsu Components	N01L-0536-0005	Demo cable f. touch controller N16B-0558-B270/B280, serial 4w/7w
Fujitsu Components	N01L-0536-0006	Demo cable f. touch controller N16B-0558-B730/B740, USB 4w/7w
Fujitsu Components	N16B-0558-B270	TP-Controller 4w RS232
Fujitsu Components	N16B-0558-B280	TP-Controller 7w RS232
Fujitsu Components	N16B-0558-B740	TP-Controller 7w USB
Fujitsu Components	N010-0510-T236	15 Zoll, 7 wire Touch Panel
Future Technology Devices International Limited	FT4232HL-TRAY	Quad High Speed USB to Multipurpose UART/MPSSSE
Future Technology Devices International Limited	FT4232HQ_Mini_Module	USB High Speed Evaluation Module
Future Technology Devices International Limited	TTL-232R-3V3	USB to TTL serial adapter cable
Future Technology Devices International Limited	DLP-2232M-G	FT2232D 3rd generation Dual USB UART/FIFO
Future Technology Devices International Limited	VNC1L-1A-REEL	USB HOST CTLR VINCULUM 48LQFP
Future Technology Devices International Limited	VF2F2	Back up Digital cameras to USB Flash Drives
Future Technology Devices International Limited	VDRIVE2	USB Flash Drive interface to products
Future Technology Devices International Limited	VDIP2	MCU to USB Host Controller 2 USB Ports
Future Technology Devices International Limited	V2-EVAL EXT 48	Complete VNC2 evaluation and prototyping kit.
Future Technology Devices International Limited	V2-EVAL	Vinculum II Evaluation Board
Future Technology Devices International Limited	V2DIP2 48	Compact VNC2 based USB development modules
Future Technology Devices International Limited	USB-RS485-WE-1800-BT	
Future Technology Devices International Limited	USB-RS422-WE-1800-BT	
Future Technology Devices International Limited	FT245RQ-REEL	USB UART ultra-compact 5x5mm QFN-32 package
Future Technology Devices International Limited	USB-NMC-2.5M	USB-USB Null Modem Cable
Future Technology Devices International Limited	DLP-245PB-G	

Future Technology Devices International Limited	TTL-232R-3V3-PCB	USB to TTL serial adapter
Future Technology Devices International Limited	TTL-232R-5V-AJ	USB to Serial (TTL level) converter cable
Future Technology Devices International Limited	TTL-232R-5V-PCB	USB to TTL serial adapter
Future Technology Devices International Limited	TTL-232R-5V-WE	USB to Serial (TTL level) converter cable
Future Technology Devices International Limited	TTL-232RG-VREG1V8-WE	TTL to USB Serial Converter Generic Cables
Future Technology Devices International Limited	UB232R	Development module for FT232RQ IC
Future Technology Devices International Limited	UC232R-10 "ChiPi"	USB to RS232 converter cable range
Future Technology Devices International Limited	UM232R	USB-Serial UART Development Module
Future Technology Devices International Limited	UM245R	USB to Parallel FIFO Development Module for FT245R
Future Technology Devices International Limited	US232R-100-BST	USB to RS232 evaluation cable
Future Technology Devices International Limited	USBRS232WE5000BT.00	
Future Technology Devices International Limited	VNC2-64L1B-REEL	USB HOST CTLR VINCULUM 64LQFP Vinculum new Generation
Future Technology Devices International Limited	FT2232HQ_Mini_Module	USB Hi-Speed FT2232H Evaluation Module
Future Technology Devices International Limited	FT2232HL-R	High SPEED DUAL USB UART LQFN 64 Pin (Universal Serial Bus)
Future Technology Devices International Limited	FT2232D-R	DUAL USB UART LQFP (Universal Serial Bus)
Future Technology Devices International Limited	SAMPLE-FT2232HL-R	Sample for ilgh SPEED DUAL USB UART LQFN 64 Pin
Future Technology Devices International Limited	FT245BL-R	FIFO USB TO PARALLEL FIFO 32 LQFP
Future Technology Devices International Limited	DB9-USB-RS232-F	DB9 based RS232 connector interfaces to USB 2.0
Future Technology Devices International Limited	FT245RL-REEL	USB TO PARALLEL FIFO 28-SSOP
Future Technology Devices International Limited	FT232RQ-REEL	USB UART ultra-compact 5x5mm QFN-32 package
Future Technology Devices International Limited	EVAL232R	USB to RS232 development and evaluation module for the FT232R
Future Technology Devices International Limited	USB-FPGA Morph-IC-II	
Future Technology Devices International Limited	VNC2-48L1B-TRAY	USB HOST CTLR VINCULUM 48LQFP Vinculum new Generation
Future Technology Devices International Limited	VNC2-32L1B-TRAY	USB HOST CTLR VINCULUM 32LQFP Vinculum new Generation
Future Technology Devices International Limited	VMUSIC2	USB Flash Drive interface and Audio Playback to products
Future Technology Devices International Limited	DLP-USB232M-G	Integrated module featuring FTDI's FT232BL 2nd generation USB UART

Future Technology Devices International Limited	DLP-245PL-G	USB / Microcontroller Module
Gebe	GCT-3182-EVAL-CUT	Interface LTP1245, RS232,cntr cutter,w inder, 4.5V to 8.5VDC
Gebe	GCT-3182-TTL	Interface LTP1245, TTL 4.5VDC to 8.5VD C
Gebe	GKA-488-FLASH-CAR	Cable for GPT4379xxxx
Gebe	GCT-3182-V24	Interface LTP1245, RS232 4.5VDC to 8.5 VDC
Gebe	GPT4352LV92-24-V24-SET	Panelmount Printer Set
Gebe	GPT4378-serial-CAR	Flash-Printer without battery, 10-36V DC in, with IF- and power cable.
Gebe	GPT-4434-Maxi-82-V24Set	Box Printer Set: 114mm, RS232, 4,5-8,5VDC, power supply, cable, black
Gebe	GPT4378FLASHBTSET	Boxed thermal printer 58mm, Bluetooth, battery pack, without power supply.
Glyn	HALLMUSTERBOXSW	Sample box for hall sensors fom Micronas.
Glyn	LED_ADAPTER_01	LED Evaluations Board 60 x 40mm für 1 Stück SAMSUNG SUNNIX 5 LED
Glyn	LVDS-ADA-RGBIN-PCB	RGB to 18Bit-LVDS Adapterboard. Fits to EVB- Lime and more.
Glyn	EVB-DC/DC-Converter	DC/DC Converter for TFT LED Backlights
Glyn	LVDS-24-ADA-RGBIN-PCB	RGB to 24Bit-LVDS Adapterboard. Fits to EVB- Lime and more.
Glyn	EVB95118LIMELEER	Base board for EVBLIME with MB90F334
Glyn	EVA_LED_SAMSUNGWH511N1	LED EVA board SLHNNWH511N1 350mA 5000 - 7000K CRI >= 75, 80-90lm, 120°DEG
Glyn	EVA_LED_SAMSUNGWH511NO	LED evaluation board with 1W SUNNIX5 white 120°viewing angle, 350mA
Glyn	EVA_LED_SAMSUNGWH511T1	LED evaluation board with 1W SUNNIX5, white, 55°view. angle, 350mA SEMCO CHIP
Glyn	EVA_LED_SAMSUNGWH511TO	LED evaluation board with 1W SUNNIX5 white 55°viewing angle, 350mA
Glyn	EVA_LED_SAMSUNGWW511NO	LED evaluation board with 1W SUNNIX5, warm white, 120°viewing angle, 350mA
Glyn	EVA_LED_SAMSUNGWW511TO	LED evaluation board with 1W SUNNIX5, warm white, 55°, viewing angle, 350mA
Glyn	EVA_LED_SUNNIX5RA521TO	LED Evaluation board with 1-2W SUNNIX5 RED 55°Viewing angle, 350mA-700mA max.
Glyn	EVA_LED_TYP1K37837	MCPCB, rund d= 74mm 17 x Sunnix5 LED SLHNNWW511T1S0S0G3 4000 - 5000K
Glyn	EVA_LED_TYP2K37837	MCPCB, rund d= 74mm, 17 x Sunnix5 LED SLHNNWH511T1S0R0J1 CW 5000 - 6000K
Glyn	EVB WISMO228-DBG	GLYN Evaluation Board for Sierra Wireless WISMO228 with Debugging Interface
Glyn	EVB WISMODBG/LEER	Leerplatine EVB WISMO218 DBG
Glyn	EVB16FXTSCRGB01	Starterkit for Touch Sensor Controller with 16FX MCU and Samsung RGB LED
Glyn	EVBE8FOUSB/PCB	Connector Board PCB
Glyn	EVB95118LIME	Base board for EVBLIME with 8FX
Glyn	16FX-SK-OLED 2,8T	Passend zu SK-16FX-Euroscope. Starterkit mit 2,8" Touch OLED.
Glyn	EVBCDC3207G-C3/LEER	PCB for CDC3207G-MF-C3 128pin 0.5mm

Glyn	EVBC-GPS/LEER	C-GPS Adapterplatine für Wavecom wireless CPU Q26
Glyn	EVB-DC/DC-Converterleer	Non assembled DC/DC Converter Board
Glyn	EVBE8FOUSB-M16C	Connector Board E8 FOUSB
Glyn	EVBE8FOUSB-R8C	Connector Board E8 FOUSB
Glyn	EVBECOG1K	Evaluation Board for Cyan Technology eCOG1k
Glyn	EVBECOG1K/PCB	PCB for EVBECOG1K
Glyn	EVB-GRAPHIC-LCD	EVA Board for passive COG modules
Glyn	EVB-LIME-ADAP1	Adaptor for connecting EVB-LIME to Fujitsu Starterkits
Glyn	EVBM16C/TARGET	Target Board M16C 100 Pin with 100 Pin LCC Socket
Glyn	EVBM16C/USB	Evaluation Board M16C/USB 2.0 for M30245FCGP
Glyn	EVBM16C65_VINCULUM	Evaluation Board M16C65 with FTDI Chip Vinculum VNC1L for USB connectivity
Glyn	EVBM16C65GP	Evaluation Board M16C/65GP with E8a Connector and Prolific USB
Glyn	EVB16FXTSCRGB01/BE	Emptyboard for 16FX / RGB LED / OLED / Touch Sensor Controller Kombikit
Glyn	DEMO PANEL TX26D12VM0APA	used Panel with a small scratch on TP
Glyn	ADA-PCB-SII-24-28	Adapter Board for Seiko 24QVF1x and 28QVF1x
Glyn	ADA-PCB-SII-43	Adapter Board for Seiko 43WVF0H and 43WVF1G
Glyn	ADA-PCB-SII-43-leer	Adapter Board for Seiko 43WVF0H and 43WVF1G
Glyn	ADAP-SEGGER-62PLGA/PCB	Adapter PCB for Segger Programmer
Glyn	ADAPTER 2B	Base board for 145Pin-Progr.-Socket
Glyn	AdapterplIEDTLVDS	assembled AdapterPCB for EDT LVDS common interface Displays
Glyn	AdapterplIEDTLVDSleer	not assembled AdapterPCB for EDT LVDS Displays
Glyn	Cable-Set EDT-FPC	ZIF for EDT Common Interface TFT's ET035 (QVGA) - ET070 (WVGA)
Glyn	Cable-Set EDT-LVDS-ePC	Cable-Set for EDT LVDS Common Interface TFT Displays
Glyn	Cable-Set EDT-LVDS-Univ	Cable-Set for EDT LVDS Common Interface TFT Displays
Glyn	Cable-Set EDT-LVDS-ZIF	Cable-Set for EDT LVDS Common Interface TFT Displays (FFC and ZIF)
Glyn	CASE SH7201	RSK7201 incl. E8 + Power Supply + SH Book
Glyn	CON-BOARD OLED2428 V1.0	Contact-Board for CMEL OLED 2.0",2.4"&2.8" (without AR_VDD and AR_VSS generating)
Glyn	EVA_LED_SAMSUNG Sunnix 7 WW	LED/PCB WW 350mA 2870-3220 Kelvin 120° Degree CRI >= 80, 65-85lm @350mA
Glyn	DEMO UNIT LTA104_TOUCH	Demo-Kit LTA104 with Touch-Panel incl. Industrial PC + System
Glyn	EVBM81500FP-G/Leer	Blank PCB for EVBM81500FP-G

Glyn	LED_ADAPTER_03	LED Evaluation board 60 x 40mm for 1x SAMSUNG SLSxxx815 or SUNNIX 6
Glyn	DemoUnitFDGB0036A	Selfrunning Demo with FDGB0036A white LED Backlight
Glyn	Demounit64240C	Selfrunning Demo with 64240C-FC-BW
Glyn	Demounit64128K-FC-BW3	Selfrunning Demo with 64128K-FC-BW
Glyn	CON-BOARD OLED3443 V1.0	Contact-Board for CMEL OLED 3,4" and 4,3" (without AR_VDD and AR_VSS generating)
Glyn	Demo-Unit TX18D35VM0AAA	Demo Unit TFT 7.0" [18cm] WVGA, IPSpro,450cd/m ² , 70kLED,40pin CMOS
Glyn	ConSetLVDStoTTLHITEDT	LVDS to TTL Converter Set for EDT TTL Fam. Concept & HITACHI TX18D35 + TX20D26
Glyn	DEMO UNIT LT104AD18900	Demo-Kit LT104AD18900 incl. Industrial PC + System
Glyn	DEMO UNIT GETV57TOUCH	Demo unit for EDT GETV57 Family Concept incl. Touch
Glyn	DEMO UNIT GETV57	Demo unit for EDT GETV57 Family Concept without Touch
Glyn	DEMO UNIT GET070 TOUCH	Demo unit for EDT GET070 Family Concept incl. Touch
Glyn	DEMO UNIT GET035	Demo unit for EDT GET035 Family Concept without Touch
Glyn	EVA_LED_SAMSUNG Sunnix 7 WH	LED/PCB WH max.0,7A, 5300 - 7040 Kelvin 120°CRI >= 70, min. 85 lm @350mA
Glyn	DEMO-UNIT-24QVF1H	Demo Seiko 24QVF1H 2,4"
Glyn	EVBTB6608FNG	Dev. Board for TB6608FNG Microstep Stepper Motor Driver I=0,8Ap
Glyn	EVBM16C6C	M16C/6C 100Pin GP0.5mm (USB-Chip)
Glyn	EVBSH7125-TARGETPCB	
Glyn	EVBTB62209FG	Demoboard for TOS TB62209FG Stepper-Motor-Driver
Glyn	EVBTB62209FG/LEER	Empty PCB for TOS TB62209FG HSOP-36 Stepper-Motor-Driver
Glyn	EVBTB6551FG/LEER	Blank circuit board for EVB TB6551FG
Glyn	EVBTB6556FG/LEER	Blank circuit board for EVB TB6556FG
Glyn	EVBTB6560AHQ	Demoboard for TOS TB6560AHQ(O) Stepper-Motor-Driver
Glyn	EVBTB6560AHQ/LEER	Empty PCB for TOS TB6560AHQ(O) Stepper-Motor-Driver
Glyn	EVBTB6568KQ	Dev. Board for TOS THT - TB6568KQ Brushed-DC-Motordriver
Glyn	EVBTB6568KQ/LEER	Empty PCB for EVBTB6568KQ
Glyn	EVBTB6569FG	Dev. Board for TOS TB6569FG Brushed-DC-Motordriver
Glyn	EVBTB6575FNG/LEER	Blank circuit board for EVB TB6575FNG
Glyn	EVBTB6585FG/Leer	Empty PCB for EVBT6585FG
Glyn	EVBSH7125-CARRIERUSBPCB	PCB for SH7125 64pin GP 0.5mm with USB-Connector
Glyn	EVBTTPD4125(A)K	Evaluation Board for TPD4125AK and TPD4125K
Glyn	GLYN GRAPHIC BASE BOARD 1	Glyn Graphic Base Board for TMPA900CPUBOARD

Glyn	16FXMINISTARTER	16FX Ministarterkit mit MB96F356RSAPMC-ESE2
Glyn	16FXMINISTARTER_PCB	Leerplatine für 16FX Ministarterkit mit MB96F356RSAPMC-ESE2
Glyn	16FXOLEDSTARTERKIT	16FX Schnellstarterkit mit 2" OLED incl. Software, Schaltplan und Anleitung
Glyn	EVBNVC2-64L/LEER	Starterkit for VNC2 with Debug Modul
Glyn	EVBTB6588FG	Dev. Board for TB6588FG 3-Phase BLDC - without Hall Sensor. Integrated Powerstage
Glyn	EVBTTPD4125(A)K/LEER	
Glyn	EVBTB6588FG/LEER	Blank circuit board for EVB TB6588FG
Glyn	EVBTTPD410X/LEER	Leerplatine f. EVBTTPD410x
Glyn	EVBTMP92FD54/LEER	TMP92FD54 Board ohne Manual
Glyn	EVBTMP92FD54 LC	Low cost Evaluationboard for TMP92FD54 AIF
Glyn	EVBTMP88PS43	Evaluation Board with 80 PIN for TMP88PS43F
Glyn	EVBTB6608FNG/Leer	Empty PCB for TOS TB6608FNG Stepper-Motor-Driver
Glyn	EVBSH7125-CARRIER-USB	Development Board SH7124/SH7125 with USB-Connector
Glyn	EVBNVC2-64L	Starterkit for VNC2 with Debug Modul
Glyn	EVQB26XX/NO MODULE	EVB Wavecom Q26 series Without module and display
Glyn	GOCP172-0,3MTR	0,3m simplex fibre with TOCP155K
Glyn	EVBBM90F334	Evaluation Board with MB90F334: 3V 120Pins USB Host & Device.
Glyn	EVBBM90F334LIMEBE	Base board with MB90F334
Glyn	EVBBM90F340/LEER	LEERPLATINE FÜR MB90F340-SERIE (Für rechteckiges Gehäuse 0,65mm Pitch - PF)
Glyn	EVBBM90F350/LEER	PCB for MB90F350-Serie
Glyn	EVBBM90F387/LEER	MB90F387 Board Manual
Glyn	EVBBM90F455 LC/LEER	Leerplatine f. MB90F455SPMT-G Low Cost
Glyn	EVBBM90F457	Evaluation Board w. 48PIN for MB90F457
Glyn	EVBBM90F497/LEER	SPMT MB90F497 Board Manual
Glyn	EVBBM96F315/LEER	Leerplatine für Evaluation Board m. 48 PIN für MB96F315RSAPMC
Glyn	EVBP2303X	Evaluation Board best. with PL-2303X
Glyn	EVBP2303X/PCB	PCB for PL-2303X
Glyn	EVQB2406B	GLYN EVALUATION BOARD FOR WAVECOM "GSM /GPRS MODUL Q2406B
Glyn	EVBSH7125-TARGET	Target Board for EVBSH7125-CARRIER-USB/E8/E10A
Glyn	EVBRX610	Evaluation Board RX610 with E1 Connector and RX-Stick Connector
Glyn	EVBSH7125-CARRIER-E8PCB	PCB for SH7125 64pin GP 0.5mm with E8/E8A-Connector
Glyn	EVBSH7125-CARRIER-E8	Developmant Board SH7124/SH7125 with E8/E8A-Connector
Glyn	EVBSH7125-CARRIERE10PCB	PCB for SH7125 64pin GP 0.5mm with E10A-Connector

Glyn	EVBSH7125-CARRIER-E10	Development Board SH7124/SH7125 with E10A-Connector
Glyn	EVBRX62N/PCB	NOT SELL only PCB
Glyn	EVBQ2687	GLYN Evaluation Board for Wavecom Wireless CPU Q2687
Glyn	EVBRX610/PCB	NOT SELL only PCB
Glyn	EVBQ26Extreme	GLYN Evaluation Board for Wavecom Wireless CPU Q26Extreme
Glyn	EVBR32C111-CARRIER-E8A	Carrierboard for R32C111 with 64pin and E8a&E30a Connector
Glyn	EVBR32C111-CAR-E8a/PCB	Carrierboard for R32C111 with 64pin only PCB don't sell !!!!
Glyn	EVBQUIK-GPS/NO MODUL	GLYN EVA Board f.Wavecom GPRS/GPS with out GSM-Modul
Glyn	EVBQUIK-GPS	GLYN EVALUATION BOARD FOR WAVECOM GSM/ GPRS/GPS Q2501
Glyn	EVBQUIK/NO MODUL	Evaluation Board WISMO QUIK for Q24xx, WITHOUT GSM-Modul
Glyn	EVBM81500FP-G	GLYN Test board with Single-Chip-Inverter M81500FP
Glyn	EVBRX610TFT/PCB	NOT SELL only PCB
Glyn	VCON-BOARD OLED202428	Voltage + Contact-Board OLED 2,0", 2,4" + 2,8" (AR_VDD and AR_VSS generating)
Glyn	VCON-BOARD OLED76	Voltage-Generator-Board OLED 7,6" (AR_VDD and AR_VSS generating)
Glyn	VCON-BOARD OLED3443	Voltage + Contact-Board OLED 3,4" + 4,3" (AR_VDD and AR_VSS generating)
Glyn	R8C FLASHER2/PCB	PCB for R8C Flasher2
Glyn	R8C FLASHER	Flashprogrammer for R8C/10 - 13
Glyn	STARTERKITCDC32XY	HITEXSTARTERKITARM + EVBCDC3207-xx (Bo x + CD)
Glyn	TMPA900CPUBOARDSTARTER	Starterkit for TMPA900 CPU BOARD incl. GLYN GRAPHIC BASE BOARD 1
HanTouch	H3104A-NDOFD62	10,4" Touchpanel, analog resistiv, 4-wire
HanTouch	HT102A-NDJHP02	Touch 10." 4-w ANA-RES
HanTouch	HT104G-TCN-00	Touch 10.4" Glass/ Glass 4-w, clear type
HanTouch	HTD073C-1	Touch 7,3"-Capa
HanTouch	HTD085C-1	Touch 8.5"-Capa
HanTouch	HTD108C-1	Touch 10,8"-Capa
HanTouch	HTD157C-1	Touch 15.7" -Capa
HanTouch	HTE150S-4	Touch 15" SAW anti-vandalism incl controller + 6mm vandalism resistant glass
HanTouch	HT-ETP-MB-5000UECG	USB- 5 wire Touch Controller
HanTouch	HTI1905-4	Touch 19" -5w ANA-RES
HanTouch	HT4084A-NDJHP02-R	Touch 8.4" 4-w, Ana-Res - non-clear-type
HARTMANN	26-030043000	LED T+R
Harvatek	HT-150NB	LED 468nm (peak) Blue Top view / 1206 / 3,2x1,6x1,1 InGaN
Harvatek	HT-150TW	LED white 3,2x1,6x1,1mm (1206) 20mA InGaN
Harvatek	HT-150USD	LED 636nm (peak) UB Red typ. 120 mcd Top view / 1206 / 3,2x1,6x1,1 AllnGaP

Harvatek	HT-150UY	LED 593nm (peak) UB Yellow Top view / 1206 / 3,2x1,6x1,1 AllnGaP
Harvatek	HT-150UYG	LED 574nm (peak) UHB Yellow-Green Top view / 1206 / 3,2x1,6x1,1 AllnGaP
Harvatek	HT-159USD	LED 3.2x1.6x1.85mm (1206) with lens 20° LED 636nm (peak) UB Red AllnGaP
Harvatek	HT-170NB	LED 468nm (peak) Blue Top View / 0805 / 2,0x1,3x0,8 InGaN
Harvatek	HT-170NG	LED 527nm (peak) True Green Top View / 0805 / 2,0x1,3x0,8 InGaN
Harvatek	HT-170TW	LED 468nm (peak) White Top View / 0805 / 2,0x1,3x0,8 InGaN
Harvatek	HT-170USD	LED 636nm (peak) UB Red Top View / 0805 / 2,0x1,3x0,8 AllnGaP
Harvatek	HT-170UY	LED 593nm (peak) UB Yellow Top View / 0805 / 2,0x1,3x0,8 AllnGaP
Harvatek	HT-260UYG	LED 574nm (peak) UB Yellow-Green FRM /1205/3,2x1,2x1,1 AllnGaP
Harvatek	HT-191NB	LED 468nm (peak) Blue Top View / 0603 / 1,6x0,8x0,6 InGaN
Harvatek	HT-12V-cord-open end 2M	HT-12VDC power feed open end cable 2M JWTA2501-HO2-2P(male) end open
Harvatek	HT-191NG	LED 527nm (peak) True Green Top View / 0603 / 1,6x0,8x0,6 InGaN
Harvatek	HT-191TW	LED 468nm (peak) White Top View / 0603 / 1,6x0,8x0,6 InGaN
Harvatek	HT-191USD	LED 636nm (peak) UB Red Top View / 0603 / 1,6x0,8x0,6 AllnGaP
Harvatek	HT-191UY	LED 593nm (peak) UB Yellow Top View / 0603 / 1,6x0,8x0,6 AllnGaP
Harvatek	HT297USD/NB	LED 1.6x0.8x0.5 (0603) Bicolor UB RED/ Blue
Harvatek	HT-260NB	LED 468nm (peak) Blue FRM/1205/3,2x1,2x1,1 InGaN
Harvatek	HT-P178USDT-PMPN-23	HT-P178USDT-PMPN-23
Harvatek	HT-260TW	LED 468nm (peak) White FRM /1205/3,2x1,2x1,1 InGaN 20mA
Harvatek	HT-260USD	LED 636nm (peak) UB Red Flat/Reversed Mount /1205/3,2x1,2x1,1 AllnGaP
Harvatek	HT-260UY	LED 592nm (peak) UB Yellow FRM/1205/3,2x1,2x1,1 AllnGaP
Harvatek	12VDC-L320-WH60-BW50-NR	LED light bar w/o silicone-5000K pure white 320 mm 12V DC, 4,2W
Harvatek	HT-170UYG	LED 574nm (peak) UB Yellow-Green Top View / 0805 / 2,0x1,3x0,8 AllnGaP
Harvatek	HT-110NG	LED 527nm (peak) True Green RAR / 1204 / 3,2x1,5x1,0 InGaN
Harvatek	DEMOBOX LED HP HARV	DEMOBOX High Power LEDs HARVATEK 160x130x35mm
Harvatek	12VDC-1220-BL240-BW00	LED light bar -(470nm) Blue 1220 mm 12V DC, 16,8W

Harvatek	DEMOBOX LED PLCC HARV	DEMOBOX PLCC LEDs HARVATEK 160x130x35mm
Harvatek	DEMOBOX LED SMD HARV	DEMOBOX SMD LEDs HARVATEK 160x130x35mm
Harvatek	12VDC-1220-BL240-BW00NR	LED light bar w/o silicone-(470nm) Blue 1220 mm 12V DC, 16,8W
Harvatek	HT-N178TWV-PUPV-KL	LED HP 2W WARMWHITE 87,4 - 147,7lm @700mA 2.750 - 3.750K
Harvatek	12VDC-1220-WA240-BW27NR	LED light bar w/o silicone-2700K warm white 1220 mm 12V DC, 16,8W
Harvatek	12VDC-1220-WH240-BW50	LED light bar -5000K pure white 1220 mm 12V DC, 16,8W
Harvatek	12VDC-1220-WH240-BW50NR	LED light bar w/o silicone-5000K pure white 1220 mm 12V DC, 16,8W
Harvatek	HOVL-5Y40PSAR-5383	5mm LED OVAL 594nm, Yellow diffused lens, 2,3 - 4cd, 30/70° Degree 20mA
Harvatek	12VDC-L320-BL60-BW00-NR	LED light bar w/o silicone-(470nm) Blue 320 mm 12V DC, 4,2W
Harvatek	HT-12VDC cable 30CM	HT-12VDC Cable 30 cm for connecting 2 LED Bars together (male + female plug)
Harvatek	HT-110NB	LED 468nm (peak) Blue RAR /1204 / 3,2x1,5x1,0 InGaN
Harvatek	HT-12VDC cable 10CM	HT-12VDC Cable 10 cm for connecting 2 LED Bars together (male + female plug)
Harvatek	HT-110TW	LED 468nm (peak) White RAR // 1204 / 3,2x1,5x1,0 InGaN
Harvatek	HT-110USD	LED 636nm (peak)UB Red Right Angle -Round / 1204 / 3,2x1,5x1,0 AllnGaP
Harvatek	HT-110UY	LED 593nm (peak) UB Yellow RAR / 1204 / 3,2x1,5x1,0 AllnGaP
Harvatek	HT-110UYG	LED 574nm (peak) UHB Yellow-Green RAR / 1204 / 3,2x1,5x1,0 AllnGaP
Harvatek	HT-121NB	LED 468nm (peak) Blue 0604 / 1.6x1.0x0.6 InGaN
Harvatek	HT-121NG	LED 527nm (peak) True Green 0604 / 1,6x1,0x0,6 InGaN
Harvatek	HT-121TW	LED 468nm (peak) White 0604 / 1,6x1,0x0,6 InGaN
Harvatek	HT-121USD	LED 636nm (peak) UB Red / 0604 / 1,6x1,0x0,6 AllnGaP
Harvatek	HT-121UY	LED 593nm (peak) UB Yellow / 0604 / 1,6x1,0x0,6 AllnGaP
Harvatek	HT-12V cable 2M+2x5CM	HT-12VDC Y-power feed cable 2000mm+50mm+ 50mm
Harvatek	HT-260NG	LED 527nm (peak) True Green FRM/1205/3,2x1,2x1,1 InGaN
Harvatek	12VDC-L320-WA60-BW27-NR	LED light bar w/o silicone-2700K warm white 320 mm 12V DC, 4,2W
Harvatek	HT-S91TW	LED White 20mA, Die in center position 0603 / 1,6x0,8x0,6mm InGaN
Harvatek	HT-T169URO-6070	customized LED

Harvatek	HT-T169URO	LED 639nm (peak) Deep Red PLCC2 AllnGaP, 20mA 2,7x3,5x1,8mm
Harvatek	HT-T169UD-6050	customized LED
Harvatek	HT-T169UD	LED 593nm (peak) UB Amber / Orange 90 - 360 mcd @20mA PLCC2 AllnGaP
Harvatek	HT-T169TW-YYY2	HT-T169TW-YYY2 White max. 1440 mcd. @ 20mA 3,2x2,8mm, 2 leads
Harvatek	HT-T169TW	LED White InGaN 1000-1610mcd @20mA 3,5x2,7x1,8 mm PLCC2
Harvatek	HT-P178NBU-PJPK-45	LED HP 1W BLUE 465 - 475nm @350mA 6,3 - 10,7 lm
Harvatek	HT-T169NG	LED 527nm (peak) True Green PLCC2 InGaN 20mA 2,7x3,5x1,8mm
Harvatek	HT-191UYG	LED 574nm (peak) UB Yellow-Green Top View / 0603 / 1,6x0,8x0,6 AllnGaP
Harvatek	HT-T169USD	LED 630nm UB Red PLCC2 AllnGaP 2 PINs 20mA
Harvatek	HT-T158DNY-6041	customized LED
Harvatek	HT-T169NG-6080	customized LED
Harvatek	HT-S91NB	LED Blue 20mA, Die in center position 0603 / 1,6x0,8x0,6mm InGaN
Harvatek	12VDC-L740-WH144-BW50NR	LED light bar w/o silicone 5000K pure white 740 mm 12V DC, 10W
Harvatek	12VDC-L740-WH144-BW50	LED light bar -5000K pure white 740 mm 12V DC, 10W
Harvatek	12VDC-L740-WA144-BW27NR	LED light bar w/o silicone-2700K warm white 740 mm 12V DC, 10W
Harvatek	12VDC-L740-WA144-BW27	LED light bar -2700K warm white 740 mm 12V DC, 10W
Harvatek	12VDC-L740-BL144-BW00NR	LED light bar w/o silicone-(470nm) Blue 740 mm 12V DC, 10W
Harvatek	12VDC-L740-BL144-BW00	LED light bar -(470nm) Blue 740 mm 12V DC, 10W
Harvatek	HT-P378FCHU	LED HP RGB 300/350/350mA, 110°, typ. lm. Red: 20lm, Green: 40lm, Blue 11lm, 3 Pin+Com
Harvatek	HT-P318FCHU	LED HP RGB 300/350/350mA, 110°, typ. lm. Red: 20lm, Green: 40lm, Blue 11lm, 6 Pin
Harvatek	HT-P178UYT-PMPN-34	LED HP Yellow 300mA, 110°, 13.9-23.5 lm 589.5-594.5 nm
Harvatek	HT-T169NB	LED 468nm (peak) Blue PLCC2 InGaN
Harvatek	HT-P178TWU-PTPU-FG	LED HP WHITE PURE 350mA, 110°, 67,2-87,4lm, 4750 - 5750K
Harvatek	DEMOBOX COB LED 070G	DEMOBOX COB 070G light bar HARVATEK 195x150x48mm
Harvatek	HT-P178NGU-PPPQ-34	HT-P178NGU-PPPQ-34
Harvatek	HT-P178TWU-PQPR-BC	LED HP 1W COOLWHITE 6750-8500K @350mA 30 □ 52 lm 120°
Harvatek	12VDC-L320-WH60-BW65	LED light bar -6500K pure white 320 mm 12V DC, 4,2W
Harvatek	12VDC-L320-WH60-BW65-NR	LED light bar w/o silicone-6500K pure white 320 mm 12V DC, 4,2W

Harvatek	HT-P178TWU-PQPR-FG	HT-P178TWU-PQPR-FG
Harvatek	HT-T169NB-6060	customized LED
Harvatek	HT-P178TWU-PQPR-KL	HT-P178TWU-PQPR-KL
Harvatek	HT-T169UY	LED 572nm (peak) Yellow PLCC2 588nm 90 - 360mcd @20mA AlInGaP
Harvatek	HT-Lens-15	Collimate lens for HarvaLED, 15° degree viewing angle. Optical grade plastic
Harvatek	HT-Lens-30	Collimate lens for HarvaLED, 30° degree viewing angle. Optical grade plastic
Harvatek	HT-P178TWU-PTPU-KL	LED HP WHITE WARM 350mA, 110°, 67,2-87,4lm, 2750 - 3750K
Harvatek	HT-T368FCH-6042	customized LED
Harvatek	HT-T368TW	HT-T368TW PLCC4 White
Harvatek	HT-T368FCH	Top Mount RGB SMD LED (PLCC4) 3.5x 2.7x1.8mm 3 x 20mA Com. Anode
Harvatek	HT-Lens-6	Collimate lens for HarvaLED, 6° viewing angle Optical grade plastic
Harvatek	HT-T3A8FCH	LED RGB 3 Chips ea. 20mA, 6 PIN PLCC6 5,4x5,0x1,5mm
Harvatek	HT-U16DSWH	LED White PLCC4 (3) package 3,5x2,8x1,3 mm 23 - 40 lm, @150mA InGaN 4750-5700K
Harvatek	HT-N178TWV-PUPV-FG	LED HP 2W WHITE 87,4 - 147,7lm @700mA 4.750 - 5.750K
Harvatek	HT-N178TWU-PTPU-FG	LED HP 1W WHITE 67,2 - 113,6lm @350mA 4.750 - 5750K
Harvatek	HT-MBPXXX	LED MCPCB for HavaLED High Power LEDs Heat Sink for TO220SMD 2 x 2 Terminals
Harvatek	HT-N178TWV-PUPV-BC	LED HP 2W COOLWHITE 87,4 - 147,7lm @700mA 6.750 -8.500K
Harvatek	HT-T169UYG	LED 572nm (peak) UB Yellow-Green 570n, 45 - 112mcd @20mA PLCC2 AlInGaP
Hengstler	PIXI2 3INCH #0688517	Kiosk Printer, 3", 24V, RS232 Centr.D TR/CTS
Hengstler	C-56 SERIAL-CABLE	ACU full/partial Cable for C-56 Serial, length 1,0m
Hengstler	C-56 MUSTERKOFFER S	C-56 Kioskprinter EVA-KIT Serial, Power supply, Periph.
Hengstler	C-56 USB	Kiosk-Printer, 58mm USB 24V, semi-automatic Cutter
Hengstler	C-56 USB-CABLE	Cable for C-56 USB, length 1,8m
Hengstler		Toggle for LTP5246A Incl. Paperguide for Cutter
Hengstler	X-56 SERIAL SAMPLE BOX	Kiosk-Printer, 58mm, serial 24V, full-cut, jam sensor, 0-50°C.
Hengstler	C-56 SERIAL #0684056	Kiosk-Printer, 58 mm, serial, 24V, semi-automatic cutter, NPE-Sensor, long chute
Hengstler	X-56 SERIAL-CABLE	Cable for X-56 Serial, length 1,0m
Hengstler	X-56 USB SAMPLE BOX	Kiosk-Printer, 58mm USB 24V, full-cut, jam sensor, 0-50°C.
Hengstler	PIXI2inch MountingFrame	Metal frame with fastening hooks. For PIXI1 or 2 in 2inch paper width.
Hirose	FH26-39S-0.3SHW05	Connector for TX06 39 Pins, 0.3mm Pitch

Hirose	FH26-51S-0.3SHW(05)	FFC/FPC connector for FFC 51Pin at 0.3mm pitch, Bottom Contact
Hirose	DF13-2630SCFA	board-to-board or cable connectors, goldplated, series DF13
Hirose	DF13-40DP-1,25V(55)	Cable male connectors series DF13, gold-plated, 40-pins
Hirose	DF13-40DS-1.25C	board-to-board or cable connectors series DF13
Hirose	FH23-51S-0.3SHW(05)	FFC/FPC connector for FFC 51Pin at 0.3mm pitch, Bottom Contact
Hirose	FH26-71S-0.3SHW05	Connector for OLED Displays 3.4" & 4.3"
Hirose	FH19SC-4S-0.5SH(05)	FFC/FPC connector for FFC 4Pin at 0.50mm pitch, Bottom Contact
Hirose	CAB-DATA-G104S	Customized Cab for G104S
Hirschmann	MCA1890MH	Magnetic mount Antenna with FMEf connector, length=2500mm ANTENNA
Hirschmann	GPS1890LP/P/FAKRA	Low profile patch GSM/GPS antenna with FAKRA connector, l=3m
Hirschmann	GPS1890LP/P/SMA/FME	GSM/GPS low profile patch antenna with FMEf (GSM) + SMAm (GPS) connector. l=3m
Hirschmann	GPS1890LP/P/SMB/FME	Low profile patch GSM/GPS antenna, FMEf (GSM) + SMBf (GPS) connector, l=3m
Hirschmann	GPS1890LP/S/SMA/FME	Low profile GSM/GPS antenna for screwing, FMEf (GSM) + SMAm(GPS) connector, l=3m
Hirschmann	820605-001	Connection cable for GPS925-0 Fakra to FMEf, length 4m
Hirschmann	GPS1890LP/S/SMB/FME	Low profile GSM/GPS antenna for screwing, FMEf (GSM) + SMBf (GPS) connector, l=3m
Hirschmann	GPS1890PA/SMA	GSM/GPS low profile patch antenna with FMEf (GSM) + SMAm (GPS) connector. l=3m
Hirschmann	GPS2M	GPS ANT. 5V 1.5M CABLE SMB FEM
Hirschmann	GPS5M	HIRSCHMANN GPS 5M GPS magnetic mount antenna
Hirschmann	MCA189180	Roof mount antenna with FMEf connector, connection cable 823122-0xx also needed NA
Hirschmann	MCA1890STAT	Fix wall mount antenna with FMEf connector, length=5000mm
Hirschmann	823684-003	Connection cable for GPS1890LP SMBm to SMAm
Hirschmann	MCA1890MP	Round patch bonding antenna with FMEf connector, l=2500mm
Hirschmann	ADAPTER FME/FME	KVK cable connector
Hirschmann	MCA189080	Roof mount antenna with FMEf connector, connection cable 823122-0xx also needed
Hirschmann	GPS-KABEL-GT5	GPS-VERL. 3.0M SMB FEM.-GT5
Hirschmann	820606-001	CONNECTION CABLE FOR GPS925 FAKRA TO SMB F. CONNECTOR, 4m
Hirschmann	821049-001	Magnet-Pad for Hirschmann GPS1890LP

Hirschmann	823122-016	VK-SB SUPER-LOW-LOSS 300 connection cable FME f /FME f
Hirschmann	823122-017	VK-SB SUPER-LOW-LOSS 400 connection cable FME f /FME f
Hirschmann	823684-005	VK174 SMBm/SMAm 500 5m connection cable for GPS
Hirschmann	602405-001	VK SuperLowLoss Kabel FMEf/FMEf, 5000mm Länge
Hirschmann	602340-001	VK Super-Low-Loss FMEf/SMAm 500
Hirschmann	823122-018	VK-SB SUPER-LOW-LOSS 500 connection cable FME f /FME f
Hirschmann	MCA1890SLIM	Patch bonding antenna with FMEf connector, l=2500mm
Hitex	HITEXSTARTERKITARM	CD-ROM: HITOP5 GUI, HiSIM, GNU
HWU	TOPAS-870STARTERKIT	Low Cost Tool TLCS 870
HWU	BMSKTOPAS900AB(HWU)	TLCS900 APPLICATION BOARD
HWU	TOPAS47/443	Low Cost Tool TLCS47E
IAR-Systems	PPARM-TCP/IP	TCP/IP for IAR PowerPack
IAR-Systems	KSK-TMPM330-PL	IAR TMPM330 Starter Kit and Evaluation Board incl. JLINK
IF-COM	CONN-TH2000/1-16/150	Connector cable LTP2000 150mm cross connected (Pin1-Pin16)
Integrated Silicon Solution Inc.	IS61C6416AL-12KLI	SRAM 64Kx16 12nS SOJ44 -40/+85C
Integrated Silicon Solution Inc.	IS61C6416AL-12TLI	SRAM 64Kx16 12nS TSOP44 -40/+85C
Integrated Silicon Solution Inc.	IS42S32200E-6TL	SDRAM 2Mx32 TSOP86 PC166 (0 - +70C)
Integrated Silicon Solution Inc.	IS42S32200C1-7BLI	SDRAM 2Mx32 90 Ball BGA 143 MHz - 40/+85°C
Integrated Silicon Solution Inc.	IS42S16800D-7TL	SDRAM 8MX16 54PIN TSOP II 143 MHz
Integrated Silicon Solution Inc.	IS42S16160D-75ETLI	SDRAM 16Mx16 54Pin TSOPII PC133 - 40/+85°C
Integrated Silicon Solution Inc.	IS42S16100E-7TL	SDRAM 1Mx16 50Pin TSOPII PC143
Integrated Silicon Solution Inc.	IS42S16100C1-7TL	SDRAM 1Mx16 50Pin TSOPII PC143
Integrated Silicon Solution Inc.	IS61LV256AL-10JLI	
Integrated Silicon Solution Inc.	IS61C256AL-12TLI	SRAM 32Kx8 5 Volt 12nS 28 Pin TSOP -40 /+85C
Integrated Silicon Solution Inc.	IS42S32400B-7BLI	SDRAM 4Mx32 90 Ball BGA 143 MHz - 40/+85°C
Integrated Silicon Solution Inc.	IS43DR16640A-25DBLI	SDRAM DDR2 1.8V 1GBit 64Mx16 400 MHz 84 Ball BGA -40/+85°C
Integrated Silicon Solution Inc.	IS42S32400B-7TLI	SDRAM 4Mx32 86Pin TSOPII PC143 -40/+85 C
Integrated Silicon Solution Inc.	IS42S32400E-6TL	SDRAM 4Mx32 86 Pin TSOPII 166MHz
Integrated Silicon Solution Inc.	IS42S32400E-7TLI	SDRAM 4Mx32 86Pin TSOPII PC143 - 40/+85°C
Integrated Silicon Solution Inc.	IS42S32800D-7TLI	SDRAM 8Mx32 86Pin TSOPII PC143 -40/+85C

Integrated Silicon Solution Inc.	IS42SM16800E-7BLI	Mobile SDRAM 8MX16 54-ball BGA -40/+85C 143 MHz
Integrated Silicon Solution Inc.	IS43DR16160A-5BBLI	SDRAM DDR2 256MBit 16Mx16 1.8V 200 MHz @ CL3 84Ball BGA -40/+85°C
Integrated Silicon Solution Inc.	IS43DR16320B-37CBLI	SDRAM DDR2 1.8V 512MBit 32Mx16 267 MHz 84 Ball BGA -40/+85°C
Integrated Silicon Solution Inc.	IS62WV1288BLL-55HLI	SRAM 128KX8 2.5-3.6V 55nS 32Pin STSOP - 40/+85°C LL-Pow.
Integrated Silicon Solution Inc.	IS61C256AL-12JLI	SRAM 32Kx8 5 Volt 12nS 28 Pin SOJ300 - 40/+85C
Integrated Silicon Solution Inc.	IS63LV1024L-10JLI	SRAM 128KX8 32Pin SOJ 3.3V 10 nS - 40/+85°C 85C
Integrated Silicon Solution Inc.	IS64WV6416BLL-15BLA3	SRAM 64KX16 BGA 15NS 2.5-3.6V AUTOMOTIVE
Integrated Silicon Solution Inc.	IS66WV51216BLL-55TLI	Pseudo SRAM 512Kx16 2.5-3.6V 55nS 44Pin TSOP II -40/+85°C
Integrated Silicon Solution Inc.	IS63LV1024L-10HL	SRAM 128Kx8 3.3V 32 Pin sTSOPI
Integrated Silicon Solution Inc.	IS62WV51216BLL-55TLI-TR	SRAM 512KX16 2.5-3.6V 55nS 44PIN TSOPII - 40/+85C
Integrated Silicon Solution Inc.	IS62WV51216BLL-55BLI	SRAM 512KX16 2.5-3.6V 55nS 48 Ball mBGA
Integrated Silicon Solution Inc.	IS43DR16320B-3DBL	SDRAM DDR2 1.8V 512MBit 32Mx16 333 MHz @ CL5 84 Ball BGA
Integrated Silicon Solution Inc.	IS62WV12816BLL-55BLI	SRAM 128KX16 2.5-3.6V 55nS 44 Ball mBGA - 40/+85C
Integrated Silicon Solution Inc.	IS62C51216AL-55TLI	SRAM 512Kx16 5V 55nS 44Pin TSOPII - 40/+85C
Integrated Silicon Solution Inc.	IS61LV6416-10TLI	SRAM 64Kx16 3.3V 10nS 44 pin TSOP II - 40/85C
Integrated Silicon Solution Inc.	IS62WV1288BLL-55TLI	SRAM 128Kx8 2.5-3.6V 32Pin TSOP I - 40/+85C
Integrated Silicon Solution Inc.	IS61LV5128AL-10TLI	SRAM 512Kx8 TSOPII 44Pin 3.3V 10nS -40 /+85C
INTEL	CPU-YONAH-T2300	Intel Core DUO CPU T2300 1,66 GHz
INTEL	AP-CP14DD4053302	Celeron M 1.6 GHZ, FSB533
International Rectifier	IR2101PBF	HIGH AND LOW SIDE DRIVER 8LED PDIP Lead free
Isahaya Electronics Corporation	VLA606-01R	Signal Interface for IPM drive - Viso= 2.5kV SIL-Pkg.
Isahaya Electronics Corporation	VLA504-01R	Driver for IGBTs - 600V up to 200A, 1200V up to 100A - SIL-Pkg.
Isahaya Electronics Corporation	M57962K-01R	Driver for IGBTs - 600V up to 600A, 1200V up to 400A, 1700V up to 400A - SIL14-Pkg.
Isahaya Electronics Corporation	VLA500-01R	Driver for IGBTs - 600V up to 600A, 1200V up to 1400V - SIL-Pkg.
Isahaya Electronics Corporation	VLA106-24242	Isolated DC-DC Converter 24V/24V 100mA SIL-Pkg.
Isahaya Electronics Corporation	VLA106-24154	Isolated DC-DC Converter 24V/15V 300mA SIL-Pkg.
Isahaya Electronics Corporation	VLA106-24151	Isolated DC-DC Converter 24V/15V 100mA SIL-Pkg.

Isahaya Electronics Corporation	VLA106-15242	Isolated DC-DC Converter 18V/24V 100mA SIL-Pkg.
Isahaya Electronics Corporation	M57160AL-01R	Driver for IGBTs - Especial for F-Series SIL-Pkg.
Isahaya Electronics Corporation	M57962CL-01R	Driver for IGBTs - 600V up to 600A, 1200V up to 400A - SIL14-Pkg.
JAE Ltd.	IL-F57S-HF	ZIF57 1.0mm SMT Socket
JST	32FLZ-RSM1-R-TB	FLZ Connector reverse type 0.5mm pitch
JST	VHR-8N	Crimp Connector for Mitsubishi IGBTs
JST	VHR-2N	Crimp Connector for Mitsubishi IGBTs
JST	VHR-5N	Crimp Connector for Mitsubishi IGBTs
Kernel Concepts	TMPM360-EVALUATION-BOARD	Enaluation Board TMPM360 Familie
Kinson Electr.	SD-10214-30-03	144 SODIMM 3,3V H5,6
Koehler	TH112/80M/12	Thermal paper 112mm/80m core 12mm,diameter 80mm
Koehler	TH60/100/25-120G-Inside	Thermal paper 60mm, 120g/m2, diameter 100mm, core 25mm. Inside coating !!! 60m length
Koehler	TH60/100/25-120G	Thermal paper 60mm, 120g/m2 diameter 100mm core 25mm
Koehler	TH60/100/25	Thermal Paper 60mm diameter 100mm, core 25mm
Koehler	TH58/120/25	Thermal Paper 58mm width, diameter 120mm, core 25mm
Koehler	TH58/100/25-80g-INSIDE	Thermal Paper 58mm diameter 100mm, core 25mm, inside coating.
Koehler	TH58/100/25	Thermal Paper 58mm width, diameter 100mm, core 25mm
Koehler	TH112-225-38	Thermal Paper 112mm Diameter 225mm,core 38mm
Koehler	NEP05	Thermal Paper Roll 58mm x 31mm, core 9 mm
Koehler	TH112-225-25	Thermal Paper 112mm Diameter 225mm,core 25mm
Koehler	TH112-100-25GLY	Thermal Paper 112mm, diameter 100mm, core 25mm
Koehler	TH80/180/25-120G	Thermal paper 80mm, 120g/m2, diameter 180mm, core 25mm
Koehler	TH80/200/25-Inside	Thermal paper 80mm, 55g/m2, diameter 200mm, core 25mm. Inside coating !!! 520m length
Koehler	TH62-25M-12	Thermal paper 62mm, 27m length, 50mm diameter
Koehler	TH112-100-25	Thermal Paper 112mm Diameter 100mm,core 25mm
Koehler	TH57/80M/12	Thermal paper 57mm/80m core 12mm,diameter 80mm
Koehler	NEP80	Thermal paper 80mm/80m core 12mm,diameter 80mm
Koehler	TH80-40-12	Thermal paper 79mm, diameter 40mm, core 12mm.
Koehler	TH80-90-25GLY	Thermal Paper 80mm, diameter 90mm, core 25mm

Koehler	TH82.5/100/25	Thermal Paper 82.5mm width diameter 100mm, core 25mm
Koehler	TH82.5/100/25 INSIDE	Thermal Paper 82.5mm diameter 100mm, core 25mm
Koehler	NEP09	Thermal Paper, 58mm, 38mm outer diameter, 9mm inner core.
Koehler	NSS112-100	Thermo Paper 112mm, 130m, diameter 100mm, core 12mm
Koehler	PR114-80	normal paper 114mm/63m 80mm outer diameter, core 12mm
Koehler	PR76-80	Normal Paper Roll 76mm 80mm outer diameter, 12mm core
Koehler	NEP03	Thermal paper 112mm, diameter 46mm, core 12mm, 25m length
Koehler	NEP03HQ80G	Thermal paper 112mm/25m High Quality, 80g
Koehler	TH80/300/25-80G	Thermal paper 80mm, diameter 300mm, core 25mm, 870m length, 80g paper
Koehler	TH60/180/25	Thermal Paper 60mm diameter 180mm, core 25mm
Koehler	MM58-DPU12-20-HQ10	HQ Thermal Paper, 58mm for DPU12 & DPU20 & DPUS245
Koehler	TH60/100/25-80G	Thermal paper 60mm, 80g/m2 diameter 100mm core 25mm, 5 Years.
Koehler	TH60-230-70	Thermal paper roll, width 60mm, diameter 230mm, inner core 70mm
Koehler	TH60/65/25-120G	Thermal Paper 60mm, 120g/m2 diameter 65mm, core 25mm
Koehler	TH60/100/25-80G-Inside	Thermal paper 60mm, 80g/m2, diameter 100mm, core 25mm. Inside coating !!! 90m length
Koehler	NEP80-80G	Thermal paper 80mm/60m core 12mm, diameter 80mm, 80g/m ²
Koehler	TH60/200/25-Inside	Thermal paper 60mm, 55g/m2, diameter 200mm, core 25mm. Inside coating !!! 520m length
Koehler	MM58-DPU201-N	Thermal Paper 58mm/5,1m Diameter 25mm, core 12mm
Koehler	TH60/180/25-120G	Thermal paper 60mm, 120g/m2, diameter 180mm, core 25mm
Loctite	AL-370-189	Thermstrate for 94x48mm-Pkg. Two hole mounting (Pkg.36)
Loctite	AL-472-217	Thermstrate for 120x55mm-Pkg. Two hole mounting (L/L1-Series)
Loctite	AL-311-091	Thermstrate for MIT 4th. Gen. Large DIIPM 79x23mm - Two hole mounting
Loctite	AL-433-315	Thermstrate for 110x80mm-Pkg. Four hole mounting
Loctite	AL-425-244	Thermstrate for 108x62mm-Pkg. Four hole mounting (Pkg.21,22,35,40)
Loctite	AL-591-510	Thermstrate for 150x129.5mm-Pkg. Eight hole mounting (MPD-Series)
Loctite	KA-069-056	Isostrate for TO218/TO220-Pkg. (17.45x14.27mm, hole=3.18mm)

Loctite	TC-175-125	Phase-Change Thermal Compound Hand Held Applicator
Loctite	AL-551-512	Thermstrate for 140x130mm-Pkg. Six hole mounting
Maxim	MAX3232ECAE+	3.0V to 5.0V RS-232 Transceiver Lead free
Microchip	PIC18F4620-I/PT	MCU FLASH 32KX16 44TQFP
Microchip	PIC16LF877A-I/PT	MCU FLASH 8KX14 EE A/D TQFP -40C to +85C
Microchip	PIC16LF627AT-I/SS	8Bit MCU 20 Pin SSOP
Micronas	HAL508UA-A-2-A-2-00	Switch Hall Sensor IC, TO92UA-2 unipol -40 to +170C, Ammopack
Micronas	MAS3520G-BQ-A3-T	MP3/MIDI Audio Decoder, Tray LFBGA40-1 (6.0 x 8.0 x 1,24mm)
Micronas	HAL1821SF-A-4-R-5-00	Linear Hall Sensor IC, SOT89B, TJ: -40 to +170C
Micronas	HAL508SF-K-4-R-1-00	Switch Hall Sensor IC, reel SOT89B-1 unipol -40 to 140C
Micronas	MAP4602A-QB-B2-500-G	Micronas Audio Processor, reel need TrueSurroundXT license!
Micronas	HAL506UA-A-2-A-2-00	Switch Hall Sensor IC, TO92UA-2 unipol -40 to +170C ammopack
Micronas	HAL506UA-A-1-A-2-00	Switch Hall Sensor IC, TO92UA-1, ammopack, unipolar, TJ: -40 to +170C
Micronas	VCT3834B-QH-D6MI11-T	VTC-B-Family TV IC`s (Tray) PMQFP128-1 , (28x28 mm)
Micronas	HAL546UA-K-2-B-1-00	Hall Switch Sensor IC, unipol, TO92UA- 2, -40 to +140C
Micronas	HAL556SF-K-4-R-1-00	Hall Switch Sensor IC, SOT89B-1, unipolar, , -40 to +140C
Micronas	HAL523UA-K-2-B-1-00	Hall Switch Sensor IC, Bulk TO92UA-2, -40 to 140C unipol
Micronas	HVC2480A-SL-B3	SOIC28-2, 8 Bit 8051 High Voltage MCU, LIN, PWM, 32 KB Flash, 512 B EEPROM
Micronas	VCT69XYG-FA-B3-T	VCT-P Family IC`s, (TRAY) PLQFP208-1, EVA, FLASH
Micronas	HAL519UA-A-2-B-1-00	Hall Switch IC, unipol TO92UA-2, -40 to +170C invert
Micronas	HAL519SF-K-4-R-1-00	Hall Switch Sensor IC, reel SO89B-1, -40 to +140C latch
Micronas	HVC2480A-SL-B4	SOIC28-2, 8 Bit 8051 High Voltage MCU, LIN, PWM, 32 KB Flash, 512 B EEPROM
Micronas	VCT49X3F-PY-F1-S	VCT-I-Family TV IC`s PSSDIP88-1, (512 k FLASH)
Micronas	HAL508UA-A-2-B-1-00	Switch Hall Sensor IC, TO92UA-2 unipol -40 to +170C
Micronas	VCT49X3F-XX-F2-T	VCT-I-Family TV IC`s (Tray) PMQFP144-4, (512 k FLASH)
Micronas	HAL516UA-A-2-B-1-00	Hall switch sensor IC, UNIPOL, TO92UA- 2, -40 to +170C, INVERT
Micronas	HAL516SF-K-4-R-1-00	Hall Switch Sensor IC
Micronas	HAL516SF-A-4-R-1-00	Hall Switch Sensor IC, unipl SOT89B-1, -40 to +170C

Micronas	CDC3207G-MF-C4	32Bit ARM7 uC,512K FLASH3.5-5V 32K RAM , 4xCAN, 128PMQFP
Micronas	MAS3509F-QI-B4-T	Compr.Audio Codec IC, (Tray) PMQFP64-2 , layer 3, G.729, AAC
Micronas	HAL300SF-A-4-R-1-00	Differential Hall Sensor IC, SOT89B-2, -40 to +170C (DC 2008)
Micronas	HAL1820SF-A-4-R-1-00	Linear Progr.Hall Sensor IC, SOT-89B-1, reel, analog out, TJ: -40 to +170C
Micronas	HAL204TQ-K-4-R-1-00	Switch Hall Sensor IC, reel SOT-89B-3 latch - 40 to 140C (DC 2008)
Micronas	HAL206JQK-2-B-1-00	Switch Hall Sensor IC, TO92UA-6 unipolar -40 to +140C
Micronas	HAL206TQ-K-4-R-1-00	Switch Hall Sensor IC, SOT89B-3 unipol -40 to +140C
Micronas	HAL207TQ-K-4-R-1-00	Switch Hall Sensor IC, SOT89B-3 -40 to +140C
Micronas	HAL208TQ-K-4-R-1-00	Switch Hall Sensor IC, SOT89B-3 -40 to +140C
Micronas	HAL210JQ-K-2-B-1-00	Switch Hall Sensor IC, TO92-6, unipolar -40 to +140C
Micronas	HAL203JQ-K-2-B-1-00	Switch Hall Sensor IC, bulk TO-92UA-6 latch - 40 to +140C (DC 2007)
Micronas	HAL2850UT-A-2-B-1-00	Linear Progr.Hall Sensor IC, TO-92UT-2, bulk, PWM out, TJ: -40 to +170C
Micronas	HAL202JQ-K-2-B-1-00	Switch Hall Sensor IC, TO92UA-6 latch -40 to +140C (DC 2008)
Micronas	HAL300UA-A-2-B-1-00	Differential Hall Sensor IC, TO92-2, -40 to +170C (DC 2008)
Micronas	HAL320UA-A-2-B-1-00	Differential Hall Sensor IC, TO92UA-4, -40 to +170C
Micronas	HAL3625DJ-A-4-R-8-00	Progr. Direct Angle 360° Sensor IC, SOIC8-1, - 40 to +170C
Micronas	HAL501SF-A-4-R-1-00	Switch Hall Sensor IC, SOT89B-1 reel, bipolar Tj: -40 to +170C
Micronas	HAL501UA-A-2-A-2-00	HALL SWITCH SENSOR IC, AMMOPAC TO92UA-2 1, non spread, -40/+170C
Micronas	HAL501UA-A-2-B-1-00	Switch Hall Sensor IC, TO92UA-2, bipolar Tj: - 40 to +170C
Micronas	HAL501UA-K-2-B-1-00	Switch Hall Sensor IC, TO92UA-2 bipolar Tj: - 40 to +140C
Micronas	HAL503UA-A-1-A-2-00	HALL SWITCH SENSOR IC, AMMOPAC TO92UA- 1 SPREAT -40 TO +170C
Micronas	HAL2810UT-A-2-A-2-00	Linear Progr.Hall Sensor IC, TO92UT-2, -40 to +170C LIN, ammopack
Micronas	HAL1820UA-A-2-B-1-00	Linear Progr.Hall Sensor IC, TO-92UA-2, bulk, analog out, TJ: -40 to +170C
Micronas	HAL1000UT-A-2-A-2-00	Progr. Switch Hall Sensor IC TO92UT-2. -40 to +170C ammopack
Micronas	HAL1000UT-K-1-A-2-00	Progr. Switch Hall Sensor IC, TO92UT-1 Ammopack, Tj: -40 to +140C
Micronas	HAL106JQ-C-2-B-1-00	Switch Hall Sensor IC, TO92UA-6 unipolar 0 to + 85°C

Micronas	HAL106TQ-C-4-R-1-00	Switch Hall Sensor IC, SOT89B-3 unipol 0 to +85°C
Micronas	HAL108JQ-C-2-B-1-00	Switch Hall Sensor IC, TO92UA 0 to +85°C
Micronas	VSP9427B-XZ-C4-T	Color Decoder Scan Rate Conv. PMQFP144 -1
Micronas	VSP9437B-VK-C4-G	PMQFP80-1, 14 x 14 MM, (Gurt)
Micronas	HAL204JQ-K-2-B-1-00	Switch Hall Sensor IC, TO92UA-6 latch -40 to +140C DC: 2007
Micronas	HAL560SF-K-4-R-1-00	Hall Switch Sensor IC, unipol SOT89B-1 , -40 to +140C inv.
Micronas	HAL505SF-A-4-R-1-00	Switch Hall Sensor IC, SOT89B-1, latch -40 to +170C
Micronas	HAL880UT-K-2-B-1-00	Linear Prog. Hall Sensor IC, TO92UT-2, -40 to +140C
Micronas	HAL1821UA-A-2-B-1-00	Linear Hall Sensor IC, TO-92UA-2, TJ: -40 to +170C
Micronas	HAL1822SF-A-4-R-5-00	Linear Hall Sensor IC, SOT89B, 31,25mV/mT, TJ: -40 to +170C
Micronas	HAL1822UA-A-2-B-1-00	Linear Hall Sensor IC, TO-92UA-2, 31,25mV/mT, TJ: -40 to +170C
Micronas	HAL1823SF-A-4-R-5-00	Linear Hall Sensor IC, SOT89B, TJ: -40 to +170C
Micronas	HAL1823UA-A-2-B-1-00	Linear Hall Sensor IC, TO-92UA-2, TJ: -40 to +170C
Micronas	HAL201JQ-K-2-B-1-00	Switch Hall Sensor IC, TO92UA-6 unipol -40 to +140C DC: 2007
Micronas	HAL201TQ-K-4-R-1-00	Switch Hall Sensor IC, SOT89B-3 unipol -40 to +140C
Micronas	HAL109TQ-C-4-R-1-00	Switch Hall Sensor IC, SOT89B-3 unipol 0 to +85°C
Micronas	HAL855UT-A-2-B-1-00	Linear Progr. Hall Sensor IC, TO92UT-2 , -40 to +170C
Micronas	HAL566SF-K-4-R-1-00	Hall Switch Sensor IC, unipol SOT89B-1 , -40 to +140C inv. (DC 2008)
Micronas	DAC3555A-XN-A2-T	Stereo Audio DAC, PQFN40-1 0-power mode, I2C only
Micronas	CDC3207G-MF-C3	32Bit ARM7uC,512K FLASH 3.5-5V 32K RAM ,4xCAN,128 PMQFP
Micronas	MSP4451K-QI-D6-T	Multistandard Sound Processor PMQFP64-2,virt.Dolby Surround
Micronas	AVF4910A-QK-C2-T	Audio/Video Front-End Solution, PQFP128-2
Micronas	SDA6001-QH-B12-T	16-Bit C166 MCU with VBI-DSP Graphic Controller, onroller, PMQFP128
Micronas	CUR3105UT-K-2-A-2-00	Current Transducer IC, ammpack TO92UT-1, -40 to +140C , non spread
Micronas	HAL856UT-K-2-B-1-00	Linear Progr. Hall Sensor IC, TO92UT-2 , -40 to +140C
Micronas	HAL856UT-A-2-B-1-00	Linear Progr. Hall Sensor IC TO92UT-2, -40 to +170C DC: 2006
Micronas	HAL855UT-K-2-B-1-00	Linear Progr. Hall Sensor IC, TO92UT-2 , -40 to +140C

Micronas	HAL504UA-A-2-B-1-00	Switch Hall Sensor IC, TO92UA-2 unipol -40 to +170C
Micronas	HAL824UT-A-2-A-2-00	Linear prog. Hall IC ammopack TO92UT-1, -40 to +170C , non spread
Micronas	HAL730SF-E-4-R-1-00	Hall Switch Sensor IC, SOT89B-1, -40 to +100C
Micronas	HAL566UA-K-2-A-2-00	Hall Switch Sensor IC, unipol TO92UA-2 , -40 to +140C inv.
Micronas	HAL584SF-K-4-R-1-00	Hall Switch Sensor IC, unipol SOT-89B, -40 to +140C inv.
Micronas	HAL584UA-K-2-A-2-00	Hall Switch Sensor IC, unipol T092UA-2 , -40 to +140C inv. (DC 2008)
Micronas	HAL584UA-K-2-B-1-00	Hall Switch Sensor IC, unipol T092UA-2 , -40 to +140C inv. (DC 2008)
Micronas	HAL702SF-E-4-R-1-00	Direction Hall Sensor IC SOT-89B -40/+100°C,
Micronas	HAL710SF-K-4-R-1-00	Direction Hall Sensor IC, SOT89B-2 uni pol -40 to +140C
Micronas	LPT-I2C-ADAPTER	Micronas Communication Tool for all I2C Initial Devices
Micronas	HAL740SF-K-4-R-1-00	Switch Hall Sensor IC, SOT89B-1, -40 to +140C
Micronas	HAL815UT-A-2-B-1-00	Linear Progr. Hall Sensor IC, TO92UT-2 , -40 to +170C
Micronas	HAL815UT-K-2-A-2-00	Linear prog. Hall IC ammopack TO92UT-2, -40 to +140C ,
Micronas	HAL815UT-K-2-B-1-00	Linear Prog. Hall Sensor IC, TO92UT-2, -40 to +140C
Micronas USA	DHM8100-UCBGB1-T	DeCypher Multi-Format Decoder, 832 PIN PBGA MPEG4, Tray
Micronas USA	ESN7108-UCBGA1-T	Cypher Multi-Format Encoder, 484 PIN P, Version A1
Mitsubishi	PM50CSD120	IPM 1200V 50Ax6 S-Dash-Series
Mitsubishi	PM100RSE060#300G	IPM 600V 100Ax7 S-Dash-Series
Mitsubishi	PM50RSE060#300G	IPM 600V 50Ax7 S-Dash-Series
Mitsubishi	PM50RL1C060#300G	IPM 600V 50Ax7 L1-Series 90x50mm-Pkg.
Mitsubishi	PM75CLA060#300G	IPM 600V 75Ax6 L-Series 120x55mm-Pkg.
Mitsubishi	PM600HSA120	IPM 1200V 600Ax1 S-Series 133x101mm-Pkg.
Mitsubishi	PM100CS1D060#300G	IPM 600V 100Ax6 S1-Series
Mitsubishi	PM15CSJ060#300A	IPM 600V 15Ax6 S-Series
Mitsubishi	PM150RL1B060#300G	IPM 600V 150Ax7 L1-Series with solder pins
Mitsubishi	PM150CSD120#300G	IPM 1200V 150Ax6 S-Dash-Series 135x110mm-Pkg.
Mitsubishi	PM150CSA060	IPM 600V 150Ax6 S-Series
Mitsubishi	PM10RSH120#300A	IPM 1200V 10Ax7 S-Series 101x60mm-Pkg.
Mitsubishi	PM100CSA120	IPM 1200V 100Ax6 S-Series
Mitsubishi	PM75CLA120#300G	IPM 1200V 75Ax6 L-Series 120x55mm-Pkg.
Mitsubishi	PM50CS1D060#300G	IPM 600V 50Ax6 S1-Series
Mitsubishi	PM200CL1A060#300G	IPM 600V 200Ax6 L1-Series 122.1x90.1mm-Pkg.
Mitsubishi	PM25CLA120#300G	IPM 1200V 25Ax6 L-Series 120x55mm-Pkg.

Mitsubishi	PM25RL1B120#300G	IPM 1200V 25Ax7 L1-Series with solder pins
Mitsubishi	PM25RL1C120#300G	IPM 1200V 25Ax7 L1-Series 90x50mm-Pkg.
Mitsubishi	PM50CL1A060#300G	IPM 600V 50Ax6 L1-Series
Mitsubishi	PM50CL1B120#300G	IPM 1200V 50Ax6 L1-Series with solder pins
Mitsubishi	PM100RL1B060#300G	IPM 600V 100Ax7 L1-Series with solder pins
Mitsubishi	PM100CL1A060#300G	IPM 600V 100Ax6 L1-Series
Mitsubishi	RA07N3340M	RF MOSFET-Module 9.6V 7W (330-400MHz) H46S-Pkg.
Mitsubishi	RA07M4452M-101	RF MOSFET-Module 7.2V 7W (440-520MHz) H46S-Pkg.
Mitsubishi	RA18H1213G-101	RF MOSFET-Module 12.5V 18W (1240- 1300MHz) H2S-Pkg.
Mitsubishi	RA07N4452M-101	RF MOSFET-Module 9.6V 7.5W (440-520MHz) H46S-Pkg.
Mitsubishi	RA13H4047M-101	RF MOSFET-Module 12.5V 13W (400- 470MHz) H2S-Pkg.
Mitsubishi	RA20H8994M-101	RF MOSFET-Module 12.5V 20W (896- 941MHz) H2S-Pkg.
Mitsubishi	RA20H8087M-101	RF MOSFET-Module 12.5V 20W (806- 870MHz) H2S-Pkg.
Mitsubishi	RA07M4047MSA-101	RF MOSFET-Module 7.2V 7W (400-470MHz) H46M-Pkg. - Metal cap
Mitsubishi	RA08H1317M-101	RF MOSFET-Module 12.5V 8W (135-175MHz) H46S-Pkg.
Mitsubishi	PS21564-SP	IPM 600V 15Ax6 20kHz 2.5kV Vers.3 49x30.5mm Mini-DIP-Pkg. - Open Emitter
Mitsubishi	PS22056	IPM 1200V 25Ax6 15kHz 2.5kV 79x44mm Super-DIP-Pkg.
Mitsubishi	PM75CS1D060#300G	IPM 600V 75Ax6 S1-Series
Mitsubishi	RA13H3340M-101	RF MOSFET-Module 12.5V 13W (330- 400MHz) H2S-Pkg.
Mitsubishi	PM100CLA120#300G	IPM 1200V 100Ax6 L-Series 122.1x90.1mm- Pkg.
Mitsubishi	PS22054	IPM 1200V 15Ax6 15kHz 2.5kV 79x44mm Super-DIP-Pkg.
Mitsubishi	PS22053	IPM 1200V 10Ax6 15kHz 2.5kV 79x44mm Super-DIP-Pkg.
Mitsubishi	PS21962-AT	IPM 600V 5Ax6 20kHz 1.5kV Vers.4 - OT 38x24mm Super-Mini-DIP-Pkg. - Long Pins
Mitsubishi	PS21962-4S#500	IPM 600V 5Ax6 20kHz 1.5kV Vers.4 38x24mm Super-Mini-DIP-Pkg. - Open Emitter
Mitsubishi	RA30H1721M-101	RF MOSFET-Module 12.5V 30W (175- 215MHz) H2S-Pkg.
Mitsubishi	PM800HSA120	IPM 1200V 800Ax1 S-Series 132x100mm-Pkg.
Mitsubishi	PM75RSE060#300G	IPM 600V 75Ax7 S-Dash-Series
Mitsubishi	PM75CSA120	IPM 1200V 75Ax6 S-Series 110x89mm-Pkg.
Mitsubishi	RA07M3843M-101	RF MOSFET-Module 7.2V 7W (378-430MHz) H46S-Pkg.
Mitsubishi	MGF1601B-01	GaAs FET 8GHz High Power

Mitsubishi	ML101J21-01	Laser Diode 658nm 80mW/160mW 5.6mm TO-Pkg. - Single-Mode
Mitsubishi	MGF0913A-03	GaAs FET 1.9GHz 31dBm GF50-Pkg.
Mitsubishi	MGF0915A-01	GaAs FET 1.9GHz 36.5dBm GF50-Pkg. Tape+Reel - WiMAX
Mitsubishi	MGF0915A-03	GaAs FET 1.9GHz 36.5dBm GF50-Pkg. - WiMAX
Mitsubishi	MGF0920A-03	GaAs FET 1.9GHz GF50-Pkg.
Mitsubishi	MGF0921A-03	GaAs FET 1.9GHz 33dBm UHF Band GF50-Pkg.
Mitsubishi	MGF0909A-01	GaAs FET 2.3GHz 38.5dBm GF7-Pkg.
Mitsubishi	MGF1302-15	GaAs FET 12GHz Low Noise GD4-Pkg.
Mitsubishi	MGF0907B-01	GaAs FET 2.3GHz GF21-Pkg.
Mitsubishi	MGF1801B-01	GaAs FET 8GHz High Power
Mitsubishi	MGF2407A-01	GaAs FET 14.5GHz 23dBm 1.5W GF17-Pkg.
Mitsubishi	MGF2415A-01	GaAs FET 14.5GHz 26dBm 2.5W GF17-Pkg.
Mitsubishi	MGF2445A-01	GaAs FET 12GHz 32dBm GF17-Pkg.
Mitsubishi	MGF4935AM-01	GaAs FET 12GHz 0.45dB Super Low Noise GD30-Pkg. T+R
Mitsubishi	MGF4961B-01	GaAs FET 20GHz 0.7dB Super Low Noise GD31-Pkg. T+R
Mitsubishi	EVBRA01L8693MA-101	Evaluation Board for RFID Module RA01L8693MA
Mitsubishi	MGF0951P-03	GaAs FET 5.8GHz 1.25W 31dBm GF55-Pkg.
Mitsubishi	MG200Q1US41#203T	IGBT 1200V 200Ax1 Pkg.21 Old P/N MG200Q1US41(REFU,G)
Mitsubishi	EVBPS2xA7x	Test board for 4th. Gen. 600V and 1200V Large-DIIPM-Series - PCB without module!
Mitsubishi	EVBPS22056	Evaluation Board with 25A Module for 1200V DIP-Series
Mitsubishi	EVBPS21965	Test board with 20A module for 4th. Gen. Super-Mini-DIIPM-Series
Mitsubishi	EVBPS2156X	Test board with 10A Module for 3rd. Gen. Mini-DIIPM-Series
Mitsubishi	EVBM81500FP	Test board with Single-Chip-Inverter M81500FP and MCU
Mitsubishi	EVBL1S1	Test board for IPM L1- and S1-Series - PCB without module!
Mitsubishi	MGF0911A-01	GaAs FET 2.3GHz 41dBm GF21-Pkg.
Mitsubishi	MG150Q2YS40#207T	IGBT 1200V 150Ax2 Pkg.35
Mitsubishi	ML101J26-01	Laser Diode 658nm 100mW/300mW 5.6mm TO-Pkg.
Mitsubishi	RA30H2127M-101	RF MOSFET-Module 12.5V 30W (210-270MHz) H2S-Pkg.
Mitsubishi	MG300J2YS50#302T	IGBT 600V 300Ax2 Pkg.35 Old P/N MG300J2YS50(AC,G)
Mitsubishi	RA30H4452M-101	RF MOSFET-Module 12.5V 30W (440-520MHz) H2S-Pkg.
Mitsubishi	MG50Q1BS1#303T	IGBT 1200V 50Ax1 Pkg.17 Old P/N MG50Q1BS1(AC,R)
Mitsubishi	MG50Q1BS11#303T	IGBT 1200V 50Ax1 Pkg.17 Old P/N MG50Q1BS11(AC,R)

Mitsubishi	MGF0904A-01	GaAs FET 1.65GHz 28dBm GF7-Pkg.
Mitsubishi	MGF0906B-01	GaAs FET 2.3GHz 36.5dBm GF21-Pkg.
Mitsubishi	MG100J2YS50#303T	IGBT 600V 100Ax2 93.5x35mm-Pkg. Old P/N
Mitsubishi	CM300DY-12H	MG100J2YS50(AC) IGBT 600V 300Ax2 H-Series 94x48mm-Pkg.
Mitsubishi	MGFS36E2527-01	InGaP HBT (2.5-2.7GHz) 27dBm 4.5x4.5mm-Pkg. - WiMAX
Mitsubishi	CM400HA-24H#303	IGBT 1200V 400Ax1 H-Series 107x62mm-Pkg.
Mitsubishi	CM400HA-24A#300G	IGBT 1200V 400Ax1 A-Series 108x62mm-Pkg.
Mitsubishi	CM400HA-24A	IGBT 1200V 400Ax1 A-Series 108x62mm-Pkg.
Mitsubishi	CM400DY-34A#300G	IGBT 1700V 400Ax2 A-Series 130x130mm-Pkg.
Mitsubishi	CM400DU-24NFH#300G	IGBT 1200V 400Ax2 50kHz NFH-Series
Mitsubishi	CM50BU-24H	110x80mm-Pkg. IGBT 1200V 50Ax4 U-Series 91x72mm-Pkg.
Mitsubishi	CM300DY-24H	IGBT 1200V 300Ax2 H-Series 110x80mm-Pkg.
Mitsubishi	CM600DU-24F	IGBT 1200V 600Ax2 F-Series 130x130mm-Pkg.
Mitsubishi	CM300DU-34KA	IGBT 1700V 300Ax2 KA-Series 130x130mm-Pkg.
Mitsubishi	CM300DU-24F#300G	IGBT 1200V 300Ax2 F-Series 110x80mm-Pkg.
Mitsubishi	CM200DU-34KA	IGBT 1700V 200Ax2 KA-Series 110x80mm-Pkg.
Mitsubishi	CM150DY-34A#300G	IGBT 1700V 150Ax2 A-Series 108x62mm-Pkg.
Mitsubishi	CM150DY-24H	IGBT 1200V 150Ax2 H-Series 94x48mm-Pkg.
Mitsubishi	CM1200HB-66H#301	HVIGBT 3300V 1200Ax1 HV-Series
Mitsubishi	CM100DY-12H	190x140mm-Pkg. IGBT 600V 100Ax2 H-Series 94x34mm-Pkg.
Mitsubishi	CM300DY-34A#300G	IGBT 1700V 300Ax2 A-Series 110x80mm-Pkg.
Mitsubishi	QM75DY-2H	BIP 1000V 75Ax2
Mitsubishi	ML101J27-01	Laser Diode 658nm 130mW/350mW 5.6mm TO-Pkg. - Single-Mode
Mitsubishi	ML520G51-01	Laser Diode 638nm 150/250mW 5.6mm TO-Pkg. - Multi-Mode
Mitsubishi	ML520G54-01	Laser Diode 638nm 110mW (CW) 5.6mm TO-Pkg. - Single-Mode
Mitsubishi	ML520G71-01	Laser Diode 638nm 300mW @45°C (CW)
Mitsubishi	ML561F10-01	5.6mm TO-Pkg. - Multi-Mode
Mitsubishi	ML920J45S-01	Laser Diode 805nm 1W 10.5mm TO-Pkg.
Mitsubishi	CM450HA-5F	Laser Diode 1550nm 5mW 5.6mm TO-Pkg.
Mitsubishi	QM50DY-2H	IGBT 250V 450Ax1 F-Series 97x48mm-Pkg.
Mitsubishi	MG200Q1US41#302T	BIP 1000V 50Ax2 IGBT 1200V 200Ax1 Pkg.21 Old P/N
		MG200Q1US41(AC)

Mitsubishi	CP20TD1-12A	IGBT 600V 20Ax7 + Rectifier 79x44mm DIP-Pkg.
Mitsubishi	CM800HA-66H	HVIGBT 3300V 800Ax1 HV-Series 140x130mm-Pkg.
Mitsubishi	CM75TL-24NF#300G	IGBT 1200V 75Ax6 NF-Series 120x55mm-Pkg.
Mitsubishi	CM75DY-24NF#300G	IGBT 1200V 75Ax2 NF-Series 94x48mm-Pkg.
Mitsubishi	CM75DY-12H	IGBT 600V 75Ax2 H-Series 94x34mm-Pkg.
Mitsubishi	CM75BU-12H#300G	IGBT 600V 75Ax4 U-Series 91x72mm-Pkg.
Mitsubishi	CM600HA-5F	IGBT 250V 600Ax1 F-Series 108x62mm-Pkg.
Mitsubishi	QM100DY-2H	BIP 1000V 100Ax2
Mitsubishi	MG300J2YS50#352	IGBT 600V 300Ax2 Pkg.35 Old P/N MG300J2YS50(AC,G)
Mitsubishi	RA30H4047M-101	RF MOSFET-Module 12.5V 30W (400-470MHz) H2S-Pkg.
Mitsubishi	RA45H4047M-101	RF MOSFET-Module 12.5V 45W (400-470MHz) H2S-Pkg.
Mitsubishi	RA07M3340M-101	RF MOSFET-Module 7.2V 7W (330-400MHz) H46S-Pkg.
Mitsubishi	M63813KP#TB1J	7 Unit-Transistor Array with Clamp Diode SOP16P2Z-Pkg.
Mitsubishi	RA45H4452M-101	RF MOSFET-Module 12.5V 45W (440-520MHz) H2S-Pkg.
Mitsubishi	RA55H4047M-101	RF MOSFET-Module 12.5V 55W (400-470MHz) H2S-Pkg.
Mitsubishi	M81500FP#TB0J	3-Phase Bridge Motor Driver IC 500V 1Ax6 SOP33-Pkg.
Mitsubishi	RA60H4047M1-101	RF MOSFET-Module 12.5V 60W (400-470MHz) H2M-Pkg. - Metal Cap
Mitsubishi	RA60H1317M1A-201	RF MOSFET-Module 12.5V 60W (135-175MHz) H2M-Pkg. - Metal Cap
Mitsubishi	M81713FP#TB0J	Half Bridge Driver IC 600V +/-0.5A SOP8-Pkg.
Mitsubishi	M81716FP#TB0J	Dual Low Side Driver IC 24V +0.8/-0.6A SOP8-Pkg.
Mitsubishi	RA30H3340M-101	RF MOSFET-Module 12.5V 30W (330-400MHz) H2S-Pkg.
Mitsubishi	RA60H1317M-101	RF MOSFET-Module 12.5V 60W (135-175MHz) H2S-Pkg.
Mitsubishi	RM10TN-2H	Diode Module 1600V 10Ax6 71.8x30mm-Pkg.
Mitsubishi	RA01L8693MA-101	RF MOSFET-Module 3.3V 1.4W (865-928MHz) H58-Pkg. - RFID
Mitsubishi	RA01L9595M-101	RF MOSFET-Module 3.3V 1.4W (952-954MHz) H58-Pkg. - RFID
Mitsubishi	RA03M3540MD-101	RF MOSFET-Module 7.2V 6.3W (350-400MHz) H54-Pkg. - TETRA
Mitsubishi	RA03M4043MD-101	RF MOSFET-Module 7.2V 6.3W (400-430MHz) H54-Pkg. - TETRA
Mitsubishi	RA03M8087M-101	RF MOSFET-Module 7.2V 3.6W (806-870MHz) H46S-Pkg. - RFID
Mitsubishi	RA03M8894M-101	RF MOSFET-Module 7.2V 3.6W (889-941MHz) H46S-Pkg. - RFID

Mitsubishi	RA03M9595M-101	RF MOSFET-Module 8V 3W (952-954MHz) H46S-Pkg. - RFID
Mitsubishi	RA07H0608M-101	RF MOSFET-Module 12.5V 7W (66-88MHz) H46S-Pkg.
Mitsubishi	RA07H3340M-101	RF MOSFET-Module 12.5V 7W (330-400MHz) H46S-Pkg.
Mitsubishi	RA07H4452M-101	RF MOSFET-Module 12.5V 7W (440-520MHz) H46S-Pkg.
Mitsubishi	RA07M1317MSA-101	RF MOSFET-Module 7.2V 6.7W (135-175MHz) H46M-Pkg. - Metal Cap
Mitsubishi	RA07M2127M-101	RF MOSFET-Module 7.2V 7W (215-270MHz) H46S-Pkg.
Mitsubishi	M81719FP#TB0J	Half Bridge Driver IC 600V +0.12/-0.25A SOP8- Pkg.
Mitsubishi	RD07MVS1-101	RF-MOSFET 7.2V 175/520MHz 7W SLP-Pkg.
Mitsubishi	RD70HHF1-101	RF-MOSFET 12.5V 30MHz 70W Ceramic(large)-Pkg.
Mitsubishi	RD60HUF1-101	RF-MOSFET 12.5V 520MHz 60W Ceramic(large)-Pkg.
Mitsubishi	RD45HMF1-101	RF-MOSFET 12.5V 900MHz 45W Ceramic(larg)-Pkg.
Mitsubishi	RD20HMF1-101	RF-MOSFET 12.5V 900MHz 20W Ceramic(small)-Pkg.
Mitsubishi	RD15HVF1-101	RF-MOSFET 12.5V 175/520MHz 15W TO220S-Pkg.
Mitsubishi	RD00HHS1-101	RF-MOSFET 12.5V 0.3W 30MHz SOT89-Pkg.
Mitsubishi	RD06HHF1-101	RF-MOSFET 12.5V 30MHz 6W TO220S-Pkg.
Mitsubishi	RD02MUS1-101	RF-MOSFET 7.2V 175/520MHz 2W SLP-Pkg.
Mitsubishi	RD01MUS2-101	RF-MOSFET 7.2V 520MHz 0.8W SOT89-Pkg. - Gate Protection Diode
Mitsubishi	RD01MUS1-101	RF-MOSFET 7.2V 520MHz 0.8W SOT89-Pkg.
Mitsubishi	RD00HVS1-101	RF-MOSFET 12.5V 175MHz 0.5W SOT89-Pkg.
Mitsubishi Paper Mills Ltd	TH60/100/25-130G-Inside	Thermal paper 60mm, 130g/m2, diameter 100 mm, core 25mm. Inside coating !!! 51m length Custom COG for #32390 48 Seg., ML2002 IC, with PIN
Module House	GS08631AA	custom LCD
Module House	GS-07031AA	
Molex	FFC-502250-3591	Molex-Connector for SEIKO TFT 2.4" & 2.8" 35 Pins, 0.3mm Pitch
Molex	FFC1.00A20.100MM	Flex cable for Molex connector EW50793 FLWP
Molex	CONN-LTP8235B-S	Connector for thermal head LTP8235B, 2 2pin, straight
Molex	CONN-LTPZ-S	CONNECTOR FOR THERMAL HEAD LTPZ, LTPC, 30P, STRAIGHT
Molex	CONN-MOS3345-S	Connector for motor and sensor LTP3345 , 11p, straight

Molex	FFC0.50A20.31MM	Flex cable for Molex connector EW24HA0 from EDT
Molex	FFC-52271-2079	Molex connector for FFC 20Pin at 1,0mm pitch
Molex	FFC-52435-3072	Molex connector for FFC 30pin at 0.50m m pitch
Murata	TZB4P300AB10R00	Ceramic Trimmer Capacitor
Nakagawa	NEP04HQ	Thermo Paper 58mm 25m diameter 46mm
Nakagawa	NEP07	Thermal paper 79mm, diameter 46mm, cor e 12mm, 25m length
Nakagawa	NTG70 76X50,8	Labelroll 80mm, 620 Lab/Roll Labels size 76x50,8mm core 1"
National Semiconductor	LM2596S-5.0	Power Converter 150kHz 0.5A
Nippon Primex Inc.	NP-366 SLIM	Kiosk printer, 80mm, 24V USB interface , 220mm/s
NXP	SC16IS750IPW	UART I2C/SPI 24-TSSOP
OKI	MSM82C54-2R3	CMOS PIT 10MHz 24DIP
OKI	MSM82C55A-2R3	CMOS PIO 5MHz 40DIP
OKI	MSM80C154SGS-2K	8Bit CMOS uC 24MHz 44QFP
OKI	MSM80C40RS	8Bit CMOS uC DIP40 11MHz
Omron	XF2M-4012-1A	ZIF connector 40pin, 0.5mm, bottom and top (dual)
ON Semiconductor	NCP5810DMUTXG	DC-DC Converter for AMOLED 2,0"-2,8"
Osram	LWW5SG-GYHY-5K8L	Golden Dragon White LED 10 Candela at 350mA Pb-free
Phytec	KSP-0110	STARTERKIT 91F364 incl. CD, PowerSupply, Documentation
Plastronics	P2028-A-AU	LCC28 Test+Burnin Socket
Power Systems	PS-LD0301-031(S)	LED Backlight Converter Connector Type for G150XG01v2 (4,75V bis 13,2V)
Power Systems	PS-DA0140-02	Inverter for HITACHI TX14/TX18 -20°C - +70°C
Power Systems	PS-DA0137-091	INV for TX18-series,
Power Systems	PS-DA0129-193	INV for TX14D12 5V Power Supply With 50mm extension
Power Systems	PS-DA0245-134	INV for TX31D56
Power Systems	PS-DA0408-131	Inv for TX38D55VM1AAA
Power Systems	PS-DA0408-139	Inv for TX39D55VM1BAA
Power Systems	PS-DA0412-034	INV for G150XG02V0
Power Systems	PS-L0612-203	INV for SP14N002 (HIT)
Power Systems	PS-L0605A-236	INV for TX14D11 5V supply
Power Systems	PS-DA0130-01-1	Inverter - for example for TX14D12
Power Systems	EINGANGSKABEL 4	suitable Inverter PSDA025303
Power Systems	EINGANGSKABEL 8	CAB for PS-DA0129-109 + JDBK150V5C 50 cm Länge
Power Systems	EINGANGSKABEL12	CAB INVN YT9943-03/04
Power Systems	EINGANGSKABEL 13	CAB for PS-LD0301-043(S)
Power Systems	Adapterkabel6	Adaptercable for PS-LD0301-031(S) 90mm
Power Systems	EINGANGSKABEL 2	CAB FOR ALL PS-Mxxxx INV CXA-0217 & PS-DA0211-03(S)
Prolific	PL2520	
Prolific	PL2303HXD LF	USB-SERIAL BRIDGE CONTROLLER USB 3.3VT

Prolific	PL-2506	Hi-speed USB to IDE Bridge Controller
Prolific	PL-25A1_B	
Prolific	PL-2303X LF T+R	USB-Serial bridge controller USB 1.1.5 V+3.3V Reg.28PIN SSOP
Radiocrafts AS	RC2400 DK	Demo Kit for RC2400
Radiocrafts AS	RC1280HP-SDK	Demo Kit, 868MHz, Narrowband, High Power
Radiocrafts AS	RC2500-DK	Demo Kit for RC2500-RC232
Radiocrafts AS	RC2400HP-ZNM -IESM	ZigBEE Expansion card with high power for Fastrack Supreme, ZNM preloaded
Radiocrafts AS	RC2400HP-ZNM	2.45 GHz, 802.15.4 256kB HW platform, ZigBee, ZNM-stack preloaded, high power
Radiocrafts AS	RC1140-RC232	433 MHz RF Modules with RC232 protocoll (UART in / RF out)
Radiocrafts AS	RC2300-ZNM -IESM	Expansion card for Wavcom Fastrack Supreme, ZigBee Network
Radiocrafts AS	RC1280-RC232-SDK	Demo Kit for Narrowband
Radiocrafts AS	RC1280HP	868 MHz narroband RF Modules with 500mW
Radiocrafts AS	RC1240	433 MHz narroband RF Modules
Radiocrafts AS	RC1190-RC232	915 MHz RF Modules with RC232 protocoll (UART in / RF out)
Radiocrafts AS	RC1180-RC232-SDK	Demo Kit RC232
Radiocrafts AS	RC1180-RC232	868 MHz RF Modules with RC232 protocoll (UART in / RF out)
Radiocrafts AS	RC1180-MBUS3-SDK	Demo Kit for wireless M-Bus with two RC1180- MBUS modules
Radiocrafts AS	RC1180-MBUS3	868 MHz Wireless M-Bus Radio module, OMS conform
Radiocrafts AS	RC1180-KNX1-DK	Demo Kit for KNX with two RC1180-KNX1 modules
Radiocrafts AS	RC1140RC232SDK	Demo Kit RC232
Radiocrafts AS	RC2300AT-ZNM	2.45 GHz ZigBee Network Module with antenna
Radiocrafts AS	RC1180-KNX1	868 MHz Wireless KNX module
Renesas	M5M5256DFP-70XG#BM	SRAM 32Kx8 70nS, 3.0-5.5V SOP, triple low power
Renesas	R5F21258SDFP#U0	16B.uC 64KFlash 3K Ram LQFP52/0,65 - 40/+85°C 20MHz R8C
Renesas	M5M5V208AKV-70HIST	SRAM 256Kx8 3,3V STSOP-40/+85C Tape+Reel
Renesas	M5M5V108DVP-70HIST	SRAM 128Kx8 70nS 3,3V TSOP LL PB-Free - 40/+85C Tape+Reel
Renesas	M5M5V108DVP-70HI#BT	SRAM 128Kx8 70nS 3,3V TSOP LL PB-Free - 40/+85C
Renesas	M5M5V108DKV-70HI#BT	SRAM 128Kx8 70nS 3,3V STSOP LL PB-Free - 40/+85C
Renesas	M5M5W816TP-55HI#ST	SRAM 512Kx16 55nS 2.7-3.6V -40/+85C
Renesas	M5M5256DVP-70LLIBE	SRAM 32Kx8 70nS TSOP LL PB-Free, -40 / +85C
Renesas	M5M5256DFP-70LLI#BM	SRAM 32Kx8 70nS SOP LL PB-Free, -40/+85C
Renesas	M5M5256DFP-55LL#SM	SRAM 32Kx8 55nS SOP LL PB-Free, Tape+Reel

Renesas	HA13721RPJE-E	CAN-Transceiver
Renesas	HAF1001-90-E	MOSFET single P-CH -60V -15A 0,09Ohm TO-220AB
Renesas	HAF1004-90STL-E	MOSFET single P-CH -60V -5A 0,2 DPAK(S)
Renesas	HAF2021-90STR-E	MOSFET single N-CH 60V 50A 0,012 LDKPAK(S)-(1)
Renesas	M5M5256DVP-70LLISE	SRAM 32Kx8 70nS TSOP LL PB-Free, -40/+85C, Tape+Reel
Renesas	M66591GP#RB1S	ASSP (USB2.0 Peripheral Controller)
Renesas	R5S72011RW100FP	32B.uC romless 32K Ram LQFP176/0,5 -20/+85°C 100 Mhz 2 CAN SH7201
Renesas	R5S72640W144FP#U0	32B.uC romless 1024K Ram LQFP 208 / 0,5 -40/+85°C 2 x CAN USB 2.0 144 Mhz SH7264
Renesas	R5S76700B200BG	32B.uC romless 32K Ram BGA 256 / 0,8 -40/+85°C 200 Mhz USB LAN SH7670
Renesas	R8C COM.EMU-KIT 20P	Compact Emu. and Converter B. R8C/1A-1 B/28-29 with 20 Pin
Renesas	R8C COM.EMU-KIT 32P	Compact Emu. and Converter B. for R8C/ 10-13 with 32Pin
Renesas	M5M5V216ATP-55HIDT	SRAM 128Kx16 2.7 to 3.6V 55nS 44TSOP -40/+85C
Renesas	R8C GENERAL PROBE	Emulation-Probe R8C R8C/10-23/1A/1B
Renesas	M5M51008DVP-70H#BT	SRAM 128Kx8 70nS TSOP LL 5V PB-Free
Renesas	M66271FP#RB0T	LCD-CTR+VRAM 76800 PIXEL 80QFP
Renesas	M62552FP	C-MOS OP AMP SOP
Renesas	M62253FP	Li-Ion Batt.Charger1Cell 14SOP
Renesas	M62241FP	Li-Ion Batt.Char. 2Cell 24SSOP
Renesas	M62213P	Switching Power supply DIP
Renesas	M5M5W816WG-55HI#BT	SRAM 512Kx16 55nS 2.7-3.6V PB-Free -40/+85C 48ball CSP
Renesas	R8C CONV.BOARD 48PIN	R8C GENERAL PROBE TO 48 PIN R8C/20-23
Renesas	M30626FJPGP#U5C	16B.uC 512KFlash 31K Ram LQFP100/0,5 -20/+85°C 24 Mhz M16C
Renesas	M30800SAFP#U5	16B.uC Romless 8K Ram QFP100/0,65 -20/+85°C 20 Mhz M16C/80
Renesas	M306NKFJGP#U3	16B.uC 512KFlash 31K Ram LQFP100/0,5 -40/+85°C 24 Mhz 2 CAN M16C
Renesas	M306N4FGTFP#UKJ	16B.uC 256KFlash, 10K RAM QFP100/0,65 -40/+85°C, 20 MHz, 2 CAN M16C
Renesas	M3062PT3-CPE-4	Comp. Emul. Kit for M16C62P 128 LQFP (14x20mm-0.5mm Pitch)
Renesas	M3062PT3-CPE	Comp. Emul. kit for M16C62P 100QFP (14x20mm, 0.65mm pitch)
Renesas	M5M5256DFP-55LL#BM	SRAM 32Kx8 55nS SOP LL PB-Free
Renesas	M30627FJPGP#U7C	16B.uC 512KFlash 31K Ram LQFP128/0,5 -40/+85°C 24 Mhz M16C
Renesas	M30845FJGP#U3	32B.uC 512K Flash 24K Ram LQFP144/0,5 -40/+85°C 20 Mhz 1 CAN M16C/84
Renesas	M30620SPFP#U5C	16B.uC Romless 10K Ram QFP100/0,65 -20/+85°C 16 Mhz M16C

Renesas	M30281FCHP#U7B	16B.uC 128KFlash 12K Ram LQFP64/0,5 - 40/+85°C 20 Mhz M16C TINY
Renesas	M30280FAHP#U5B	16B.uC 96KFlash 8K Ram LQFP80/0,5 - 20/+85°C 20 Mhz M16C TINY
Renesas	M30280FAHP#U3B	16B.uC 96KFlash 8K Ram LQFP80/0,5 - 40/+85°C 20 Mhz M16C TINY
Renesas	M30260F8BGP#U3A	16B.uC 64KFlash 2K Ram LQFP48/0,5 - 40/+85°C 20 Mhz M16C TINY
Renesas	M30200T-RPD-E	POD Probe M30200 Group
Renesas	M30627FJPGW#U3C	16B.uC 512K Flash, 31K SRAM FLGA 145 Pin -40/+85°C, 24 MHz, M16C
Renesas	M38D29GFHP#U0	8-bit, 740er Serie, 2K SRAM, 60K QZROM, 64pin LQFP
Renesas	R5F72434D100FP#U0	32B.uC 256KFlash 12K Ram LQFP100 / 0,5 - 40/+85°C 100 Mhz SH7243
Renesas	M5M51008DVP-55HI#ST	SRAM 128Kx8 55nS TSOP LL 5V PB-Free - 40/+85C Tape+Reel
Renesas	M5M51008DRV-55HIST	SRAM 128Kx8 55nS Rev-TSOP LL -40/+85C
Renesas	M5M51008DFP-55H#ST	SRAM 128Kx8 55nS 32SOP525 LL Lead-Free Tape+Reel
Renesas	M56710FP#TC0J	Magnetic Card Reader IC 20SOP
Renesas	M52347FP	Automatic Sync Processor
Renesas	M30800SAFP-BL#U5	16B.uC Romless 8K Ram LQFP100/0,5 - 20/+85°C 20 Mhz M16C/80
Renesas	M3A-HS19G59#ES	SH2 7619-R5F70865AN80FP Compatible with E10A-USB AUD
Renesas	M30833FJFP#U5	32B.uC 512K Flash, 31K RAM, 20 MHz - 20/+85°C, M32C-83, LQFP100/0,65
Renesas	M30879FLFP#U3	32B.uC 1MBFlash 48K Ram QFP100/0,65 - 40/+85°C 32 Mhz M32C 2 CAN
Renesas	M30878FJBGP#U5	32B.uC 512KFlash 31K Ram LQFP144/0,5 - 20/+85°C 32 Mhz M32C 0 CAN
Renesas	M30873FHAGP#U3	32B.uC 384KFlash, 24K SRAM, LQFP100/0,5 - 40/+85°C, 32 MHz, 1 CAN M32C/87
Renesas	M30870T-EPB	Emulation Probe for M32C/87 Group for PC7501
Renesas	M30853FJFP#U5	32B.uC 512KFlash 24K Ram QFP100/0,65 - 20/+85°C 32 MHz 2xCAN M32/85 Familie
Renesas	M5M51008DVP-70HIBT	SRAM 128Kx8 70nS TSP LL 5V PB-Free - 40/+85C
Renesas	M3T-FLX-100NRB	Converter for Connecting 100-core flexible Board FLX100 to 100-pin 0,65mm pitch QFP
Renesas	RSKM16C29	Starter Kit M16C/29 with E8a Emulator MCU = M30290FCHP#U3
Renesas	R5S72011B120FPV	32B.uC romless 32K Ram LQFP176/0,5 - 20/+70°C 120 Mhz 2 CAN SH7201
Renesas	YLCDRSK1668S	Starterkit with E10A-LITE R5F61668RFP (H8SX1668R) and TFT Displ.
Renesas	YLCDRSK2456S	Starterkit with E10A-LITE, R4F24569 (H8S/2456R) and TFT Display

Renesas	R5F21294SNSP#U0	16 Bit uC 16K Flash, 1K SRAM, SSOP20/0,65 - 20/+85°C, 20MHz, R8C
Renesas	RSKR8C/38C	Starterkit R8C/35C with E8a Emulator, R5F2138CCDFP
Renesas	R5F212BASNFP#U0	16 Bit uC 96K Flash 7K Ram QFP64/0,5 - 20/+85°C 20Mhz R8C
Renesas	RSKM16C65	Starter Kit M16C/65 with E8a Emulator MCU = R5F3650TDFP#U0, 768K Flash
Renesas	R5F212BCSDFA#U0	16 Bit uC 128K Flash 7,5K Ram QFP64/0,5 - 40/+85°C 20Mhz R8C
Renesas	RSKH8SX1622	Starter Kit R5F61622N50FPV with E10A Emulator, Proz. hat 16 bit A/D Conv.
Renesas	RSKH8S2215R	Starterkit for H8S/2215 with E8 Emulator
Renesas	RSK7286	Starterkit for R5F72867D100FPV with E10A-USB-LITE Emulator
Renesas	RSK7211NEW	Starterkit for R5F72115D160FPV with E10A Emulator
Renesas	RSK7211	Starterkit for R5F72115D160FPV with E8 Emulator
Renesas	RSK7203 +	Starterkit for R5S72030W200FP with E10A-LITE Emulator, with TFT
Renesas	RSKM16C6NK	Starterkit M16C/6NK with E8a Emulator MCU = M306NKFJGP#U3
Renesas	RSKR8C2D	Starterkit R8C/2D with E8a Emulator MCU = R5F212D8SNFP#U0
Renesas	R5F2138CEKFP#U0	16B.uC R8C/38E 128+4KFlash 10K RAM LQFP80/0.5 -20/+85°C 20MHz
Renesas	R5F2138CANFP#YW	16B.uC R8C/38A 128+4KFlash 10K RAM LQFP80/0.5 -20/+85°C 20MHz
Renesas	RSKRX610	Starterkit RX/610 with E1 Emulator MCU = R5F56107VNFP
Renesas	R5F2136CEJFP#U0	16B.uC R8C/36E 128+4KFlash 10K RAM LQFP64/0.5 -40/+85°C 20MHz
Renesas	R5F2136CCNFP#V0	16B.uC R8C/36C 128+4KFlash 10K RAM LQFP64/0.5 -20/+85°C 20MHz
Renesas	YE10USB14PNISO	Dev E10A one-wire Hi Voltage Isolator
Renesas	RSKR8CL3AC	Starterkit R8C/L3AC with E8a Emulator MCU = R5F2L3CCNFP
Renesas	RSK7201	Starterkit with E8 for R5S72011B120FPV 2 CAN, 120 MHz-288 MIPS
Renesas	RSKR8C13	Starterkit R8C/13 with E8 Emulator MCU = R5F21134FP#U0
Renesas	R5F21356CNFP#U0	16B.uC R8C/35C 32+4KFlash 2,5K RAM LQFP52/0.65 -20/+85°C 20MHz
Renesas	R5F21348EJFP#U0	16B.uC R8C/34E 64+4KFlash 6K RAM LQFP48/0.5 -40/+85°C 20MHz
Renesas	R5F21346CNFP#U0	16B.uC R8C/35C 32+4KFlash 2,5K RAM LQFP48/0.5 -20/+85°C 20MHz
Renesas	R5F212J1SNSP#U0	16 Bit uC 4K Flash 384BRam SSOP20/0,5 - 20/+85°C 20Mhz R8C/2J
Renesas	R5F212J0SNSP#U0	16 Bit uC 2K Flash 256BRam SSOP20/0,5 - 20/+85°C 20Mhz R8C

Renesas	R5F2135CCNFP#V0	16B.uC R8C/35C 128+4KFlash 10K RAM LQFP52/0.65 -20/+85°C 20MHz
Renesas	R5F64189DFB#U0	32B.uC, 1MB Flash, 63K RAM, LQFP100/0,5 - 40/+85°C, 50 MHz, 2 CAN, R32/118
Renesas	R5F3650MNFA#U0	16B.uC 512K Flash 31K Ram QFP100/0,65 - 20/+85°C 32 Mhz M16C/65
Renesas	R5F36CAMNFB#U0	16B.uC, 512K Flash, 31K RAM, LQFP100/0,5 - 20/+85°C, 32 MHz, USB 2.0, M16C/6C
Renesas	RCDK8C	CAN Development Kit R8C/23 2 x RSKR8C/23, 1 x E8, 1, CAN Sniffer
Renesas	R5F56108WNBG	2MB / 128kB LFBGA 176pin -20°C - 85°C
Renesas	R5F61638D50FPV	H8SX/1638 1024K Flash 3.3V, 120 PIN, 50MHz
Renesas	RSK7201 COMS BOARD	RSK Coms Board with USB and LAN Ist für alle RSK Boards geeignet. APO/164
Renesas	R5F64165DFD#U0	32B.uC 384KFlash 40K Ram LQFP144/0,5 - 40/+85°C 50 Mhz R32/116
Renesas	R5F3650EDFA#U0	16B.uC 256K Flash 20K Ram QFP100/0,65 - 40/+85°C 32 Mhz M16C/65
Renesas	R5F64210KFB	R32C/121, 100-pin, 128K Flash + 4K Data Flash, 12K SRAM, -40°C/+125°C, 2 CAN
Renesas	R5F71243N50FP	32B.uC 128KFlash 8K Ram LQFP48 / 0,5 - 20/+85°C 50 Mhz SH7124
Renesas	R5F71253N50FPV	32B.uC 128KFlash 8K Ram LQFP64 / 0,5 - 20/+85°C 50 Mhz SH7125
Renesas	R5F71464RN80FPV	32B.uC 256KFlash 8K Ram QFP80 / 0,65 - 20/+85°C 80 Mhz SH7146
Renesas	R5F72167ADBG#U0	32B.uC 1MB Flash 128K Ram BGA176 / 0,5 - 40/+85°C 200 Mhz 1 x CAN USB SH7216
Renesas	M30281FAHP#U7B	16B.uC 96KFlash 8K Ram LQFP64/0,5 - 40/+85°C 20 Mhz M16C TINY
Renesas	R5F61663N50FPV	H8SX/1663F 384K Flash 3.3V, 144 PIN, 5 0MHz
Renesas	R5F35L2EJFE#U0	M16C/5L 256K+8KFlash, 20K RAM, 80QFP, 32 Mhz, 40/+85°C
Renesas	R5F72867D100FA#U0	32B.uC 1MB Flash 32K Ram LQFP176 / 0,4 - 40/+85°C 100 Mhz USB 1 X CAN SH7286
Renesas	RSK7137	Starterkit for DF71374AD80FPV with E10A Emulator
Renesas	RSK2472	Starterkit with E10A-LITE, R4F2472VBR34V
Renesas	R5F213J6ANNP#U0	16B.uC R8C/36C 32+4KFlash 2,5K RAM QFN36/0.5 -20/+85°C 20MHz
Renesas	RJK0656DPB	MOSFET Single N-CH, 60V, 40A, 0,0056 □, LPAK
Renesas	RJK0365DPA-WS#J0	MOSFET single N-CH 30V 30A 0,0091 □ WPAK
Renesas	R5F3650MDFB#U0	16B.uC 512K Flash 31K Ram LQFP100/0,5 - 40/+85°C 32 Mhz M16C/65
Renesas	R5F35633DFF#U0	M16C/5L 256K+8KFlash, 20K RAM, 80QFP, 32 Mhz, -40/+85°C

Renesas	R5F3650KDFB#U0	16B.uC 384K Flash 31K Ram LQFP100/0,5 - 40/+85°C 32 Mhz M16C/65
Renesas	R5F35L3EDFF#U0	16Bit uC 256K Flash 20K RAM 1 x CAN 64LQFP -40/+85°C
Renesas	R5F363AENFB#U0	16B.uC 256K Flash 24K Ram LQFP100/0,5 - 20/+85°C 20 Mhz 1,8V M16C/63
Renesas	R5F363AMDFAU0	16B.uC 512K Flash 31K Ram QFP100/0,65 - 40/+85°C 20 Mhz 1,8V M16C/63
Renesas	R5F363AMNFB#U0	16B.uC 512K Flash 31K Ram LQFP100/0,5 - 20/+85°C 20 Mhz 1,8V M16C/63
Renesas	R5F363BEDFEU0	16B.uC 256K Flash 20K Ram LQFP 80/0,5 - 40/+85°C 20 Mhz 1,8V M16C/63
Renesas	SDK-PLC-EU-A	Powerline Development Kit M16C/6S PLC evaluation Kit
Renesas	YMBR8C32A	Micon Board for R8C/32A
Renesas	R1WV6416RBG-5SI#B0	SRAM 4Mx16 / 8Mx8 2.7-3.6V 48BGA 55nS - 40 / +85C
Renesas	R5F21124FP#U0	16B.uC 16KFlash 1K Ram LQFP32/0,8 - 20/+85°C 20Mhz R8C
Renesas	E100_CVB_LQFP080	Converter Board for E100 In-circuit Emulator
Renesas	E100_CVB_LQFP100	Converter Board for E100 In-circuit Emulator
Renesas	E100_M16C64	MCU Unit R0E53064MCU00 for E100 In-circuit Emulator
Renesas	E100-M16C5X	Family-Board für M16C56+5L-Serie / passend zu E100 Emulator
Renesas	E10A-USB LITE	RENESAS LOW COST EMULATOR mit Trace Funktionen und USB Interface
Renesas	E20	Low Cost On Chip Debugger für RX Familie mit Trace Funktionen und USB Interface
Renesas	3DK38086R	H8/38086R Development-Tool
Renesas	3DK2218	H8S /2218 Development Tool USB 2.0 Full Speed
Renesas	3DK 1657 STARTER KIT	3DK Evaluation Board Kit for H8SX/1657
Renesas	M30291FCVHP#U3A	16B.uC 128KFlash 12K Ram LQFP64/0,5 1 x CAN -40/+125°C 24 Mhz M16C TINY
Renesas	E100	Full spec. In circuit Emulator bis 133 MHz USB-Interface und Trace Funktionen
Renesas	R1WV3216RBG-7SI#B0	Advanced SRAM 2Mx16 FBGA48 -40/+85C, 70nS, 2.7-3.6V
Renesas	E1	Low Cost On Chip Debugger für RX Familie USB Interface
Renesas	R1WV6416RSD-5SI#B0	SRAM 4Mx16 / 8Mx8 2.7-3.6V 52µTSOP 55nS -40 / +85C
Renesas	MCRP07	Motorcontroll KIT for SH2A/7216
Renesas	MCRP05	Motorcontroll KIT for SH/7125
Renesas	R5F21114FP#U0	16B.uC 16KFlash 1K Ram LQFP32/0,8 - 20/+85°C 20Mhz R8C
Renesas	HD64F38086RH4V	16B.uC 48K Flash 2K Ram LQFP 80/0,5 - 20/+75°C 10 Mhz H8/38076
Renesas	HD64F36087FPV	16B.uC 56KFlash 4K Ram LQFP64/0,5 - 20/+75°C 18 Mhz H8/300 Tiny

Renesas	HD64F3064BF25V/0001	16B.uC K 256K Flash 8K Ram LQFP 100/0,5 - 20/+75°C 25 Mhz H8/3064
Renesas	HD64F3026F25V	16B.uC K 256K Flash 8K Ram LQFP 100/0,5 - 20/+75°C 25 Mhz H8/3026
Renesas	HD64F2215RUBR24V	16B.uC K 256K Flash 20K Ram BGA 112/0,8 - 20/+75°C 24 Mhz USB H8S/2212
Renesas	HD64F2215RBR24V	16B.uC K 256K Flash 20K Ram BGA 112/0,8 - 20/+75°C 24 Mhz USB H8S/2212
Renesas	HD64F2212FP24V	16B.uC K 128K Flash 12K Ram LQFP 64/0,5 - 20/+75°C 24 Mhz USB H8S/2212
Renesas	R1LV3216RSA-7SI	Advanced SRAM 2MX16, TSOP48, 70ns, 2,7V-3,6V, -40°- +85°
Renesas	R1LV0408CSP-5SI#S0	SRAM 512Kx8 SOP 55nS 3V -40/+85C T+R
Renesas	R0KZC000000002R	10 to 14 pin adapter E8/E8A to RTA-FOUSB Adapter
Renesas	R1LP0108ESP-7SI#B0	SRAM 128Kx8 70nS 32SOP525 LL PB-Free - 40/85C
Renesas	R1LP0408CSB-5SC	SRAM 512Kx8 TSOP 55nS 5V Super Low standby ndby
Renesas	PC4701M	Emulator
Renesas	PC4701U	Real-Time Emu, USB+LAN+LPT
Renesas	PCA4773G05	Programmieradapter
Renesas	PCA7756	Programmieradapter QFP 80 Pin / 0.5mm
Renesas	PD38-W95E	Debugger
Renesas	YSH7763RDPK	Evaluation System for SH7763
Renesas	R1LP0408CSB-5SC T+R	SRAM 512Kx8 TSOP 55nS LL 5V
Renesas	R1LP0408CSB-5SI#B0	SRAM 512Kx8 TSOP 55nS 5V -40/+85C Super Low standby
Renesas	E100_CVB_LQFP064	Converter Board for E100 In-circuit Emulator
Renesas	R1LV0408CSA-7LI	SRAM 512Kx8 sTSOP 70nS 3V -40/+85C Low standby
Renesas	HN58V65AFPI10E	64K EEPROM, 8kx8, 100nS, 2,7-5,5V 28SOP, -40/+85C
Renesas	NQPACK100SD-ND	Socket f. M16C GP and MB90F34XPFV 100-pin QFP 0,5mm pitch
Renesas	R1LV0408DSP-5SI#B0	Advanced SRAM, 512Kx8, SOP, 55nS 3V - 40/+85C
Renesas	R1LV0416DBG-5SI#B0	SRAM 256Kx16, BGA 55nS, 3V -40/+85C
Renesas	R1LV0816ABG-5SI#B0	SRAM 512Kx16 55nS 2.7-3.6V PB-Free -40 /+85C 48ball CSP, 8Mbit advanced SRAM
Renesas	R1LV0816ASB-5SI#S0	SRAM 512Kx16 55nS 2.7-3.6V -40/+85C TSOP, 8Mbit advanced SRAM
Renesas	R1LV1616HBG-4SI#B0	SRAM 1Mx16 2.7-3.6V 45NS FBGA48 - 40/+85C, CMOS
Renesas	R1LV1616HSA-4SI#B0	SRAM 1Mx16 2.7-3.6V TSOP48 TSOP48 45/ 55nS (max.)
Renesas	R1LV1616RSA-5SI#B0	Advanced SRAM 1Mx16 TSOP48 -40/+85C, 55nS, 2.7-3.6V
Renesas	R1LV1616RSD-5SI#B0	Advanced SRAM 1MX16 uTSOP52 -40/+85C, 55nS, 2.7-3.6V
Renesas	R1LV3216RSA-5SI#B0	Advanced SRAM 2MX16, TSOP48, 55ns, 2,7V-3,6V, -40°- +85°

Renesas	MS7619SE01	SH2/Developmenttool, SH2 solution engine with Ethernet Connection
Renesas	R1LP0408CSP-7LI T+R	SRAM 512Kx8 SOP 70nS LL 5V -40/+85C
Renesas	HAT2164H-EL-E	MOSFET single N-CH 30V 60A 0,0031O□ LFPAK (SOT-669)
Renesas	R5F21184SP#U0	16B.uC 16KFlash 1K Ram SSOP20/0,65 - 20/+85°C 20Mhz R8C
Renesas	R5F211A4SP#U0	16B.uC 16KFlash 1K Ram SSOP20/0,65 - 20/+85°C 20Mhz R8C
Renesas	2SK1835-E	MOSFET single N-CH 1500V 4A 7□ TO-3P
Renesas	2SK2225-80-E	MOSFET single N-CH 1500V 2A 12□ TO-3PFM
Renesas	2SJ505S-E	MOSFET single P-CH -60V -50A 0,022□ LD-PAK(S)-(1)
Renesas	2SK2912STL-E	MOSFET N-CH, High Speed Power Switching, 60V, 40A, 0,02□, LDPAK(S)
Renesas	R5F21206JFP#U1	16B.uC 32KFlash 2,5K Ram LQFP48/0,5 - 40/+85°C 20Mhz R8C
Renesas	HAT2165N-EL-E	MOSFET single N-CH 30V 55A 0,0036O□ LFPAK-i
Renesas	HAT2168H-EL-E	MOSFET Single N-CH 30V 30A 0,0079□ LFPAK (SOT-669)
Renesas	HAT2169N-EL-E	MOSFET single N-CH 40V 50A 0,0038O□ LFPAK-i
Renesas	R5F2122CKFP#U0	16B.uC 128KFlash 6K Ram LQFP48/0,5 - 40/+125°C 20Mhz R8C
Renesas	HAT2174N-EL-E	MOSFET single N-CH 100V 20A 0,0273O□ LFPAK-i
Renesas	HAT2266H-EL-E	MOSFET single N-CH 60V 30A 0,012O□ LFPAK (SOT-669)
Renesas	HAT3018R-EL-E	MOSFET dual N/P-CH ±60V 6/-5A 0,035/0,076O□ SOP-8
Renesas	2SK2393-E	MOSFET single N-CH 1500V 8A 2,8□ TO-3PL
Renesas	R5F21246SNFP#U0	16B.uC 32KFlash 2K Ram LQFP52/0,65 - 20/+85°C 20Mhz R8C
Renesas	HAT2279N-EL-E	MOSFET single N-CH 80V 30A 0,0123O□ LFPAK-i
Renesas	HAT2275R-EL-E	MOSFET dual N-CH 60V 6,6A 0,032O□ SOP-8
Renesas	HAT3021R-EL-E	MOSFET dual N/P-CH ±80V 3,4/-2,6A 0,115/0,210O□ SOP-8
Renesas	HAT2265H-EL-E	MOSFET single N-CH 30V 55A 0,0033O□ LFPAK
Renesas	HAT2198R-EL-E	MOSFET single N-CH 30V 14A 0,009O□ SOP-8
Renesas	MBH838602	Mini-Board for H8/38602 Tiny SLP
Renesas	HAT2195R-EL-E	MOSFET single N-CH 30V 18A 0,0058O□ SOP-8
Renesas	HAT2279H-EL-E	MOSFET single N-CH 80V 30A 0,012O□ LFPAK (SOT-669)
Renesas (NEC)	PS9513L1-V-AX	INTELLIGENT POWER MODUL

Renesas (NEC)	NP55N04SUG-E1-AY	MOSFET single N-CH 40V 55A 0,0065□ MP-3ZK AEC-Q101 compliant
Renesas (NEC)	PS9851-1-F3-A	High Noise 15Mbps CMOS OUTPUT Type 8 Pin SSOP
Renesas (NEC)	PS2501L-4-A	Transistor Coupler SMD16
Renesas (NEC)	PS9513L1-AX	IPM driver
Renesas (NEC)	PS9505L3-AX	
Renesas (NEC)	PS9513L3-V-AX	IPM driver
Renesas (NEC)	PS9552-AX	IGBT drive coupler
Renesas (NEC)	PS2505L-1-F3-A	Transistor Coupler SMD4
Renesas (NEC)	PS2501L-2-E3-A	Transistor Coupler SMD8 T+R Pb free
Renesas (NEC)	NP36P04KDG-E1-AY	MOSFET single P-CH -40V -36A 0,017□ MP-25ZK AEC-Q101 compliant
Renesas (NEC)	NP50P04SDG-E1-AY	MOSFET single P-CH -40V -50A 0,0096□ MP-3ZK AEC-Q101 compliant
Renesas (NEC)	NP52N06SLG-E1-AY	MOSFET single N-CH 60V 52A 0,0175□ MP-3ZK AEC-Q101 compliant
Renesas (NEC)	NP80N055KHE-E1-AY	MOSFET single N-CH 55V 80A 0,011□ MP-25ZK AEC-Q101 compliant
Renesas (NEC)	PS9821-1-F3-A	Optocoupler SO8 15MB/S High CMR
Renesas (NEC)	NP90N04VUG-E1-AY	MOSFET single N-CH 40V 90A 0,004□ MP-3ZP AEC-Q101 compliant
Renesas (NEC)	PS9817A-1A	Optocoupler SO8 10M/S High CMR
Renesas (NEC)	PS9552-L3-V-AX	IGBT drive coupler VDE
Renesas (NEC)	PS9553L3-V-E3-AX	IPM - IGBT Driv, Power MOSFET Gate Driver, Industrial inverter, IH(Induction Heating)
Renesas (NEC)	PS8502L2-V-AX	High speed analog output type
Renesas (NEC)	PS8103-F3-A	Optocoupler SO5 0.2MB/s
Renesas (NEC)	PS9817-1-F3-A	Optocoupler SO8 10M/S High CMR
Renesas (NEC)	PS9213-A	Optocoupler SO5 1MB/s CMR 15KV/uS Pb free
Renesas (NEC)	PS9587L1-V-AX	10Mbit coupler, through hole VDE
Renesas (NEC)	PS7200H-1A-F3-A	SSR Normally open 4 PIN SOP PB free
Renesas (NEC)	PS9617L-E3-A	Photo IC Coupler SMD8
Renesas (NEC)	PS8501L2-AX	High speed analog output type
Renesas (NEC)	PS8101-AX	Optocoupler SO5 1MB/s CMR 10KV/US A=Pb
Renesas (NEC)	PS710EL-1A-E3-A	SSR Normally open 6 PIN DIP 80 Volt
Renesas (NEC)	PS2815-4-F3-A	LOW (AC) INPUT CURRENT, HIGH CTR 4, 16-PIN SSOP PHOTOCOUPLER
Renesas (NEC)	PS9117A-AX	Optocoupler SO5 10MB/s CMR 10KV/uS Pb A Version
Renesas (NEC)	PS9121-AX	
Renesas (NEC)	PS2801-1-F3-A	Transistor Coupler SMD4 T+R PB-free
Renesas (NEC)	PS2581AL2-E3-A	Optocoupler
Renesas (NEC)	PS2565L-1-E3-A	
Renesas (NEC)	PS2561L-1L-V-E3-A	Transistor Coupler wide SMD4 VDE PB fr ee
Renesas (NEC)	PS2505L-4-A	Transistor Coupler SMD16 Pb free
Renesas (NEC)	PS9401-2-AX	2 Channel IGBT Gate Drive Ohotocoupler
Samsung	K6R4016C1D-UI10	SRAM 256Kx16 10nS 5V 44 Pin TSOP II - 40/+85°C

Samsung LED Co., Ltd.	SLSRGBW812TS SMPL	LED 3,2x2,8mm RGB 4 leads, 3 x 20mA Blackface
Samsung LED Co., Ltd.	SLSNNWH805TS SMPL	SMD LED 5,2x5,2mm C.White 20mA, 2 pin, 8150-12000K, typ 1,7cd @ 20mA
Samsung LED Co., Ltd.	SLSNNWH812TS SMPL	SEMCO MID POWER LED PLCC4 COOL WHITE 3 Chips 4 leads Typ. 5,2cd @60mA
Samsung LED Co., Ltd.	SLSNNWH815TS SMPL	SEMCO MID POWER LED 5252 Cool White 3 Chips 2 leads
Samsung LED Co., Ltd.	SLTNNR13122N SMPL	SEMCO MID POWER LED 3228 RED 1 Chip - 2 leads
Samsung LED Co., Ltd.	SLTNG13122N SMPL	SEMCO MID POWER LED 3228 GREEN 1 Chip 2 leads
Samsung LED Co., Ltd.	SPMWHT5206N2BAC0S0	SMD LED 5,2x5,2mm White, 1 chip, 2 pin, 4600-6000K typ. 6,3cd @60mA
Samsung LED Co., Ltd.	SLTNNB13122N SMPL	SEMCO MID POWER LED 3228 BLUE 1 Chip - 2 leads End of life
Samsung LED Co., Ltd.	SLTNCW2502ANMALS	LED MP 5252 CoolWhite, 5,2x5,2mm 2 Chips 2 Pins, typ. 10cd@ 100mA 6100 - 6900K
Samsung LED Co., Ltd.	SLSNNWH815TSASSS	SMD LED 5,2x5,2mm C.White 3x20mA, 6 pin, 8150-15000K, typ 5,2cd @ 60mA
Samsung LED Co., Ltd.	SLSRGBW815TS SMPL	SEMCO MID POWER LED 5252 RGB 3 Chips 6 leads
Samsung LED Co., Ltd.	SLSNNWW815TSMATS	SMD LED 5,2x5,2mm Warm White 3x20mA 6 pin, 3800-4600K typ. 5,2cd@60mA
Samsung LED Co., Ltd.	SLSNNWW815TSMAUS	LED 5252 5,2x5,2mm Warm White 3 Chips ea. 20mA - 6 Pin 3200-3800K 4,3-6,2cd.
Samsung LED Co., Ltd.	SLSNNWW815TSMAVS	SEMCO MID POWER LED 5252 Warm White 3 Chips 6 leads 2875-3200K
Samsung LED Co., Ltd.	SLSNNWH824TS SMPL	SEMCO MID POWER LED 3030 COOL WHITE 2 Chips 4 leads
Samsung LED Co., Ltd.	SLHNNWH511N0-SOQAH1	LED WHITE 6500-7000K 70-80lm, 350 mA 120 °Viewing angle
Samsung LED Co., Ltd.	SLSNNWH834TS SMPL	LED 3030 COOLWHITE 4 Chips 4 leads up to 14cd @ 300mA for 2 seconds
Samsung LED Co., Ltd.	SLSNNBA825TS SMPL	SEMCO MID POWER LED 5252 BLUE 2 Chips 2 leads
Samsung LED Co., Ltd.	STIFLW8505001MRKOR	LED Module 44Watt, 4 x LED, FR4 PCB, 5000 Kelvin
Samsung LED Co., Ltd.	SLHNNWW511T1S0S0G3	LED HP WH 4000 - 5000K 55° Viewing angle CRI 80, 70-80lm @350mA
Samsung LED Co., Ltd.	SLSNNWH462USSMPL	SIDE VIEW LED WHITE 3.8x1.0x0.6mm 1,5 - 2,2cd@20mA, 115° Viewing angle
Samsung LED Co., Ltd.	SLHNNWW511T0-SOUBG1	LED WARMWHITE HIGH 2900-3200K, 60-70 lm, 350 mA, 55 °Viewing angle
Samsung LED Co., Ltd.	SPHWWTS7D305S0V0C2	LED HP WW 350mA 2870-3220 Kelvin 120° Degree CRI >= 80, 65-85lm, lmax 0,7A
Samsung LED Co., Ltd.	SLHNNWH511N1S0R011	LED HP CW 350mA 5000 - 7000K 120° Viewing angle CRI >= 75, 80-90lm
Samsung LED Co., Ltd.	SLTNWW35066NDAUSSS	LED 5252 5,2x5,2mm Warm White 3 x 20mA - 6 Pin 3200-3800K 5,2-6,2cd. @ 60mA

Samsung LED Co., Ltd.	STIFLW8405001MRKOR	LED Module 44Watt, 4 x LED, FR4 PCB, 4000 Kelvin
Samsung LED Co., Ltd.	D_Sample	LED Modules 44Watt, 4 x LED, FR4 PCB, 3500 Kelvin
Samsung LED Co., Ltd.	SPMWHT5606N2BBA0S0	LED CoolWhite, 5,2x5,2mm 3 Chips 6 Pins, typ. 5.8cd @ 60mA, 8200 - 15000K
Samsung LED Co., Ltd.	SPMWHT5606N2BAF0S0	SMD LED 5,2x5,2mm Warm White 3x20mA 6 pin, 2800-3200K typ. 5,9 cd @ 60mA
Samsung LED Co., Ltd.	SPMWHT520AN2BAE	LED 5252 5,2x5,2mm Warm White 2 Chip 2, leads, 8,1 cd@ 100mA 3200-3800K
Samsung LED Co., Ltd.	SPMFCT5606N0K23368	LED 5,2 x 5,2mm RGB 3 Chips 6 pin, R=0,54, G=1,1 B=0,25 cd @20mA narrow green bin.
Samsung LED Co., Ltd.	SPHWHTS7D303S0P0G2	LED HP WH max. 0,7A, 5300 - 7040 Kelvin 120°CRI >= 70, min. 85 lm @350mA
Samsung LED Co., Ltd.	SLHNNWW511T0-SOUAG1	LED WARMWHITE 2600-2900K, 60-70 lm 350 mA, 55 °Viewing angle
Samsung LED Co., Ltd.	SLSNNWW815TSMAMS	SMD LED 5,2x5,2mm White 3x20mA 3 Chips 6 pins 4670-6200K typ 5,2cd @ 60mA
Sanyo	LB1930M-TLM-E	low saturation voltage forward/reverse motor driver
Sanyo	LB1836M	Stepper Motor Driver
Segger	J-LINK ARM Lite	USB driven Low Cost JTAG interface for ARM Core
Segger	LDB4	Controllerboard for LCD 128x240
Segger	10TO9CABLE	Interface cable RS232 for SC100
Segger	J-LINK-RX Lite	USB driven Low Cost JTAG interface for Renesas RX MCUs
Segger	SK-HARRY	Starterkit for 64128E
Segger	Segger Visu Add on	Segger Software + Board with TFT for RSKR32C 111
Segger	SK ANDY STARTERBOARD	Plantine for 64128COG
Seiko Epson	S1D13700F02A100	Graphic LCD Controller 64Pin QFP,RoHS Pb-free
Seiko Epson	SG615PC18.432MHZ	Oscillator
Seiko Instruments	PLATEN FOR LTPA245-E	Platen Roller for LTPA245-E, Sparepart
Seiko Instruments	MTP201-24B-E	Thermal printer 24 char. 5V, 58mm, cur ved paper path
Seiko Instruments	OP-LE301A	Paper Guide ACUE324A
Seiko Instruments	MTP401-40B-E	Thermal printer 40 char. 5V, 80mm, cur ved paper path
Seiko Instruments	OP-LE300A	Mounting Adapter for ACUE324A
Seiko Instruments	TH201G	Thermal head MTP201G
Seiko Instruments	CP3225A	SMDDouble Layer Capacitor 0,014F Max Use Voltage 2,6 V
Seiko Instruments	HBLB8S-1J	Connector (8P PCB) MTP char.
Seiko Instruments	CONN-THV-S	Connector for thermal head LTPV Series , 30p, straight
Seiko Instruments	PT304P01	CPU for LTP3445
Seiko Instruments	LTP1245R-C384-E	Thermal printer mech. 384dots 5V,58mm, thermal line, curved
Seiko Instruments	TH2242-E	Thermal head for LTP2242

Seiko Instruments	TH401B	Thermal head MTP401B
Seiko Instruments	PT120P02-E	CPU for LTP1245 8 bit
Seiko Instruments	OP-L1200A-E	Mounting Adapter for ACU6205
Seiko Instruments	LTP2342C-S576A-E	Thermal printer mech. 57dots 24V,80mm, thermal line, straight
Seiko Instruments	LTPD247A-432-E	Thermal printer mech. EZOP 24V, 58mm, curved, motor horizontal, single paper sensor
Seiko Instruments	LTPD245A-384-E	Thermal printer mech. EZOP 5V, 58mm, curved, motor horizontal, single paper sensor
Seiko Instruments	LTPC245A-C384-E	Thermal printer mech. EZOP 58mm, 5V, 8dots/mm
Seiko Instruments	LTPA245H-384-E	Thermal printer mech. EZOP 5V, 58mm, thermal line, curved
Seiko Instruments	LTP8235B-C288-E	Thermal printer mech. 288dots 6V, 58mm, thermal line, straight
Seiko Instruments	LTP2W47B-C576	Double-station Printer mech. 2 x 38mm, 24V, curved
Seiko Instruments	LTP2442C-S832A-E	Thermal printer mech. 832dots 24V, 112mm, thermal line, straight
Seiko Instruments	SSP-T6-F#10ppm, 7pF	Quartz Crystal 32.786 khz, 10ppm, 7 pF
Seiko Instruments	SSP-T7-F#20ppm, 7pF	Quartz Crystal 32.768 khz, 20ppm, 7 pF (SnBi)
Seiko Instruments	CONN-TH1245-S	Connector for thermal head LTP1245, 20 p, straight
Seiko Instruments	S-T111B18MC-OGSTFG	Volt. Reg. 1,8 V SOT23-5-T High Ripple Rejecting + Low Dropout CMOS
Seiko Instruments	CONN-THF-S	Connector for thermal head LTPF + LTP3 345, 28p, straight
Seiko Instruments	LTP2242C-S432A-E	Thermal printer mech. 432dots 24V, 60mm, thermal line, straight
Seiko Instruments	CONN-MS2000-S	Connector for sensor LTP2000, 5p, straight
Seiko Instruments	STP211A-144-E	Thermal printer mech. 144dots 5V, 58mm, curved paper path
Seiko Instruments	STP411G-320-E	Thermal printer mech. 320 dots 5V, 112 mm, curved paper path
Seiko Instruments	CONN-TH1245-90	Connector for thermal head LTP1245, 20 p, 90 degrees
Seiko Instruments	LTP1245U-S384-E	Thermal printer mech. 384dots 5V, 58mm, thermal line, straight
Seiko Instruments	28QVF1J	2,8" TFT, QVGA, w. Touch, 300cd, FFS
Seiko Instruments	BP-L0720-A1-E	Li-Ion battery for MPU-L465, DPUS445, 7,4V 1800mAh
Seiko Instruments	DC-04100A-E	Power Cable for IFD-Boards, APU's, GKP9x, IF9x from Seiko Instruments, 100cm length
Seiko Instruments	LTP2342D-C576A-E	Thermal printer mech. 576dots 24V, 80mm, thermal line, curved
Seiko Instruments	IFF001-01B	Interfaceboard for LTPF-Series serial and parallel
Seiko Instruments	MM112-KPUS447-N	Seiko Thermal Paper 112mm/600m Roll diameter 220mm, core 32mm

Seiko Instruments	S-1009C26I-M5T1U	Volt. Det. 2,6V SOT-23-5 Super-Low Current Consump. super High-Accuracy with Delay Cir.
Seiko Instruments	APU-2242-A-02U-E	Seiko Kiosk Printer 2", 24V, USB2.0 with ACU with Presenter, 0°C - 50°C.
Seiko Instruments	DPU12-1FS-E	Panel mount printer 58mm serial, w/ ACU
Seiko Instruments	DPU414-40B-E-RWA	Boxed thermal printer 112mm serial & parallel, DPU414-40B-E customised
Seiko Instruments	DPU-D3-00A-E	Panel mount printer 80mm, serial, USB, EZOP
Seiko Instruments	DPU-S245-00A-E	Boxed mobile printer 58mm USB, IrDA, serial
Seiko Instruments	DPU-S245-00A-E-KIT1	Boxed mobile printer Set with USB, IrDA, serial power supply, battery, USB cable.
Seiko Instruments	DPU-S245-01A-E	Boxed mobile printer 58mm USB, IrDA, serial & BLUETOOTH
Seiko Instruments	ACU2324A-A-E	Auto cutter unit LTP2342 full cut, partial cut
Seiko Instruments	IFH002-01B-E	Interfaceboard for LTPH245 supports AC
Seiko Instruments	ACU5424A	UH205A,SER./PARALL. Auto cutter unit LTP5442 full cut, partial cut
Seiko Instruments	IFD-Serial Cable	Serial Cable fuer IFD-Boards Seiko Instruments
Seiko Instruments	IFD501-01UK-E	Interfaceboard for CAPDx45-/ LTPDx45-series USB, 5VDC
Seiko Instruments	IFD501-01SK-E	Interfaceboard for CAPDx45-/ LTPDx45-series Serial, 5VDC
Seiko Instruments	IFD001-01UK-E	Interfaceboard for CAPDx47-/ LTPDx47-series USB, 24VDC
Seiko Instruments	IFC-U01-1	USB cable for MPU-L465
Seiko Instruments	IFC-S01-1-E	Serial cable for MPU-L465, DPUSx45. D-SUB9 female.
Seiko Instruments	DPUS245-CARRYING CASE	Case for DPUS245
Seiko Instruments	DPU-S445-00A-E	Boxed mobile printer 112mm USB, IrDA, serial
Seiko Instruments	DPUS445-CARRYING CASE	Case for DPUS445
Seiko Instruments	IFV101-01B-E	Interfaceboard for LTPV-Series serial and parallel
Seiko Instruments	MS621FE IL36E	Micro Lithium Recharble Battery, Coin Cell, 2 pins each opposite side
Seiko Instruments	MM38-102-N	Thermo Paper 38mm/6,5m
Seiko Instruments	28QVF1H	2,8" TFT, QVGA, 350cd, FFS
Seiko Instruments	PT900-P01-E	PROM for Seiko printer LTP/CAP9000
Seiko Instruments	PTH30P01	CPU for LTPH243-384
Seiko Instruments	MOUNTING PLATE 1245	
Seiko Instruments	APUG247-A01U-E	Kiosk printer, 58mm, 24V, USB, ACU with full and partial cut
Seiko Instruments	APUG247-A01S-E	Kiosk printer, 58mm, 24V serial, ACU with full and partial cut
Seiko Instruments	MPU-L465-02C-E-00	Boxed desktop printer 70-115mm USB and serial interface
Seiko Instruments	MPU-L465-16C-E-03	Mobile boxed printer 70-115mm Bluetooth, serial, USB
Seiko Instruments	PLATEN FOR STP211	Spare part for Seiko printer STP211

Seiko Instruments	MS518SE-FL35E	MS Lithium rechargeable Battery 3V type Both pins on one side
Seiko Instruments	CONN-MOSH245-S	Connector for motor and sensor LTPH245 , 9p, straight
Seiko Instruments	APUF247 Interface Board	Interface board for APUF
Seiko Instruments	APU9347C02U-E	Seiko Kiosk Printer 3", 24V, USB, with ACU, Presenter, -20°C - 60°C.
Seiko Instruments	CAPC235A	Thermal printer module 288dots 5V, 58m m, LTP + ACU, EZOP
Seiko Instruments	PLATEN FOR LTPZ245-E	Platen Roller for LTPZ245-E, Sparepart
Seiko Instruments	43WVF0H	TFT 4,3" WVGA 350cd
Seiko Instruments	43WVF1G-0	TFT 4,3" WVGA with res. touch
Seiko Instruments	VT-200-F#10ppm,6pF	Quartz Crystal 32.768 KHz. 10ppm, 6 pF (SnBi)
Seiko Instruments	APU9247C02S-E	Seiko Kiosk Printer 2", 24V, serial, with ACU, -20°C - 60°C. presenter function
Seiko Instruments	ACUF324B	Auto cutter unit LTPF347 full cut
Seiko Instruments	MS412FE-FL26E	Rechargeable Battery 3V Type Both pins on one side
Seiko Instruments	SAM1245-11-E	Cutter & printer & serial IF 5V, 58mm, full cut
Seiko Instruments	S-80833CNY-BG	Volt.Det. 3.3V Nch open-drain TO92 BAG
Seiko Instruments	S-812C40AUA-C2U-T2G	Volt. Reg. 4.0V without short-circuit protection and power-off functions SOT89-3
Seiko Instruments	S-8211CAK-I6T1G	Battery protection for 1 cell pack SNT-6A
Seiko Instruments	S-8211CAN-M5T1G	Battery protection for 1 cell pack SOT23-5
Seiko Instruments	S-8232NUFT-T2G	BATTERY PROTECTION IC FOR 2- SERIAL-CELL PACK 8TSSOP
Seiko Instruments	S-8241ACZPG-KCZ-TFG	BATTERY PROTECTION IC FOR 1- CELL PACK SNT-6A
Seiko Instruments	S-8261ACHMD-G4H-T2G	BATTERY PROTECTION IC FOR SINGLE-CELL PACK
Seiko Instruments	S-8353H30MC-IWP-T2G	Switching Reg. Step-up, output 3,0 V
Seiko Instruments	IF1101-01B-E	Interfaceboard for LTP1245 serial and parallel
Seiko Instruments	24QVF1J	2,4" TFT, QVGA, w. Touch, 300cd, IPS
Seiko Instruments	S-5851AAA-M6T1S	Digital OutptTemperature switch IC, SOT-23-6
Seiko Instruments	CAP9247E-S448-E	Cutter & Printer 448 dot full/ part. 24V, 58-60 mm straight, -20°C to 60°C, up to 250mm/sec.
Seiko Instruments	OP-AF201A	Support plate for OB-F201-B
Seiko Instruments	LTP1245S-C384-E	Thermal printer mech. 384dots 5V, 58mm , thermal line, curved
Seiko Instruments	OB-F201-B	CConnector board for APU-F247 D-SUB9 a nd Centronics
Seiko Instruments	CONN-MOS-3245	Connector for LTP3245 (9p) motor & sensor, straight
Seiko Instruments	PW-0903-W1-E	AC adapter for DPU-V445xx
Seiko Instruments	PTM01F01	CPU for MTP-Series SMD Package
Seiko Instruments	PTL32A00-E	CPU for SEIKO printer LTP/CAP9000
Seiko Instruments	IF1001-01B	Interfaceboard for LTP1245 serial and parallel
Seiko Instruments	S-8521D33MC-BXS-T2G	Step down reg. 3.3V SOT23-5 60khz SOT-23 - 5
Seiko Instruments	S-1206B18-M3T1G	Volt. Reg. 1,8 V 250mA output current ultra low current consumption SOT-23-3

Seiko Instruments	CAPD245A-E	Cutter & Printer 432dot full/ part. 5V, 58mm, straight
Seiko Instruments	S-1009C23I-N4T1U	Volt. Det. 2,3V SC82AB-T Super-Low Current Consump. super High-Accuracy with Delay Cir.
Seiko Instruments	CAPD345A-E	Cutter & Printer easy load full/part. 5V, 80mm, straight
Seiko Instruments	CAPD347A-E	Cutter & Printer easy load full/part. 24V, 80mm, straight
Seiko Instruments	CAPG247A-E	Thermal printer module 432dots 24V, 58 mm, LTP + ACU, EZOP
Seiko Instruments	CAP9347F-C640-E	Cutter & Printer 640 dot full/ part. 24V, 58-60 mm curved, -20to60°C, up to 250mm/sec.
Seiko Instruments	CB-CE01-18A-E	AC cable for Seiko power supply` s PWxxx
Seiko Instruments	CB-CE01-18B-E	AC cable for Seiko power supply` s
Seiko Instruments	CB-CE02-18A-E	AC Cable for power supply
Seiko Instruments	S-80820CLNB-B6F-T2G	Volt. Det 2.0V CMOS output SC-82AB
Seiko Instruments	S-1142B50I-E6T1U	Volt. Reg. Output Volt. 5,0 V, □40°C to +85°C ON/OFF pin positive logic HSOP-6
Seiko Instruments	S-80816CLNB-B6B-T2G	Volt. Det. 1.6V CMOS output SC-82AB
Seiko Instruments	S-1206B21-M3T1G	Volt. Reg. 2,1 V 250mA output curren ultra low current consumption SOT-23-3
Seiko Instruments	S-1206B30-U3T1G	Volt. Reg. 3,0 V 250mA output curren ultra low current consumption SOT89-3
Seiko Instruments	CB-CE02-18B-E	AC cable for PW-0904-W1
Seiko Instruments	CB-CE3	Power-Cable f. PW-H009-W1
Seiko Instruments	OP-AF202A	Mounting plate for APU-F247
Seiko Instruments	24QVF1H	2,4" TFT, QVGA, 350cd, IPS
Seiko Instruments	CAP9347 - Anti Static Label	Anti Static Label for CAP9347
Seiko Instruments	CAP9247F-C448-E	Cutter & Printer 448 dot full/ part. 24V, 58-60 mm curved, -20to60°C, up to 250mm/sec.
Seiko Instruments	PW-4007-EC-E	AC-Adapter/Charger f. DPU414 230 VAC without power cable.
Seiko Instruments	S-1009C27I-M5T1U	Volt. Det. 2,7V SOT-23-5 Super-Low Current Consump. super High-Accuracy with Delay Cir.
Seiko Instruments	LTPD345D-576-E	Thermal printer mech. EZOP 5V, 80mm, curved, motor horizontal, double paper sensor
Seiko Instruments	CONN-ACU2000-S	Connector for ACU2000 4pol., straight
Seiko Instruments	CONN-CABLEIF1001-CN3	Connector cable IF1001 open leads oppo site side
Seiko Instruments	BP-L0717B1-E	Battery pack for DPU-V445-10B-E
Seiko Instruments	CONN-MOS1245-90	Connector for motor and sensor LTP1245 , 9p, 90 degrees
Seiko Instruments	CONN-MO2000-S	Connector for motor LTP2000 4p straigh t
Seiko Instruments	CONN-LTPA245-90	Connector for LTPA245 (27p) 90 degrees
Seiko Instruments	BP-L0715-A1-E	Li-Ion battery for DPUS245
Seiko Instruments	IF9001-01U-E	Interface board for CAP9000 USB, WIN2k and XP
Seiko Instruments	CONN-MOS1245-S	Connector for motor and sensor LTP1245 , 9p, straight

Seiko Instruments	LTPD247B-432-E	Thermal printer mech. EZOP 24V, 58mm, curved, motor vertical, single paper sensor
Seiko Instruments	CONN-CABLE-TH-E/F	Cable for thermal head (28p) LTPE/LTPF - Series (foil)
Seiko Instruments	OC-D1430A-E	Switch Cable fuer IFD-Boards Seiko Instruments
Seiko Instruments	LTPD345E-576-E	Thermal printer mech. Autoload, 5V, 80mm, curved, motor horizontal, double paper sensor
Seiko Instruments	LTPD347A-576-E	Thermal printer mech. EZOP 24V, 80mm, curved, motor horizontal, single paper sensor
Seiko Instruments	LTPD347B-576-E	Thermal printer mech. EZOP 24V, 80mm, curved, motor vertical, single paper sensor
Seiko Instruments	LTPPE347A-C576	Thermal printer mech. EZOP 24V,80mm, thermal line, curved
Seiko Instruments	LTPPF247A-C432	Thermal printer mech. EZOP 24V,58mm,thermal line,hispeed
Seiko Instruments	LTPPF347E-C576-E	Thermal printer mech. EZOP 24V,80mm,thermal line, 100mm/s
Seiko Instruments	LTPZ245M-C384-E	Thermal printer mech. EZOP 5V, 58mm,Thermal line, curved, motor behind.
Seiko Instruments	CONN-LTPA245-S	Connector for LTPA245 (27p) straight
Seiko Instruments	CONN-MOS1245-S-E	Connector for motor and sensor LTP1245 , 9p, straight
Seiko Instruments	SLP-RMRL	Labelroll 28 x 51mm, removable, 2 rolls à 130 labels
Sharp	GP1S092HCPIF	Photo Interrupter
Sharp	PC3SD12NTZAF	Triac Coupler 600V DIP6 Lead Free
Sierra Wireless	AirLink RAVEN XE Bracket	AirLink Raven XE mounting kit
Sierra Wireless	FXT003 R7.44 IP	Fastrack Xtend GSM/GPRS/EDGE + UMTS Plug&Play Modem with Internet and C-GPS
Sierra Wireless	C GPS-DKAI 150	C-GPS Board for WAV Q26 SK
Sierra Wireless	Q24 PLUS SIM V6.57C	Wavecom wireless CPU GSM/GPRS 850/900/1800/1900 + TCP/IP Plug-In + SIM
Sierra Wireless	AirLink PINPOINT X	Mobile Networking and Communication Platform for HSDPA Networks
Sierra Wireless	MC8790	HSPA Tri-Band Module without Voice, (up to 7.2 Mbps downlink and 5.76 Mbps uplink)
Sierra Wireless	M2106+ V6.57E IP	Wavecom Integra GSM/GPRS Modem with Internet Plug-In
Sierra Wireless	AirLink RAVEN XE	Intelligent wireless communications Gateway for HSxPA Networks, with power supply
Sierra Wireless	MC87xx SDK	Development Board for Sierra Wireless MC87xx Modules, without Module
Sierra Wireless	MC8795V	850/900/1900/2100 MHz qua-band HSPA Module with Voice
Sierra Wireless	AirLink HELIX WiFi	Intelligent, cellular 3G Router for HSxPA Networks (with WiFi included)
Sierra Wireless	MC8700	UMTS/HSPA+ PCI Express Mini Card, (up to 21 Mbps download and 5.76 Mbps uplink)
Sierra Wireless	OpenAT SDK	WAVECOM SOFTWARE DEVELOPMENT KIT FOR S W RELEASE 6.50

Sierra Wireless	M13SU IESM 004	Internal extension Board for Fastrack Supreme (C-GPS+USB+I/Os)
Sierra Wireless	Q26 Elite Sprint	Wavecom wireless CDMA CPU
Sierra Wireless	Q26 Elite Generic	Wavecom wireless CDMA CPU
Sierra Wireless	Q2686GR7.4SECURITY IMEI	Wireless GSM/GPRS quadband CPU with Internet and Security Plug-In and IMEI
Sierra Wireless	Q2687G R7.4 C-GPS	Wavecom wireless GSM/GPRS/EDGE CPU with Internet and C-GPS Plug-In
Sierra Wireless	Q2501B SK	Q2501B GSM/GPRS/GPS STARTER KIT
Sierra Wireless	Q2686F STK	WAVECOM STARTER KIT
Sierra Wireless	M13SUIESM003	Internal extension Board for Fastrack Supreme(USB+Ethernet)
Sierra Wireless	AirLink MP890W	Ultra-Rugged In-Vehicle Modem with Wi-Fi Option
Sierra Wireless	GL6110 USB	GL6100 "Plug&Play" Modem with USB and antenna
Sierra Wireless	Q24 CLASSIC SIM 6.57	Wavecom Wireless CPU 850/900/1800/1900 with SIM Holder "GSM ONLY"
Sierra Wireless	Compass 889	Sierra Wireless Compass 889 USB Modem
Sierra Wireless	FXT003 R7.42 IP	Fastrack Xtend GSM/GPRS/EDGE + UMTS Plug&Play Modem with Internet and C-GPS
Sierra Wireless	Q24 PLUS V6.57E IP	Wavecom wireless CPU GSM/GPRS 850/900/1800/1900 + Internet Plug-In
Sierra Wireless	Q2686RD R7.43 IMEI	AirPrime wireless Quadband CPU with Internet and Security Plug-In, IMEI inside
Sierra Wireless	M13SU IESM 002	Internal extension Board for Fastrack Supreme (USB+I/Os)
Sierra Wireless	WISMO218 L20	Wavecom dual Band GSM/GPRS modem with castellation pads
Sierra Wireless	WMP100 C-GPS	Wavecom wireless Microprocessor with C-GPS Plug-In, external Flash needed
Sierra Wireless	Q24 PLUS STK	WAVECOM Q24 Plus Starter Kit
Sierra Wireless	FXT Battery	Fastrack Xtend Battery Backup
Sierra Wireless	Q2686G R7.4A	Wavecom Wireless Quadband CPU with TCP/IP Plug-In (TCP/IP/UDP/Ping/DNS)
Sierra Wireless	Q2687G R7.4	Wavecom wireless GSM/GPRS/EDGE CPU
Sierra Wireless	Q64 R7.4 IP IMEI AUTO	Wavecom GSM/GPRS wireless CPU with WMP100 and Internet Plug-In and IMEI
SoniTexx	J19154-144-F5A110N	SO-DIMM 144-pos SMT R/A 5.2mm
Sony	ICX629CQZ/ZK	PAL Color CCD 7.208mm
Sony	CXD1267AN-T4/ZK	CCD Clock Driv. 20P.SOP
Sony	GKP9x Leporello Sensor w cable	Sparepart for Glyn Kiosk Printer Leporello Sensor with cable 200mm
Sony	CXD1261BR/ZK	CCD Tim.Sig.Gen. 64P.QFP
Spansion	S25FL016A0LMFI011	Flash 512Kx32 3V 8Pin SOP -40/+85°C
Spansion	S29AL004D70TFI020	Flash 512Kx8/256Kx16 3V TSOP48 -40/+85 C
Spansion	S29AL008D70BFI02	Flash
Spansion	S29AL016D70TFI020	FLASH 2Mx8/1Mx16 3V TSOP -40/+85C Bottom boot
Spansion	S29JL032H90TFI020	FLASH 4Mx8/2Mx16 TSOP (-40/+85C) 90ns Sim.Read/write

Spansion	MBM29LV160TE-70TN-E1	FLASH 2MX8/1MX16 3V TSOP48 -40/+85C
Star Micronics	IF-BDHC03	Parallel Interface for TSP 700/800/650, TUP500
Star Micronics	IF-BDHC04	Parallel Interface for TSP600/TUP900 Series
Star Micronics	TSP643D-24-GRY	Boxed thermal printer with autocutter, black,serial
Star Micronics	IF-BDHN03	Serial Interface (9pin) for TSP700/800/650, TUP500
Star Micronics	NP-211	Kiosk-Printer, 58mm, 12V Serial and US B interface
Star Micronics	IF-BDHN04	Serial Interface (9pin) for TUP900/SP700 Series
Star Micronics	IF-BDHE06 Ethernet	Ethernet use on SP512/SP542W/O I/F ONLY & TSP613/643, TSP1000 , SP700
Star Micronics	TSP1045-GRY	Boxed thermal printer 82.55mm present r,acu,w/o IF,grey
Star Micronics	TSP143ECOGRY	Boxed thermal printer 80mm autocutter, USB, powersupply, dark-grey.
Star Micronics	IF-BDHD03	Serial Interface (25pin) for TSP700I+II / 650 / 800 series, TUP500
Star Micronics	TSP143ECOWhite	Boxed thermal printer 80mm autocutter, USB, powersupply, white
Star Micronics	TSP143U GT BLK EU	Boxed thermal printer 80mm autocutter, USB, powersupply, 250mm/s, piano black
Star Micronics	TSP143U GT ICE WHT EU	Boxed thermal printer 80mm autocutter, USB, powersupply, 250mm/s, ice white.
Star Micronics	TSP651C-24	Boxed thermal printer 80mm with tearbar, parallel
Star Micronics	TSP643C-24-GRY	Boxed thermal printer 80mm with autocutter,black,parallel
Star Micronics	DP8901D PRINT HEAD	Matrix print head
Star Micronics	TSP651D-24-GRY	Boxed thermal printer 80mm with tearbar, black, serial
Star Micronics	WB-T800	Wall bracket for TSP800 Series
Star Micronics	TSP654C-24-GRY	Boxed thermal printer 80mm with autocutter,black,parallel
Star Micronics	TSP743C-24	Boxed thermal printer 82.55mm with autocutter, parallel
Star Micronics	TSP828UN-24L	Boxed thermal printer, USB & Serial, 45-112mm, powersupply,
Star Micronics	TSP847C-24	Boxed thermal printer 112mm parallel interface
Star Micronics	TSP847D-24	Boxed thermal printer 112mm serial interface
Star Micronics	TUP500DP	Chassis option for Star Kiosk Printer TUP500 82,5mm.
Star Micronics	IFBD-HU05 USB	USB Interface for TSP700 ver1&2/800/650/TUP500
Star Micronics	DP8340FD	9-pin matrix printer, 115mm serial, friction, black+red
Star Micronics	TSP613C-24	Boxed thermal printer 80mm with tearbar, parallel

Star Micronics	SP2560MD42-24	Boxed 9pin impact printer 76mm Autocut ter, serial, red+black
Star Micronics	FVP10U-24-White	Front operating Voice Printer 80mm autocutter, USB, white
Star Micronics	ROLL PAPER HOLDER	Spare part STAR TUP 900 1 inch diameter
Star Micronics	RHU-T900	Large paper unit for 25cm paper-rolls
Star Micronics	SCD-400	Customer display, white
Star Micronics	RC700BR	Ribbon black/red for use on STAR SP700-Series
Star Micronics	PS8340-12	Power Supply for DP8340 in: 230V, out: 12V, 2A
Star Micronics	SP2320MD42-24	Boxed 9pin impact printer 76mm tearbar , serial, mono
Star Micronics	SP298MC42-G	Impact slip printer parallel
Star Micronics	SP712M-Rewind w/o IFGRY	Boxed 9dot Matrix Printer 76mm, dark grey, tear-bar, rewinder, without interface
Star Micronics	MP512MD-III-24A	Dot Matrix Printer Mechanism
Star Micronics	SP742MD42230EU	Boxed 9dot Matrix Printer 76mm Autocutter, white, serial.
Star Micronics	MCP310TD	Visual Card Printer/magnetic supports ISO-stripe and chip
Star Micronics	WB-T600	Wall bracket for TSP600 Series
Starconn	099S52-01020A-G4	DDR 200 SO DIMM Socket H=5.2 0.6mm Pitch Standard
STMicroelectronics	M36W0R6040T8ZAQE/F	Combo Memory 64MFlash/ 16M SRAM with ext. temp. range for Wavecom WMP Series
STMicroelectronics	M27C64A-20F1	CMOS VPP 12,5V
STMicroelectronics	STM32F103VET6	MCU 32Bit ARM 512Kb Flash 100 Pin LQFP - 40/+85°C
STMicroelectronics	M27C4002-10F1	EPROM,256Kx16,100ns,DIP40
Stollmann E+V GmbH	BlueMod+B20 AP Antenna	Ceramic antenna for BlueMod+B20
Stollmann E+V GmbH	BlueMod+B20	Bluetooth embedded Class 2 Modul with Antenna
Stollmann E+V GmbH	BlueMod+B20 AP	Bluetooth embedded Class 2 Modul without Antenna
Stollmann E+V GmbH	BlueRS+E/G2/C2/PD	External Class 2 Bluetooth Adapter
Stollmann E+V GmbH	TA+SOC	Int. ISDN Socket Modem TA+SOC, TTL, 3.3V, 26.5x69.5mm
Sunny Giken	MFW-S21	Prog. adapter for M16C/62P in 128P6Q-A Pkg. 2.0mm Dual Row Socket right angle DIP Type Plastic height 5,29mm
Suyin	200139FR044G203ZU	USB A DIP right angle
Suyin	020133MR004S251ZL	10pol Battery connector RM2.0 male
Suyin	200275MR010S403ZU	2.5mm pitch Battery Connector
Suyin	250083MB004G300ZL	9pol DSUB ultra thin male SMD with 3.0 mm hole Tube package without cap
Suyin	070230MB009G207ZU	2.0mm dual row Header staight 6 pol
Suyin	200112MS006G200ZR	32Pin single row socket, SMD female
Suyin	200129FA032G200ZU	9pol DSUB ultra thin fem.SMD with an hole 3.2 mm Reel package without cap
Suyin	070233FB009S511ZL	

Suyin	200139FR044G303ZU	2.0mm Dual Row Socket right angle DIP Type
Suyin	200162FS010S410ZU	Plastic height 5,29mm 10pol Battery connector RM2,0 female
Suyin	7737P-09G2T	9pol ultra thin DSUB SMD male 070437MB 009S200ZU
Suyin	200275MR005G400ZU	5pol Battery connector RM2.0 male
Suyin	250042MB003G302ZR	2.5mm pitch Battery Connector
Suyin	200135FA008G200ZU	2MM DUAL ROWSOCKET SMD H=4.5MM
Suyin	070922FR015S208IU	Ultra thin DSUB high density for VESA DDC II, female, DIP
Suyin	DGKP0009	UNC 4-40 Screw 4.75 x 7.8
Suyin	070433FB025S100ZU	25Pin DSUB SMT female
Suyin	070233FB015S206ZU	15pol DSUB ultra thin fem.SMD Round Latch
Suyin	250042MB003G202ZR	2.5mm pitch Battery Connector
Suyin	200109MA010S299ZR	2mm Dual Row Header SMT 10 pol H= 10mm
Suyin	127531MB050S204NA	Compact flash card reader
Suyin	200275MR005G100ZU	5pol Battery connector RM2.0 male
Suyin	425122MA002G505ZL	2-Pin Battery Con.4,25mm pitch , SMD plaiting 30µ AU over 30µ NI reel package without cap
Suyin	070433FB025S200ZU	25Pin DSUB SMT female
Suyin	127378FA068G200ZY	1.27mm Dual Row Socket SMD 68 pol
Suyin	070233FB009S206ZU	9pol DSUB ultra thin fem.SMD Round Latch
Suyin	254010MA006G400ZL	6 pin SIM Card Reader straight SMD
Suyin	3500-32-50-0-ST-2	PLCC 32 Pol. SMT
Suyin	254312FA026S504PA	Smart media card reader, Tray Package no cap
Suyin	952-12-032-1-00	Stiftleiste 1 Reihig, 32 pol, RM 2,54mm , Roundcontact 0,5mm, gedrehte Kontakte
Suyin	127150FA040G209ZR	1.27mm Dual Row Socket 40 pol. SMD in Reel with Cap
Suyin	300010MB002G303ZL	2 Pin Batterie Connector right angle
Suyin	505610MB003G100ZU	5,0mm Battery Female right angle SMT
Tamaden	EVBTMP92CZ26-CARRIER	Carrier-Board for TMP92CZ26AXBG
Tamura Corporation	S25P100D15Y	Hall Effect Current Sensor Closed-Loop-Type 100A ±15V - Aperture - PCB mount
Tamura Corporation	S25P050D15X	Hall Effect Current Sensor Closed-Loop-Type 50A ±15V - Aperture - PCB mount
Tamura Corporation	L18P003S05	Hall Effect Current Sensor Open-Loop-Type 3A +5V - Integrated Primary - PCB mount
Tamura Corporation	L03S200D15	Hall Effect Current Sensor Open-Loop-Type 200A ±15V - Aperture - Panel mount
Tamura Corporation	L18P020D15	Hall Effect Current Sensor Open-Loop-Type 20A ±15V - Integrated Primary - PCB mount
Tamura Corporation	L08P100D15	Hall Effect Current Sensor Open-Loop-Type 100A ±15V - Aperture - PCB mount
Tamura Corporation	L06P400S05	Hall Effect Current Sensor Open-Loop-Type 400A +5V - Aperture - PCB mount
Tamura Corporation	L08P200D15	Hall Effect Current Sensor Open-Loop-Type 200A ±15V - Aperture - PCB mount
Tamura Corporation	L08P050D15	Hall Effect Current Sensor Open-Loop-Type 50A ±15V - Aperture - PCB mount

Tamura Corporation	L18P003D15	Hall Effect Current Sensor Open-Loop-Type 3A ±15V - Integrated Primary - PCB mount
Tamura Corporation	L18P040D15	Hall Effect Current Sensor Open-Loop-Type 40A ±15V - Integrated Primary - PCB mount
Tamura Corporation	L18P005D15	Hall Effect Current Sensor Open-Loop-Type 5A ±15V - Integrated Primary - PCB mount
Tamura Corporation	L01Z300S05	Hall Effect Current Sensor Open-Loop-Type 300A +5V - Aperture - PCB mount
Tamura Corporation	L18P010D15	Hall Effect Current Sensor Open-Loop-Type 10A ±15V - Integrated Primary - PCB mount
Tamura Corporation	L18P050D15	Hall Effect Current Sensor Open-Loop-Type 50A ±15V - Integrated Primary - PCB mount
Tamura Corporation	S20S200D15M1	Hall Effect Current Sensor Closed-Loop-Type 200A ±15V - Aperture - Panel mount
Tamura Corporation	L18P060D15	Hall Effect Current Sensor Open-Loop-Type 60A ±15V - Integrated Primary - PCB mount
Tamura Corporation	L18P030D15	Hall Effect Current Sensor Open-Loop-Type 30A ±15V - Integrated Primary - PCB mount
Temple Star Inc.	SMA111-400a	SMA right angel PCP mount recepracle jack connector
Temple Star Inc.	ADAPTER CABLE SMA	HF-Adapter SMA female bulkhead crimp with 100mm RG174 cable
Temple Star Inc.	SMA107-900a	SMA straight jack edge mount connector
Temple Star Inc.	ADAPTER SMA/FME	Adapter SMA-Stecker/ FME-Stecker
Temple Star Inc.	ADAPTER UFL/FME 15	Adapter cable UFL/FME for Wavecom Q26 Series with 150mm cable length
Temple Star Inc.	ADAPTER UFL/SMA 15	Adapter cable UFL/SMAf for Wavecom Q26 Series with 150mm cable length
Temple Star Inc.	ADAPTER MMCX/SMA	Adapter cable MMCX male/ SMA female, l=127mm
Textool	2-119-08310-000-019-002	BGA 119 Test+Burnin Socket
Tokin	FYD0H224ZF	Supercap 0.22F 5.5V,"RoHs"
Tokin	FS0H474ZF	supercap 5.5V 0.47F RoHS
Tokin	FG0H105ZF	Supercap 5,5V 1.0F
Tokin	SH0-301	DC Line Filter
Tokin	CG-L53B0	GYRO SENSOR
Tokin	SH0-303	DC Line Filter
Tokin	FC0V224ZFTBR24	Supercap 3,5V/-,22F SMD, RoHS
Tokin	FA1A223ZF	
Tokin	FA0H104ZF	Supercap 0,1 F
Tokin	SH0-302	DC Line Filter
Tokyo Elitec	NQPACK080SD-ND	Socket 80pin QFP 0,5 mm pitch
Tokyo Elitec	HQPACK032SA	MCU Cover 32-Pin, 0.8mm-pitch LQFP
Tokyo Elitec	HQPACK044SA	Socket QFP44-10X10-0.8
Tokyo Elitec	YQSOCKET100RB-F	Sockelverlängerung(M16C-xxFP)
Tokyo Elitec	HQPACK048SD	MCU cover 48-pin,0.5 mm-pitch LQFP
Tokyo Elitec	NSPACK20BG	LÖTTEIL FÜR 20-PINSSOP-GEH. ZUR EMU
Tokyo Elitec	HQPACK052SB	CHIP-AUFNAHME
Tokyo Elitec	HSPACK20BG	Socket cap for 52pin 0,65 mm pitch
Tokyo Elitec	YQPACK100SD	SOCKELDECKEL FÜR NSPACK20BG 20Pin 0,65mm pitch
		Emulationsockel (QFP100) 0,5mm pitch

Tokyo Elitec	NQPACK032SA	Target connector 32 pin QFP, 0.8mm pitch
Tokyo Elitec	YQPACK100RB	Sockelverlängerung(M16C-xxFP)
Tokyo Elitec	YQPACK044SA	Sockel QFP44-10X10-0.8
Tokyo Elitec	HQPACK064SD	Sockeldeckel
Tokyo Elitec	HQPACK080SD	Sockeldecke f.NQPACK080SD
Tokyo Elitec	HQPACK100SD	Sockeldecke f.NQPACK100SD
Tokyo Elitec	HQ-PACK208SD306	Sockel f. NQPACK208SD
Tokyo Elitec	HQPACK064SB140	Sockeldeckel QFP64(MB9056XPFM)
Toshiba	TPC8405(TE12L,Q,M)	MOSFET complement. N/P-CH +30V/-30V +6A/-4,5A 0,026□/0,033□ SOP-8
Toshiba	BMSKTOPASA900(DCE)	TMPA900CMXBG ARM9 Starterkit
Toshiba	TOCP200K	Toslink Stecker (CLIP)(APF)
Toshiba	TOCA250	TOSLINK ADAPTER
Toshiba	TMPZ84C44AT-6(Z)	8B.uC romless N/A KB Ram PLCC 44 - 10/+70°C 8 Mhz TLCS Z80 Series
Toshiba	TMPR4938XBG-300	64B.MCU romless KB Ram BGA 484 -0/+70°C 300 Mhz TX-4925 Series
Toshiba	TMPR4925XB-200	64B.uC romless N/A KB Ram BGA 256 - 0/+70°C 200 Mhz TX4925 Series
Toshiba	TMPM395FWXBG(EL)	32B.uC 128KB Fl. 8KB Ram TFBGA 120/0,5 - 20/+85°C 40 Mhz Cortex M3 - T+R
Toshiba	TMPM380FYFG	32B.uC 256KB Fl. 16KB Ram LQFP 100/0,5 - 20/+85°C 40 Mhz Cortex M3
Toshiba	BMSKTOPASA910EDT57DEMO	TMPA910CRAXBG ARM9 Starterkit conact with EDT VGA 5.7 TFT
Toshiba	BM1055ROA	Emu Contr Model 25
Toshiba	TPC8213-H(TE12L,Q)	MOSFET dual N-CH 60V 5A 0,05Ohm SOP-8
Toshiba	BMSKTOPASA910(DCE)	TMPA910CRAXBG ARM9 Starterkit
Toshiba	TORX104	Toslink Receiver
Toshiba	TORX177(F,T)	TOSLINK RECIEVER RoHS-conform
Toshiba	TOTX176(F)	Toslink Transmitter Lead-Free
Toshiba	TOCP255K	TOSLINK STECKER(SNAP)APF
Toshiba	TOTX178A	Toslink Transmitter
Toshiba	TPC8114(TE12L,Q)	MOSFET single P-CH -30V -18A 0,0045Ohm SOP-8
Toshiba	TPC8209(TE12L)	MOSFET dual N-CH 30V 5A 0,04□ SOP-8
Toshiba	BM1040R0A	Emu Contr Model 15
Toshiba	2SK2866(F)	MOSFET single N-CH 600V 10A 0,75□ TO- 220AB
Toshiba	2SK3934(STA4,Q,M)	MOSFET single N-CH 500V 15A 0,3□ TO- 220SIS
Toshiba	2SK3934(STA4,Q)	MOSFET single N-CH 500V 15A 0,3□ TO- 220SIS
Toshiba	2SK3863(TE16R1,Q)	MOSFET single N-CH 500V 5A 1,5□ DP(SM)
Toshiba	2SK3762(M)	MOSFET single N-CH 900V 2,5A 6,4□ TO- 220AB
Toshiba	2SK3568(STA4,Q)	MOSFET single N-CH 500V 12A 0,52□ TO- 220SIS
Toshiba	2SK3565(STA4,Q)	MOSFET single N-CH 900V 5A 2,5□ TO- 220SIS
Toshiba	2SK3564(STA4,Q)	MOSFET single N-CH 900V 3A 4,3□ TO- 220SIS

Toshiba	2SK3563(STA4,Q)	MOSFET single N-CH 500V 5A 1,5 TO-220SIS
Toshiba	2SK3561(STA4,Q)	MOSFET single N-CH 500V 8A 0,85 TO-220SIS
Toshiba	2SK3373(TE16R1,NQ)	MOSFET single N-CH 500V 2A 3,2 New PW-Mold(SM)
Toshiba	2SK2963(TE12L,F)	MOSFET single N-CH 100V 1A 0,7 PW-Mini
Toshiba	6N137(F)	Photo IC Coupler DIP8 Lead Free
Toshiba	2SK2866(STA4,F)	MOSFET single N-CH 600V 10A 0,75 TO-220AB
Toshiba	2SK4103(TE16R1,NQ)	MOSFET single N-CH 500V 5A 1,5 New PW-Mold(SM)
Toshiba	2SK2837(Q)	MOSFET single N-CH 500V 20A 0,27 TO-3P(N)
Toshiba	2SK2699(F,T)	MOSFET single N-CH 600V 12A 0,65 TO-3P(N)
Toshiba	2SK2699(F)	MOSFET single N-CH 600V 12A 0,65 TO-3P(N)
Toshiba	2SK2376(Q)	MOSFET single N-CH 60V 45A 0,017 TO-220FL
Toshiba	2SK1529-Y(F)	MOSFET single N-CH 180V 10A 0,83 TO-3P(N)
Toshiba	2SJ668(TE16L1,NQ)	MOSFET single P-CH -60V -5A 0,17 New PW-Mold(SM)
Toshiba	2SJ401(Q)	MOSFET single P-CH -60V -20A 0,045 TO-220FL
Toshiba	2SJ349(F,T)	MOSFET single P-CH -60V -20A 0,045 TO-220NIS
Toshiba	2SC4793(F,M)	TO220IS 230V 1A NPN BIP Lead-free
Toshiba	2SA1721-O(TE85L,F)	TO236MOD -300V -0,1A PNP BIP Lead-Free
Toshiba	TLP3023(S,F)	Triac Coupler 400V DIP5 Lead Free
Toshiba	2SK2961(TPE6,F)	MOSFET single N-CH 60V 2A 0,27 LSTM
Toshiba	TPD4125K(Q)	IPD 500V 3Ax6 NEW DIP HDIP26-Pkg.
Toshiba	TPCA8004-H(TE12L,Q)	MOSFET single N-CH 30V 40A 0,0046 SOP-8Advance
Toshiba	TPCA8104(TE12L,Q)	MOSFET single P-CH -60V -40A 0,016 SOP-8Advance
Toshiba	TPD1045F(TE12L,Q)	
Toshiba	TPD4103AK(LB2)	DC Brushless Motor Driver 1Ax6 IGBT-Output HZIP23-P-1.27H
Toshiba	TPD4103AK(LBF)	DC Brushless Motor Driver 1Ax6 IGBT-Output HZIP23-P-1.27G
Toshiba	TPD4104K(LB2,Q)	DC Brushless Motor Driver 2Ax6 IGBT-Output HZIP23-P-1.27H
Toshiba	TPD4105AK	DC Brushless Motor Driver 3Ax6 IGBT-Output HZIP23-P-1.27
Toshiba	TPD4110AK(LB2,Q)	BLDC Motor Driver 3A Open Emitter IGBT Outputs HZIP23-P-1.27H
Toshiba	TPD4113AK(LB2,Q)	DC Brushless Motor Driver 1A IGBT-Output HZIP23-P-1.27H
Toshiba	TPD4120AK(Q)	IPD 500V 2Ax6 NEW DIP HDIP26-Pkg.

Toshiba	TPD4122K(Q)	BLDC-Motordriver 500V/1A NEW DIP HDIP26-Pkg.
Toshiba	2SK4017(Q)	MOSFET single N-CH 60V 5A 0,1□ New PW-Mold2
Toshiba	TPD4123K(Q)	IPD 500V 1Ax6 NEW DIP HDIP26-Pkg.
Toshiba	2SK4033(TE16L1,NQ)	MOSFET single N-CH 60V 5A 0,1□ New PW-Mold(SM)
Toshiba	ULN2804APG(5,M)	8 Channel High Current Driver DIP18-P- 300
Toshiba	PN120013	Lead free
Toshiba	PN210002	MCU-Probe
Toshiba	PN210003	MCU Mount Adapter
Toshiba	PN210004	Pin Protector
Toshiba	PN210044	QFP Adapter 100
Toshiba	6N139(F)	MCU Mount Adapter LQFP144 16x16mm 0,5m m pin pitch
Toshiba	6N138(F)	Photo IC Coupler DIP8 Lead Free
Toshiba	6N138	Photo IC Coupler DIP8
Toshiba	6N136(F)	Photo IC Coupler DIP8
Toshiba	VNR104C11S-INV-RS	Photo IC Coupler DIP8 Lead Free
Toshiba	TPC8406-H(TE12L,Q)	Inv for LTD104C11S+LTD121C31S+ LTD121GA0S/LTD121C33S
Toshiba	TPD4123AK(Q)	MOSFET complement. N/P-CH ±40V ±6,5A 0,027□/0,03□ SOP-8
Toshiba	TLP115(F)	IPD 500V 1Ax6 NEW DIP HDIP26-Pkg.
Toshiba	TLP504A-2(GB)	Photo IC Coupler SMD5 Lead Free
Toshiba	TLP202A(F)	Transistor Coupler Quad DIP16
Toshiba	TLP180	Mosfet coupler, 2-form-A, SOP Lead Fre e
Toshiba	BMSKTOPASM370(HI)	Transistor Coupler SMD4
Toshiba	TLP172A(TP,F)	Vector Motor Control Evaluation Kit TMPM370
Toshiba	TLP3042(S)	Mosfet Coupler 60V SMD4
Toshiba	TLP160J(U,C,F)	Triac Coupler 400V DIP5
Toshiba	TLP124(F)	Triac Coupler 600V SMD4 Pb-free
Toshiba	TLP2531(F)	Transistor Coupler SMD4 Lead Free
Toshiba	TLP115A(TPL,F)	Photo IC Coupler DIP8 Lead Free
Toshiba	TLP2601(F)	Photo IC Coupler SMD5 T+R Lead Free
Toshiba	TLP113(F)	Photo IC Coupler DIP8 Pb-free
Toshiba	TLP112(F)	Photo IC Coupler SMD5 Lead Free
Toshiba	TLOH1100B(T11)	Photo IC Coupler SMD5 Lead Free
Toshiba	TK5P53D(T6RSS-Q)	SMD LED 2.8x3.2mm ORANGE Lead Free
Toshiba	TK5P50D(T6RSS-Q)	MOSFET single N-CH 525V 5A 1,5□ DP(OS)
Toshiba	TK50J60U(Q)	MOSFET single N-CH 500V 5A 1,5□ DP(OS)
Toshiba	TK3P50D(T6RSS-Q)	MOSFET single N-CH 600V 50A 0,065□ TO-3P(N)
Toshiba	TK20J50D(F)	MOSFET single N-CH 500V 3A 3□ DP(SM)
Toshiba	TK20A60U(Q)	MOSFET single N-CH 500V 20A 0,27□ TO-3P(N)
Toshiba	TLP120(F)	MOSFET single N-CH 600V 20A 0,19□ TO-220SIS
Toshiba	TLP350(F)	Transistor Coupler SMD4 Lead Free
Toshiba	TLP504A-2(F)	Photo IC Coupler DIP8 IGBT Drive Lead-Free
		Transistor Coupler Quad DIP16 Lead Free

Toshiba	TLP504A(GB,F)	Transistor Coupler Dual DIP8 Lead Free
Toshiba	TLP504A(F)	Transistor Coupler Dual DIP8 Lead Free
Toshiba	TLP421(GB)	Transistor Coupler DIP4 Lead-Free
Toshiba	TLP3783(S,C,F,T)	Triac Coupler Zero Crossing DIP6 800 V, 5 mA
Toshiba	TLP372(F)	Darlington Coupler DIP6 Lead Free
Toshiba	TLP371(F)	Darlington Coupler DIP6 Pb-free
Toshiba	TLP358H(F)	Photo IC Coupler DIP8 IGBT Drive Lead-Free
Toshiba	TLP2200	Photo IC Coupler DIP8
Toshiba	TLP3507(N)	Triac Coupler 600V DIP5
Toshiba	TK13A50D(Q,M)	MOSFET single N-CH 500V 13A 0,4 TO-220SIS
Toshiba	TLP330(F)	Transistor Coupler DIP6 Pb-free
Toshiba	TLP3082(S,C,F)	Triac Coupler Zero Crossing DIP6 800 V , 10mA
Toshiba	TLP3062(S,C,F,T)	Triac Coupler 600V DIP5 Pb-free
Toshiba	TLP3052(S,C,F,T)	Triac Coupler 600V DIP5 Pb-free
Toshiba	TLP3023(S,F,T)	Triac coupler 400V DIP5 RoHS conform
Toshiba	TLP3022(S)	Triac Coupler 400V DIP5
Toshiba	TLP2631(F)	Photo IC Coupler DIP8 Lead Free
Toshiba	TLP2630(F)	Photo IC Coupler DIP8 Lead Free
Toshiba	TLP260J	Triac Coupler 600V SMD4
Toshiba	TLP351(D4)	Photo IC Coupler DIP8 IGBT Drive VDE0884
Toshiba	TA78L15F(TE12L,F)	SOT89 15V 0.15A Volt. Reg. Lead Free
Toshiba	TB6560HQ	Stepping Motor Driver 3A HZIP25-Pkg.
Toshiba	TB6560FG	Stepping Motor Driver 1.5A HQFP64-Pkg.
Toshiba	TB6560AHQ(O)	Stepping Motor Driver 3A/40V 1/16 step mixed decay HZIP25-Pkg.
Toshiba	TB6559FG(O,EL)	DC-Brush Motor Driver 50V/2.5A HSOP 16-P-300-1.00
Toshiba	TB6552FLG(O,EL)	Dual-Bridge Drv. IC for DCMot. 15V/1A QON24 PWM drive Stepping Motor Drive HQFP64- P-1010-0.5, Lead Free
Toshiba	TB62217AFG	H-Bridge Driver 30V 1.5A HSIP7-P-2.54
Toshiba	TA8428K(O,S)	T092 MOD-I5V 0.15A VOLT. REG. PB-FREE
Toshiba	TA79L015P(F)	MOSFET single N-CH 500V 15A 0,4 TO-3P(N)
Toshiba	TK15J50D(F)	SIP3-P-2.50A , -15V 1A Volt.Reg.
Toshiba	TA79015SB(TP,Q)	Stepping Motor Driver SDIP24 Pb-free
Toshiba	TB6562ANG	SOT89 10V 0.15A Volt. Reg. Lead Free
Toshiba	TA78L10F(TE12L,F)	SOT89 9V 0.15A Volt.Reg.
Toshiba	TA78L09F(TE12L)	TO92MOD 15V 0.15A VOLT.REG. PB-FREE
Toshiba	TA78L015AP(F)	TO220IS 5V 1A Volt. Reg.
Toshiba	TA7805S(Q,M)	TO220SIS 800V 8A Triac Lead-Free Finis h
Toshiba	SM8LZ52(Q)	TO220SIS 800V 16A Triac Lead-Free finish
Toshiba	SM16LZ52(Q)	IGBT 600V 10Ax1 TO220NIS FWD 50kHz
Toshiba	GT10J321(Q)	Z80 ASSP, QFP100 RoHS - conform
Toshiba	Z84C015BFG-10(ZC)	Ultra High Speed Switching Diode
Toshiba	HN1D03FU(T5L,F,T)	TO92MOD -10V 0.15A Volt.R LEAD FREE
Toshiba	TA79L010P(F)	IGBT 1200V 150Ax2 GEH.36 IGBT-7
Toshiba	MG150Q2YS71(AC)	Mosfet Coupler 60V SMD4 T+R Pb-free
Toshiba	TLP176A(TP,F)	

Toshiba	TK12D60U(STA4,Q)	MOSFET single N-CH 600V 12A 0,4 TO-220(W)
Toshiba	TK12A65D(STA4,Q)	MOSFET single N-CH 650V 12A TO-220SIS
Toshiba	TK12A60U(Q)	MOSFET single N-CH 600V 12A 0,4 TO-220SIS
Toshiba	MP6631(Q)	MOS N-CH 600V 5Ax6 1R5 Lead-Free Finish
Toshiba	MP6622(Q)	MOS N-CH 500V 5Ax6 1R8 Lead-Free Finis h
Toshiba	MG75Q2YS1(AC,F)	IGBT 1200V 75Ax2 Pkg. 26 Second generation
Toshiba	MG300Q1US51(AC,G)	IGBT 1200V 300Ax1 GEH.40
Toshiba	MG300Q1US1(AC,F)	IGBT 1200V 300Ax1 Pkg.21
Toshiba	TB6562AFG	Stepping Motor Driver SSOP30 Pb-free
Toshiba	MG150Q2YS91(AC)	IGBT 1200V 150Ax2 GEH.35 Low-sat-versi on
Toshiba	TB6562AFG(EL)	Stepping Motor Driver SSOP30 Pb-free
Toshiba	MCBTMPM330UME	Keil TMPM330 Starter Kit and Evaluation Board incl. ULINK
Toshiba	TD62064APG(5,J,S)	High Current Darl. Driver IC Leadfree
Toshiba	TC74HC14AP(F)	HEX SCHMITT INV. DIP14 LEAD FREE
Toshiba	TC4S71F(T5L,F,T)	L-MOS 2-INPUT OR SMV Lead Free
Toshiba	TB6608FNG(O,EL)	Stepping Motor Driver 0,8A, clock-in SSOP20
Toshiba	TB6593FNG(O,EL)	Single-Bridge Drv. IC for DC Mot. 15V 1.2A Average/3.2Apeak SSOP20
Toshiba	TB6585FG(O,EL)	3 Ph. PWM Sine-Wave Driver for differential Hall-Sensors 42V/1,8A HSOP36-Package
Toshiba	TB6568KQ(O)	H-Bridge Driver 50V 3A HSIP7-P-2.54 Lead-Free
Toshiba	TK15A60U(Q)	MOSFET single N-CH 600V 15A 0,3 TO-220SIS
Toshiba	MG25Q6ES50	IGBT 1200V 25Ax6 GEH.41 SHORT
Toshiba	TLP733(D4-C173)	Transistor Coupler DIP6 VDE0884
Toshiba	TMP86C947XB(EY)	Emulation Chip
Toshiba	TMP1941AF(Z)	32B.uC Romless 10K Ram LQFP100/0,5 - 40/+85°C 40 Mhz TX 19 Family
Toshiba	TMP1940FDBF	32B.uC 256KB Flash 10K Ram LQFP100/0,5 - 40/+85°C 32 Mhz TX 19 Family
Toshiba	TLYH20TP(TPK53,F)	LED YELLOW 5MM AMMO PACK
Toshiba	TLWJ1100(T11,TEE)	SMD LED WHITE 750 mcd 2,8x3,2mm PLCC2
Toshiba	TLWJ1100(T11)	SMD LED WHITE 750 mcd 2.8x3.2mm PLCC2
Toshiba	TLRH62T(F)	LED red 3mm High-Bright
Toshiba	TLRE156AP	LED 5mm RED
Toshiba	TLP781F(D4-GB,F)	
Toshiba	TLP624(BV,F)	Transistor Coupler DIP4 Lead Free
Toshiba	TLP759(J,F)	Photo IC Coupler DIP8 Pb-free
Toshiba	TMP86FM48UG	8B.uC 32K Flash 2KB Ram QFP 64/0,65 - 20/+85°C 16 Mhz TLCS-870/C Family
Toshiba	TLP702(F)	Photo IC Coupler SDIP6 IPM Drive , Inverter Logic
Toshiba	TLP700F(TP,F)	IGBT/Power MOS FET Driver , 6 Pin SDIP
Toshiba	TLP627-2(F)	Darlington Coupler DIP8 Lead Free
Toshiba	TLP627(F,T)	Darlington Coupler DIP4 Lead Free

Toshiba	TLP626-4(F)	Transistor Coupler DIP16
Toshiba	TLP626-2(F)	Transistor Coupler DIP8
Toshiba	TLP626(BV,F)	Transistor Coupler DIP4 Lead-Free
Toshiba	TLP624-4(F)	Transistor Coupler DIP16 Lead Free
Toshiba	TLP624-2(F)	Transistor Coupler DIP8 Lead Free
Toshiba	TLP624(F)	Transistor Coupler DIP4 Lead-free
Toshiba	TLP781(D4-GB-TP6,F)	Transistor Coupler SMD4 T+R VDE0884, RoHS
Toshiba	TMP88PS43F(Z)	8B.uC 64K OTP 2KB Ram QFP 80/0,65 - 20/+85°C 8 Mhz TLCS-870/C Family
Toshiba	TMPM332FWUG	32B.uC 128KB Fl. 8KB Ram LQFP 64/0,5 - 20/+85°C 40 Mhz Cortex M3
Toshiba	TMPM330FDFG	32B.uC 512KB Fl. 32KB Ram LQFP 100/0,5 - 20/+85°C 40 Mhz Cortex M3
Toshiba	TMP96C141BFG	16B.uC romless 1KB Ram QFP 80/0,65 - 40/+85°C 20 Mhz TLCS-900 Series
Toshiba	TMP94FD53IF(MKK)	32B.uC 512KB Flash 16KB Ram LQFP 100 - 40/+85°C 20 Mhz 1x CAN TLCS-900 Series
Toshiba	TMP92FD28FG(JZ)	32B.uC 512KB Flash 32KB Ram LQFP 100 - 40/+85°C 20 Mhz TLCS-900 Series
Toshiba	TMP92CZ26AXBG	32B.uC romless 288KB Ram FBGA 228 - 0/+70°C 80 Mhz TLCS-900 Series
Toshiba	TMP92CF29AFG-7770	32B.uC romless 144KB Ram QFP 176 - 0/+70°C 80 Mhz TLCS-900 Series
Toshiba	TMP91PW12F	16B.uC 128K OTO 4KB Ram LOFP 100/0,5 - 20/+85°C 25 Mhz TMP91 Series
Toshiba	TMP91FY27U	16B.uC 256K Flash 16KB Ram LOFP 64/0,5 - 20/+85°C 27 Mhz TLCS-900 Series
Toshiba	TMP91FW40FG(JZ)	16B.uC 128K Flash 4KB Ram LOFP 100/0,5 - 20/+85°C 27 Mhz TLCS-90 Series
Toshiba	TMP86C989XB	Emulation Chip
Toshiba	TMP91C824F(Z)	16B.uC romless 8KB Ram OFP 100/0,65 - 20/+85°C 33 Mhz TLCS-90 Series
Toshiba	TMP86FM29UG	8B.uC 32K Flash 1,5KB Ram QFP 42/0,5 - 20/+85°C 16 Mhz TLCS-870/C Family
Toshiba	TMP87PH47LU	8B.uC 16K OTP 512B Ram OFP 44/0,8 - 20/+85°C 8 Mhz TLCS-870/C Family
Toshiba	TMP87PH46N	8B.uC 16K OTP 512B Ram SDIP 42/1,78 - 20/+85°C 8 Mhz TLCS-870/C Family
Toshiba	TMP87P809M	8B.uC 8K OTP 256B Ram SOP 28/1,27 - 20/+85°C 8 Mhz TLCS-870/C Family
Toshiba	TMP87EP26F-9000	8B.uC 32K OTP 2KB Ram QFP 100/0,65 - 20/+85°C 8 Mhz TLCS-870/C Family
Toshiba	TMP86P202M	8B.uC 2K OTP 128B Ram SOP 20 -20/+85°C 16 Mhz TLCS-870/C Family
Toshiba	TMP86FS49UG	8B.uC 60K Flash 2KB Ram LQFP 64/0,5 - 20/+85°C 16 Mhz TLCS-870/C Family
Toshiba	TLP168J(U,C,F)	Triac Coupler 600V SMD4 Lead Free
Toshiba	TMP86FS27FG	8B.uC 60K Flash 1KB Ram QFP 80/0,65 - 20/+85°C 16 Mhz TLCS-870/C Family
Toshiba	TLP504A-2(GB,F)	Transistor Coupler Quad DIP16 Lead Free

Toshiba	TMP86FS23UG(ES,JZ)	8B.uC 60K Flash 2KB Ram LQFP 64/0,5 - 20/+85°C 16 Mhz TLCS-870/C Family
Toshiba	TMP91FW27UG(JZ)	16B.uC 128K Flash 12KB Ram LOFP 64/0,5 - 20/+85°C 27 Mhz TLCS-90 Series
Toshiba	TLP521-1(A,T)	Transistor Coupler DIP4
Toshiba	TLP525G(F)	Triac Coupler 400V DIP4 Pb-free
Toshiba	TLP523(F)	Darlington Coupler DIP4 Lead Free
Toshiba	TLP525G-2(F)	Triac Coupler 400V DIP8 Pb-free
Toshiba	TLP620-2(GB,F,T)	Transistor Coupler DIP8 Lead Free
Toshiba	TLP620-4(GB,F)	Transistor Coupler DIP16 Lead Free
Toshiba	TLP620(D4-GB,F,T)	Transistor Coupler DIP4 VDE0884 Pb-free
Toshiba	TLP523-2(F)	Darlington Coupler DIP8 Pb-free
Toshiba	TLP621-4(GB,F)	Transistor Coupler DIP16 laed free
Toshiba	TMP86FS28FG(TZ)	8B.uC 60K Flash 2KB Ram LQFP 80/0,5 - 20/+85°C 16 Mhz TLCS-870/C Family
Toshiba	TLP521-1(Y,F,T)	Transistor Coupler DIP4 Lead Free
Toshiba	TLP621(BL,F,T)	Transistor Coupler DIP4 Pb-free
Toshiba	TLP621(GB,F,T)	Transistor Coupler DIP4 Lead Free
Toshiba	TLP590B(C,F)	Photovoltaic Coupler DIP5 Pb-free
Toshiba	TLP521-4(GB,F)	Transistor Coupler DIP16 Lead Free
Toshiba	TLP550(O,F)	Photo IC Coupler DIP8 Lead Free
Toshiba	TLP621(GR-LF2,F,T)	Transistor Coupler WDIP4 Pb-free
Toshiba	TLP523-4(F)	Darlington Coupler DIP16 Lead Free
Trident Micro	DRX3923K-XK-A3-T	Multi Demodulator (Tray) AnalogTV, DVB-T, DVB-C PQFN64-1
Trident Micro	UAC3576B-XK-H10-T	Programmable USB Code (Tray), PQFN64-1, 8K download RAM
Trident Micro	DRX3976D-QI-B1-T	4.COFDM Demodulator (Tray) DVB-T PMQFP 64-2
Trident Micro	DRX3975D-QI-B1-T	4.COFDM Demodulator (Tray) DVB-T PMQFP 64-2, new version B1,
Trident Micro	UACBSTANDARDAPBV1.05	Evaluatin Board UAC355x-Family with UA C3556B (PMQFP64-2)
Trident Micro	UACBSTANDARDAPBV1.06	Evaluation Board UAC357x-Fam. with UAC 3576B (PMQFP64-2)
Trident Micro	DRX3975D-QI-A2-T	4.COFDM Demodulator (Tray) DVB-T PMQFP 64-2
Trident Micro	TDA10024HN/C1	Single Chip DVB-C/MCNS Channel Receiver, HVQFN56, tray
Trident Micro	DRX3926K-XK-A3-T	Multi Demodulator (Tray) AnalogTV, DVB-T, DVB-C PQFN64-1
Trident Micro	MSP3417G-QG-B8-V3-T	Multistandard Sound Processor PMQFP44- 1, all Audio Standards (DC 2008)
Trident Micro	MSP4458G-QA-C4-T	Multistandard Sound Processor PMQFP80- 11, without licence, Tray
Trident Micro	MSP3455G-QG-B8-V3-T	Multi Sound Processor (Tray) PMQFP44-1 , NICAM, IFin/AFout
Trident Micro	DRX3960A-QG-I11-T	Analog TV IF demodulator DSP based, PM QFP44-1 (Tray)
Trident Micro	SAA7129AH-V1-T	Digital to Analog Video Encoder, QFP44, tray
Trident Micro	UAC3556B-XK-G10-T	Programmable USB Codec (tray) PQFN64-1 , 8KB download

Trident Micro	MAP4401M-QB-C2-000-T	Micronas Audio Processor, tray no license necessary! DC: 10/2007
Trident Micro	UAC3554B-XK-G7-T	USB Headset Codec (Tray), PQFN64-1, USB Audio Codec IC (Tray), PMQFP44-1, USB->DAC.I2C,I2S
Trident Micro	UAC3553B-QG-G6-T	Audio/Video Front-End Solution, PQFN64-1
Trident Micro	AVF4910B-XK-A1-T	Audio Processor IC PMQFP64-2 (10X10X2MM) PACKAGE
Trident Micro	MSP3415G-QI-B8V3-T	Multistandard Sound Processor PMQFP80-11,NICAM,IFIN,AFOUT, DC 02/06
Trident Micro	MSP3410G-QA-B8-V3	Programmable USB Code (Tray), PMQFP64- 2, 8K download RAM
Trident Micro	UAC3576B-QI-H7-T	Multistandard Sound Processor PMQFP44- 1, all Audio Standards (DC 2007)
Trident Micro	MSP3407G-QG-B8-V3-T	Multistandard Sound Processor PSDIP52-2, NICAM, IFIN, AFOUT
Trident Micro	MSP3410G-PO-B8-V3	Receptacle, Vertical, 38Way
Tyco	E20 Stecker	50pol 1.27p female through-hole dual row, h=3.4mm
Wave-Tech Co.	CFD01-50AAA2B	
Wave-Tech Co.	CFS06-50ABA	50pin 1.27mm female SMD dual row H=3.6mm
Wave-Tech Co.	CFS06-60ABA	60pol 1.27pitch female SMD dual row H=3.6mm
Wekang	SC-3445/CT	Serial Cable DPU3445
Wekang	M1203A RS232-CABLE	RS232-Cable f. Fastrack Modem
Wekang	UM94-05271C100-R	5pol Mini USB B female right angel, through hole, sel.Gold flash 3μ"
Wekang	CONN-TH2000/1-16/230	Connector cable LTP2000 230mm cross connected (Pin1-Pin16)
Wekang	DRB-09S	9pol DSUB, female, 4-40unc10.2
Wekang	UM24-05211E121-R	5pol Mini USB B female right angel, SMD sel.Gold flash
Wekang	CONN-TH2000/1-1/230R	Connector cable LTP2000 230mm standard connected (Pin1-Pin1)
Welcon	6520162211-001	16pol SOP T/B Socket open top, 1.27pit
Winslow	W82172T3816RC	72 Pin Dual Row Header
Winslow	WPLCC052-1GRC	PLCC52 Through Hole P/U Socket gold plating contacts
Xilinx	XC95108-20PQG100C	CPLD 100TQFP
Yamaichi	LPH-34S1GN2	2.54mm box hesder, dual row 180degree, SMT, black
Yamaichi	LPH-34SSNR	2.54mm box hesder dual row 180degree, TH
Yamaichi	IC149-064-101-S5	QFP64 1.0 SMT Prod.use Socket
Yamaichi	IC149-064-075-S5	QFP64 0.5 SMT PROD.USE SOCKET IC-Body 10.4 x 10.4mm
Yamaichi	IC149-044-049-B5	QFP44 SMT Prod. use Socket
Yamaichi	RDP040-015-005-FL	0,5mm male header 40pin SMT H=1,5mm
Yamaichi	RDS040-040-005-FL	0,5mm female header 40pin SMT H=4,0mm
Yamaichi	Y-LPF-F5-30-64-A2-B-V	FFC 30pin,0.5mm pitch,70mm total length, Conduct. 0,05x0.3 UL 20861
Yamaichi	HF601-10-02	high speed connector, for FFC 10 pin 90° pitch 0.5mm

Yamaichi	FPS009-3002-BL	SD Card+MMC Reader manual Insertion w. simple Ejector
Yamaichi	Y-LPF-F1-12-150-B2-L-V	FFC 12pin,1.0mm pitch,156mm total length, Conduct. 0,05x0.65 UL 20861
Yamaichi	Y-LPF-C5-30-S1-BF-R	Y-Look for FFC w//pullforce locking mechanis 30 pin 0,50mm,180°
Yamaichi	Y-LPF-C1-12-S9-LL-R	Y-Look for FFC W/pullforce locking mechanis 12 pin 1,0mm,90° SMT
Yamaichi	Y-LPF-C1-12_S1-LL-R	Y-Look for FFC W/pullforce locking mechanis 12 pin 1,0mm,180° SMT
Yamaichi	FPS009-2960-0	SD- Card+MMC Reader Push/Push (Reversed)
Yamaichi	FPS009-2700-0	SD Card+MMC Card Connector Push/Push, Super Low Profile
Yamaichi	FPS009-2602-0	SD- Card+MMC Reader Push/Push (Reversed)
Yamaichi	Y-CONUSB-ASSY-201	Y-CON USB-B to USB-A IP20 to IP20 incl. 2.0m cable
Yamaichi	Y-LPF-F5-30-134-A0-B-V	FFC 30pin,0.5mm pitch,140mm total length, Conduct. 0,03x0.3 UL 20861
Yamaichi	IC149-240-067-B5	QFP240 Prod.use Socket
Yamaichi	Y-CONTOOL-20	Cable stripping tool
Yamaichi	IC51-0442-1536	SOP44 Test+Burnin Socket
Yamaichi	IC51-0282-334-1	SOP28 Test+Burnin Socket
Yamaichi	IC51-0082-1024	SOP8 Test+Burnin Socket
Yamaichi	IC179Z-44600-500	SOP44 SMT Prod.use Socket
Yamaichi	IC160-0524-240	PLCC52 SMT PROD. USE SOCKET
Yamaichi	IC160-0444-400	PLCC44 Through Hole P/U Socket
Yamaichi	IC160-0444-201	PLCC44 SMT Prod. use Socket
Yamaichi	HF601-F5-40-92-A0-F-V	FFC for HF601 40 pin connector
Yamaichi	IC160-0324-2411	PLCC 32 SMT Prod.use Socket with Positioning pegs
Yamaichi	HF601-20-02	high speed connector, for FFC 20 pin 90° pitch 0.5 mm
Yamaichi	IC61-1004-051	LCC100 SMT Prod.use Socket
Yamaichi	IC149-160-150-S5	QFP160 0,5 SMT Prod.use Socket
Yamaichi	IC149-144KS11453-1B	QFP144 0,65 SMT Prod.useSocket, with positioning guide pin
Yamaichi	IC149-144KS11453-0S	QFP144 SMT 0,65 Prod.useSocket
Yamaichi	IC149-144KS11453-0B	QFP144 0,65 SMT Prod.useSocket without Positioning Guide Pins
Yamaichi	ICP-080-3	ICE-BLOCK f. IC149 Socket
Yamaichi	IC149-080-117-B5	QFP80 0,65 SMT Prod.use Socket
Yamaichi	IC51-0484-806-11	QFP48 Test+Burnin Socket
Yamaichi	HF601-40-02	high speed connector, for FFC 40 pin 90° pitch 0.5 mm
Yamaichi	IC51-0804-819-1	QFP80 Test+Burnin Socket
Yamaichi	CF050P2-PINPROTECT	Compact Flash Card Reader with Pin Protection
Yamaichi	FAP-1401-1104-2-0AF	Latch Head Plug 2,54mm 180 °
Yamaichi	FLS007-5000-0	MMC Connector manual Type reduced + standard size cards

Yamaichi	SATAS1-22SNR2R	SATA Host Connector HDD 15 +7 female, SMT Type Reverse
Yamaichi	USB-B-003	USB Connector Type B Receptacle SMD
Yamaichi	MDIN06SSV-BC	6pol Mini Din Female Connector back closed
Yamaichi	MDIN07SSV-BC	7pol Mini Din Female Connector back closed
Yamaichi	MDIN08SS	8PIN Female Board Connector
Yamaichi	IC120-0324-209	PLCC32 Test+Burnin Socket open Top, Dead bug loading Version
Yamaichi	TS3014S-881-LED-GELB-GR	RJ45 ModularJack 8pol abgesch.
Yamaichi	Y-Consample ASSY-01	Y-Con SAMPLE cable assembly IP67/IP20 with power Ethernet wiring L= 300mm
Yamaichi	CF050P2-103-00-DS1	Compact Flash Card Reader w/o Ejector but with cap
Yamaichi	FMA006-3700-0	Removable Tray for Reader FMS006-3710-0
Yamaichi	PJS008U-3000-0	MicroSD push/push vertikal Type 180°
Yamaichi	NMS-011-2600-1	Mini SD Connector push/push top mount type
Yamaichi	NMS011-2000-2	Mini SD Card Reader-Push/Push w/o Positioning Pin
Yamaichi	CN026ST-022-333-FS	SATA 7+15 Socket stand off 7.5 mm ,
Yamaichi	TS3010SF-88AR	RJ45 ModularJack 8/8 pol shielded 90° with Ferrite (Magnatics)
Yamaichi	TS3004ST-661SMT	6 pol Modular Jack SMT
Yamaichi	TS2K44	4 pos Modular Jack
Yamaichi	AJ332-5-SMT	SMT Earphone Jacks 3,5mm diameter
Yamaichi	AJ330-4T-SMT	SMT Earphone Jacks 3,5mm 4pol
Yamaichi	CF050P2-013-10-DS	Compact Flash Card Reader reversed Type with Ejector
Yamaichi	FPC-96212-3201	ZIF 32 1,0 SMT 180° SMT Connector
Yamaichi	Y-CONPLUG-12	RJ45, 8/4, Ethernet w/o 2 power contacts
Yamaichi	Y-CONKIT-30(B)	IP67 Flange field kit with screws
Yamaichi	Y-CONKIT-10	IP20 field kit 8/4 without 2 power contacts
Yamaichi	Y-CONJACK-25	RJ45, 8/8+2, PCB, coupler with 2 power contacts
Yamaichi	Y-CONJACK-21	90C RJ45, 8 data contacts+2 power contacts 8(8)+2
Yamaichi	Y-CONJACK-15	RJ45, 8/8, PCB, coupler w/o 2 power contacts
Yamaichi	Y-CONIP20LOCK-102	USB-A/A 2.0 moulded cable assembly, lock on both sides
Yamaichi	Y-CONCABLE-2Y	100Mbit dig. signal cable w/o power, not for cable chain
Yamaichi	FPS009-2409-0	SD Card and MMC Reader push/push H=2,8 0 with switch
Yamaichi	FPC-98210-3321	ZIF 33 0.5 SMT 90C Bottom Contact
Yamaichi	SATAD-22SNR2R	SATA Host Connector HDD, 15+7 female, DIP Standard Type
Yamaichi	FPC-96212-3221	ZIF32 1.0mm SMT Bottom Contact
Yamaichi	Y-CONAS-11	IP20 strain relief
Yamaichi	FPC-96212-0811-T+R	ZIF 08 1.0mm SMT Top Contact
Yamaichi	FPC-96212-0401	ZIF4 1.0mm SMT vertical
Yamaichi	FMS006Z-2101-0	SIM CARD READER WITH SWITCH PUSH/PUSH, REVERSED TYPE

Yamaichi	FMS006-3710-0	SIM Card connector with removable Tray low profile H=1,65mm Top Mount
Yamaichi	FMS006-3000-1	SIM Card connector with Tray for GSM, w/o switch
Yamaichi	Y-CONCABLE-1Y	100Mbit dig. signal cable with power lines, for cable chain
Yamaichi	Y-CONASSEMBLY-149	Y-Con cable assembly IP20/IP20 w/power plugs length 0,6m green jacket, 1:1 wiring
Yamaichi	Y-CONAS-12	IP20 protective transport cap f
Yamaichi	FPC-98210-1821	ZIF 18 0.5 SMT 90 grad Bottem Contact
Yamato Material	DIP-26-2.0-03Q	Socket for Toshiba NEW DIP TPD412xx